



v2024-02-12 Property Manager Deprecated Rule Formats

August 19, 2024

Contents

Welcome

[Welcome](#)

PAPI conventions

[API versioning](#)

[Advanced and locked features](#)

v2024-02-12-behaviors

[v2024-02-12 behaviors](#)

[adScalerCircuitBreaker](#)

[adaptiveAcceleration](#)

[adaptiveImageCompression](#)

[advanced](#)

[aggregatedReporting](#)

[akamaizer](#)

[akamaizerTag](#)

[allHttpInCacheHierarchy](#)

[allowCloudletsOrigins](#)

[allowDelete](#)

[allowHTTPSCacheKeySharing](#)

[allowHTTPSDowngrade](#)

[allowOptions](#)

[allowPatch](#)

[allowPost](#)

[allowPut](#)

[allowTransferEncoding](#)

[altSvcHeader](#)

[apiPrioritization](#)

[applicationLoadBalancer](#)

[audienceSegmentation](#)

[autoDomainValidation](#)

[baseDirectory](#)

[bossBeaconing](#)

[breadcrumbs](#)

[breakConnection](#)

[brotli](#)

[cacheError](#)

[cacheId](#)

[cacheKeyIgnoreCase](#)

[cacheKeyQueryParams](#)

[cacheKeyRewrite](#)

[cachePost](#)

[cacheRedirect](#)

[cacheTag](#)

cacheTagVisible
caching
centralAuthorization
chaseRedirects
clientCertificateAuth
clientCharacteristics
cloudInterconnects
cloudWrapper
cloudWrapperAdvanced
commonMediaClientData
constructResponse
contentCharacteristics
contentCharacteristicsAMD
contentCharacteristicsDD
contentCharacteristicsWsdLargeFile
contentCharacteristicsWsdLive
contentCharacteristicsWsdVod
contentTargetingProtection
corsSupport
cpCode
customBehavior
datastream
dcp
dcpAuthHMACTransformation
dcpAuthRegexTransformation
dcpAuthSubstringTransformation
dcpAuthVariableExtractor
dcpDefaultAuthzGroups
dcpDevRelations
deliveryReceipt
denyAccess
denyDirectFailoverAccess
deviceCharacteristicCached
deviceCharacteristicHeader
dnsAsyncRefresh
dnsPrefresh
downgradeProtocol
downloadCompleteMarker
downloadNotification
downstreamCache
dynamicThroughputOptimization
dynamicThroughputOptimizationOverride
dynamicWebContent
ecmsBulkUpload
ecmsDatabase
ecmsDataset
ecmsObjectKey
edgeConnect
edgeLoadBalancingAdvanced
edgeLoadBalancingDataCenter
edgeLoadBalancingOrigin

edgeOriginAuthorization
edgeRedirector
edgeScape
edgeSideIncludes
edgeWorker
enforceMtlsSettings
enhancedAkamaiProtocol
enhancedProxyDetection
epdForwardHeaderEnrichment
failAction
failoverBotManagerFeatureCompatibility
fastInvalidate
fips
firstPartyMarketing
firstPartyMarketingPlus
forwardRewrite
g2oheader
globalRequestNumber
graphqlCaching
inputValidation
gzipResponse
hdDataAdvanced
healthDetection
hsafEipBinding
http2
http3
httpStrictTransportSecurity
httpToHttpsUpgrade
imOverride
imageManager
imageManagerVideo
include
instant
instantConfig
largeFileOptimization
largeFileOptimizationAdvanced
limitBitRate
logCustom
mPulse
manifestPersonalization
manifestRerouting
manualServerPush
mediaAcceleration
mediaAccelerationQuicOptout
mediaClient
mediaFileRetrievalOptimization
mediaOriginFailover
metadataCaching
mobileSdkPerformance
modifyIncomingRequestHeader
modifyIncomingResponseHeader

modifyOutgoingRequestHeader
modifyOutgoingResponseHeader
modifyViaHeader
originCharacteristics
originCharacteristicsWsd
originFailureRecoveryMethod
originFailureRecoveryPolicy
originIpAcl
permissionsPolicy
persistentClientConnection
persistentConnection
personallyIdentifiableInformation
phasedRelease
preconnect
predictiveContentDelivery
predictivePrefetching
prefetch
prefetchable
prefreshCache
quicBeta
randomSeek
rapid
readTimeout
realTimeReporting
realUserMonitoring
redirect
redirectplus
referrerChecking
removeQueryParameter
removeVary
report
requestClientHints
requestControl
requestTypeMarker
resourceOptimizer
shutr
resourceOptimizerExtendedCompatibility
responseCode
responseCookie
restrictObjectCaching
returnCacheStatus
rewriteUrl
rumCustom
saasDefinitions
salesForceCommerceCloudClient
salesForceCommerceCloudProvider
salesForceCommerceCloudProviderHostHeader
savePostDcaProcessing
scheduleInvalidation
scriptManagement
segmentedContentProtection

segmentedMediaOptimization
segmentedMediaStreamingPrefetch
setVariable
simulateErrorCode
siteShield
standardTLSMigration
standardTLSMigrationOverride
strictHeaderParsing
subCustomer
sureRoute
tcpOptimization
teaLeaf
tieredDistribution
tieredDistributionAdvanced
tieredDistributionCustomization
timeout
uidConfiguration
validateEntityTag
verifyJsonWebToken
verifyJsonWebTokenForDcp
verifyTokenAuthorization
visitorPrioritization
watermarking
webApplicationFirewall
webSockets
webdav

v2024-02-12-criteria

v2024-02-12 criteria
advancedImMatch
bucket
cacheability
chinaCdnRegion
clientCertificate
clientIp
clientIpVersion
cloudletsOrigin
contentDeliveryNetwork
contentType
deviceCharacteristic
edgeWorkersFailure
fileExtension
filename
hostname
matchAdvanced
matchCpCode
matchResponseCode
matchVariable
metadataStage
originTimeout


path
queryStringParameter
random
recoveryConfig
regularExpression
requestCookie
requestHeader
requestMethod
requestProtocol
requestType
responseHeader
serverLocation
time
tokenAuthorization
userAgent
userLocation
userNetwork
variableError

Notice

Notice

Welcome

Welcome

Akamai often modifies Property Manager API (PAPI) features, each time deploying a new internal version of the feature. By default, the Property Manager interface in [Control Center](#)  uses the latest available feature versions and you may be prompted to upgrade your configuration. In the interest of stability, PAPI does not support this system of selective updates for each feature. Instead, PAPI's rule objects are simply versioned as a whole. These versions, which update infrequently, are known as rule formats.

PAPI supports different dated versions for the set of features available within a property's rule tree. Akamai releases a new stable version of a rule format twice a year on average. As best practice, you should upgrade to the most recent dated rule format available. See [API versioning](#) for details.

This guide provides details for all behaviors and criteria the Property Manager API supports in the v2024-01-09 **deprecated** rule format version. The version available to you is determined by the product and modules assigned to the property. You can get it by running the [List available behaviors for a property](#) operation.

API versioning

The API exposes several different versioning systems:

- The version of the API is specified as part of the URL path. The current API version is `v1`.
- The API supports different dated versions for the set of features available within a property's rule tree. You can [freeze](#) and smoothly [update](#) the set of features that a property's rules apply to your content. Each behavior and criteria you invoke within your rules may independently increment versions from time to time, but you can only specify the most recent dated rule format to freeze the set of features. Otherwise, if you assign the `latest` rule format, features update automatically to their most recent version. This may abruptly result in errors if JSON in your rules no longer comply with the most recent feature's set of requirements.



Once you've frozen a rule format in PAPI, that state persists even if you use the Property Manager interface in [Control Center](#)[®]. You no longer get any feature upgrade prompts.

- The latest set of features are detailed in the [behavior](#) and [criteria](#) reference.
- PAPI lets you access your own set of property versions. Versions are available as URL resources that you can modify and activate independently, or perform roll-back if needed. This set is the only versioned object under your direct control.
- The API's [Build interface](#) also provides details on the current software release and its accompanying *catalog* of behaviors and criteria. These include version numbers and extraneous commit and build dates, which bear no relation to dated rule format versions. Don't rely on any of the internal version numbers this interface makes available.

Expect internal catalog release versions to update the most frequently, followed by less frequent rule format versions, followed by infrequent new API versions.

Advanced and locked features

In addition to its `name` and component `options`, special types of behavior and criteria objects may feature these additional members:

- A `uuid` string signifies an *advanced* feature. Advanced behaviors and criteria are read-only, and can only be modified by Akamai representatives. They typically deploy metadata customized for you, whose functionality falls outside the predefined guidelines of what other read/write behaviors can do. Such metadata might also cause problems if executed outside of its intended context within the rule tree. Throughout the behavior and criteria reference, advanced features are identified as *read-only*.
- If a `locked` boolean member is `true`, it indicates a behavior or criteria that your Akamai representative has *locked* so that you can't modify it. You typically arrange with your representative to lock certain behaviors to protect sensitive data from erroneous changes. Any kind of behavior or criteria may be locked, including writable ones.

When modifying rule trees, you need to preserve the state of any `uuid` or `locked` members. You receive an error if you try to modify or delete either of these special types of feature. You can reposition regular features relative to these special ones, for example by inserting them within the same rule, but each rule's sequence of special features needs to remain unchanged.

Higher-level rule trees may also indicate the presence of these special features:

- A `uuid` member present on a rule object indicates that at least one of its component behaviors or criteria is advanced and read-only. You need to preserve this `uuid` as well when modifying the rule tree.
- A `criteriaLocked` member enabled on a criteria rule by your Akamai representative means that you may *not* insert additional criteria objects within the sequence. This typically keeps complex logical tests from breaking. Preserve the state of `criteriaLocked` when modifying the rule tree.

v2024-02-12-behaviors

v2024-02-12 behaviors

This section provides details for all behaviors the Property Manager API supports for the v2024-02-12 rule format version. The set available to you depends on the product and modules assigned to the property or the include. You can get it by running either [List available behaviors for a property](#) or [List available behaviors for an include](#).

This v2024-02-12 rule format provides an older deprecated set of PAPI features. You should use the most recent dated rule format available. See [API versioning](#) for details.

Option requirements

PAPI's behaviors and match criteria often include cross-dependent options, for which this reference documentation provides details in a *Requires* table column. For example, suppose documentation for a cloudletSharedPolicy option specifies this as *Requires*:

```
isSharedPolicy is true
```

That means for the cloudletSharedPolicy to appear in the object, you need to also have isSharedPolicy set to true :

```
{
  "isSharedPolicy": true,
  "cloudletSharedPolicy": 1000
}
```

Often you include options in behavior or criteria objects based on the match of a string value. Documentation also indicates any set of high-level logical *AND* and *OR* validation requirements.

adScalerCircuitBreaker

- **Property Manager name:** [Ad Scaler Circuit Breaker](#)
- **Behavior version:** The v2024-02-12 rule format supports the adScalerCircuitBreaker behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [No \(temporarily\).](#)

This behavior works with `manifestRerouting` to provide the scale and reliability of Akamai network while simultaneously allowing third party partners to modify the requested media content with value-added features. The `adScalerCircuitBreaker` behavior specifies the fallback action in case the technology partner encounters errors and can't modify the requested media object.

Option	Type	Description	Requires
<code>responseDelayBased</code>	boolean	Triggers a fallback action based on the delayed response from the technology partner's server.	
<code>responseDelayThreshold</code>	enum	Specifies the maximum response delay that, if exceeded, triggers the fallback action.	<code>responseDelayBased</code> is true
		Supported values: 500ms	
<code>responseCodeBased</code>	boolean	Triggers a fallback action based on the response code from the technology partner's server.	
<code>responseCodes</code>	string	Specifies the codes in the partner's response that trigger the fallback action, either 408 , 500 , 502 , 504 , SAME_AS_RECEIEVED , or SPECIFY_YOUR_OWN for a custom code.	<code>responseCodeBased</code> is true
<code>fallbackActionResponseCodeBased</code>	enum	Specifies the fallback action.	<code>responseDelayBased</code> is true OR <code>responseCodeBased</code> is true
	RETURN_AKAMAI_COPY	Return an unmodified Akamai copy of the manifest file to the requesting client.	
	RETURN_ERROR	Return an error as the server response.	
<code>returnErrorResponseCodeBased</code>	enum	Specifies the error to include in the response to the client.	<code>fallbackActionResponseCodeBased</code> is RETURN_ERROR
	SAME_AS_RECEIVED	Return the same error received from the partner platform.	
	408	Return a 408 error.	
	500	Return a 500 error.	
	502	Return a 502 error.	
	504	Return a 504 error.	
	SPECIFY_YOUR_OWN	Customize the error.	
<code>specifyYourOwnResponseCodeBased</code>	string	Defines a custom error response.	<code>returnErrorResponseCodeBased</code> is SPECIFY_YOUR_OWN

adaptiveAcceleration

- **Property Manager name:** [Adaptive Acceleration](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `adaptiveAcceleration` behavior v2.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Adaptive Acceleration uses HTTP/2 server push functionality with Ion properties to pre-position content and improve the performance of HTML page loading based on real user monitoring (RUM) timing data. It also helps browsers to preconnect to content that's likely needed for upcoming requests. To use this behavior, make sure you enable the `http2` behavior. Use the [Adaptive Acceleration API](#) to report on the set of assets this feature optimizes.

Option	Type	Description	Requires
<code>source</code>	string	The source Adaptive Acceleration uses to gather the real user monitoring timing data, either <code>mPulse</code> or <code>realUserMonitoring</code> . The recommended <code>mPulse</code> option supports all optimizations and requires the <code>mPulse</code> behavior added by default to new Ion properties. The classic <code>realUserMonitoring</code> method has been deprecated. If you set it as the data source, make sure you use it with the <code>realUserMonitoring</code> behavior.	
<code>enablePush</code>	boolean	Recognizes resources like JavaScript, CSS, and images based on gathered timing data and sends these resources to a browser as it's waiting for a response to the initial request for your website or app. See Automatic Server Push for more information.	
<code>enablePreconnect</code>	boolean	Allows browsers to anticipate what connections your site needs, and establishes those connections ahead of time. See Automatic Preconnect for more information.	
<code>preloadEnable</code>	boolean	Allows browsers to preload necessary fonts before they fetch and process other resources. See Automatic Font Preload for more information.	
<code>abLogic</code>	enum	Specifies whether to use Adaptive Acceleration in an A/B testing environment. To include Adaptive Acceleration data in your A/B testing, specify the mode you want to apply. Otherwise, <code>DISABLED</code> by default. See Add A/B testing to A2 for details.	
	<code>DISABLED</code>	Disables the use of Adaptive Acceleration in the A/B testing environment. This is the default value.	
	<code>CLOUDLETS</code>	Applies A/B testing using Cloudlets.	
	<code>MANUAL</code>	Applies A/B testing by redirecting a request to one of two origin servers, based on the cookie included with the request.	
<code>cookieName</code>	string	This specifies the name of the cookie file used for redirecting the requests in the A/B testing environment.	<code>abLogic</code> is <code>MANUAL</code>
<code>enableRo</code>	boolean	Enables the Resource Optimizer, which automates the compression and delivery of your <code>.css</code> , <code>.js</code> , and <code>.svg</code> content using a combination of Brotli and Zopfli compressions. The compression is performed offline, during a time to live that the feature automatically sets. See the resourceOptimizer and resourceOptimizerExtendedCompatibility behaviors for more details.	

Option	Type	Description	Requires
<code>enableBrotliCompression</code>	boolean	Applies Brotli compression, converting your origin content to cache on edge servers.	
<code>enableForNoncacheable</code>	boolean	Applies Brotli compression to non-cacheable content.	<code>enableBrotliCompression</code> is true

adaptiveImageCompression

- **Property Manager name:** [Adaptive Image Compression](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `adaptiveImageCompression` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Note: Starting from May 31, 2024, Adaptive Image Compression is no longer supported and the image compression configured through this functionality won't take place. As an alternative, we offer [Image & Video Manager](#). It intelligently and automatically optimizes images and videos on the fly for every user. Reach out to your Akamai representatives for more information on this product.

The Adaptive Image Compression feature compresses JPEG images depending on the requesting network's performance, thus improving response time. The behavior specifies three performance tiers based on round-trip tests: 1 for excellent, 2 for good, and 3 for poor. It assigns separate performance criteria for mobile (cellular) and non-mobile networks, which the `compressMobile` and `compressStandard` options enable independently.

There are six `method` options, one for each tier and type of network. If the `method` is `COMPRESS`, choose from among the six corresponding `slider` options to specify a percentage. As an alternative to compression, setting the `method` to `STRIP` removes unnecessary application-generated metadata from the image. Setting the `method` to `BYPASS` serves clients the original image.

The behavior serves `ETags` headers as a data signature for each adapted variation. In case of error or if the file size increases, the behavior serves the original image file. Flushing the original image from the edge cache also flushes adapted variants. The behavior applies to the following image file extensions: `jpg`, `jpeg`, `jpe`, `jif`, `jfif`, and `jfi`.

Option	Type	Description	Requires
<code>compressMobile</code>	boolean	Adapts images served over cellular mobile networks.	

Option	Type	Description	Requires
tier1MobileCompressionMethod	enum	Specifies tier-1 behavior.	compressMobile is true
		Supported values: BYPASS COMPRESS STRIP	
tier1MobileCompressionValue	number (0-100)	Specifies the compression percentage.	tier1MobileCompressionMethod is COMPRESS
tier2MobileCompressionMethod	enum	Specifies tier-2 cellular-network behavior.	compressMobile is true
		Supported values: BYPASS COMPRESS STRIP	
tier2MobileCompressionValue	number (0-100)	Specifies the compression percentage.	tier2MobileCompressionMethod is COMPRESS
tier3MobileCompressionMethod	enum	Specifies tier-3 cellular-network behavior.	compressMobile is true
		Supported values: BYPASS COMPRESS STRIP	
tier3MobileCompressionValue	number (0-100)	Specifies the compression percentage.	tier3MobileCompressionMethod is COMPRESS
compressStandard	boolean	Adapts images served over non-cellular networks.	
tier1StandardCompressionMethod	enum	Specifies tier-1 non-cellular network behavior.	compressStandard is true
		Supported values: BYPASS COMPRESS STRIP	
tier1StandardCompressionValue	number (0-100)	Specifies the compression percentage.	tier1StandardCompressionMethod is COMPRESS
tier2StandardCompressionMethod	enum	Specifies tier-2 non-cellular network behavior.	compressStandard is true
		Supported values: BYPASS COMPRESS STRIP	
tier2StandardCompressionValue	number (0-100)	Specifies the compression percentage.	tier2StandardCompressionMethod is COMPRESS
tier3StandardCompressionMethod	enum	Specifies tier-3 non-cellular network behavior.	compressStandard is true
		Supported values: BYPASS COMPRESS STRIP	
tier3StandardCompressionValue	number (0-100)	Specifies the compression percentage.	tier3StandardCompressionMethod is COMPRESS

advanced

- **Property Manager name:** [Advanced](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `advanced` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [No \(temporarily\)](#).

This specifies Akamai XML metadata. It can only be configured on your behalf by Akamai Professional Services.

Option	Type	Description
description	string	Human-readable description of what the XML block does.
xml	string	Akamai XML metadata.

aggregatedReporting

- **Property Manager name:** [Aggregated Reporting](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `aggregatedReporting` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Configure a custom report that collects traffic data. The data is based on one to four variables, such as `sum` , `average` , `min` , and `max` . These aggregation attributes help compile traffic data summaries.

This behavior is part of [Internet of Things OTA Update](#), which allows users to securely download firmware to vehicle head units over cellular networks. Use this system to create statistical reports by defining [PAPI variables](#), such as sum of requests sent by a specific car model. For example, you can send the sum of data in bytes, number of requests, and number of completed downloads based on the selected car model, campaign, and year.

To configure the behavior, see [Configure the aggregated reporting behavior](#) in the IoT OTA Updates documentation. For more information including accessing the report, see [Aggregated Reporting](#). Also, you can configure variables with the [setVariable](#) , [requestTypeMarker](#) , and [downloadCompleteMarker](#) behaviors. To learn more about the combinations of OTA Updates behaviors, see [Behaviors in reports](#).

Akamai also offers the [report](#) behavior to specify the HTTP request headers or cookies to include in your [Log Delivery Service](#) [®] reports.

Option	Type	Description	Requires
enabled	boolean	Enables aggregated reporting.	
report Name	string	The unique name of the aggregated report within the property. If you reconfigure any attributes or variables in the aggregated reporting behavior, update this field to a unique value to enable logging data in a new instance of the report.	
attributes Count	number (1-4)	The number of attributes to include in the report, ranging from 1 to 4.	
attribute1	string (allows variables)	Specify a previously user-defined variable name as a report attribute. The values extracted for all attributes range from 0 to 20 characters.	
attribute2	string (allows variables)	Specify a previously user-defined variable name as a report attribute. The values extracted for all attributes range from 0 to 20 characters.	attributes Count ≥ 2
attribute3	string (allows variables)	Specify a previously user-defined variable name as a report attribute. The values extracted for all attributes range from 0 to 20 characters.	attributes Count ≥ 3
attribute4	string (allows variables)	Specify a previously user-defined variable name as a report attribute. The values extracted for all attributes range from 0 to 20 characters.	attributes Count is 4

akamaizer

- **Property Manager name:** [Akamaizer](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `akamaizer` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This allows you to run regular expression substitutions over web pages. To apply this behavior, you need to match on a [contentType](#) . Contact Akamai Professional Services for help configuring the Akamaizer. See also the [akamaizerTag](#) behavior.

Option	Type	Description
enabled	boolean	Enables the Akamaizer behavior.

akamaizerTag

- **Property Manager name:** [Akamaize Tag](#)
- **Behavior version:** The v2024-02-12 rule format supports the akamaizerTag behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This specifies HTML tags and replacement rules for hostnames used in conjunction with the [akamaizer](#) behavior. Contact Akamai Professional Services for help configuring the Akamaizer.

Option	Type	Description	Requires
match Hostname	string	Specifies the hostname to match on as a Perl-compatible regular expression.	
replacement Hostname	string	Specifies the replacement hostname for the tag to use.	
scope	enum	Specifies the part of HTML content the tagsAttribute refers to.	
	ATTRIBUTE	When tagsAttribute refers to a tag/attribute pair, the match only applies to the attribute.	
	URL_ ATTRIBUTE	The same as an attribute but applies when the attribute value is a URL. In that case, it converts to an absolute URL prior to substitution.	
	BLOCK	Substitutes within the tag's contents, but not within any nested tags.	
	PAGE	Ignores the tagsAttribute field and performs the substitution on the entire page.	
tagsAttribute	enum	Specifies the tag or tag/attribute combination to operate on.	scope is not PAGE
		Supported values: A AREA AREA_HREF A_HREF BASE BASE_HREF FORM FORM_ACTION IFRAME IFRAME_SRC IMG IMG_SRC	

Option	Type	Description	Requires
		LINK LINK_HREF SCRIPT SCRIPT_SRC TABLE TABLE_BACKGROUND TD TD_BACKGROUND	
replaceAll	boolean	Replaces all matches when enabled, otherwise replaces only the first match.	
includeTags Attribute	boolean	Whether to include the tagsAttribute value.	

allHttpInCacheHierarchy

- **Property Manager name:** [Allow All Methods on Parent Servers](#)
- **Behavior version:** The v2024-02-12 rule format supports the allHttpInCacheHierarchy behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow all HTTP request methods to be used for the edge's parent servers, useful to implement features such as [Site Shield](#), [SureRoute](#), and Tiered Distribution. (See the [siteShield](#), [sureRoute](#), and [tieredDistribution](#) behaviors.)

Option	Type	Description
enabled	boolean	Enables all HTTP requests for parent servers in the cache hierarchy.

allowCloudletsOrigins

- **Property Manager name:** [Allow Conditional Origins](#)
- **Behavior version:** The v2024-02-12 rule format supports the allowCloudletsOrigins behavior v1.4.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Allows Cloudlets Origins to determine the criteria, separately from the Property Manager, under which alternate [origin](#) definitions are assigned.

This behavior needs to appear alone within its own rule. When enabled, it allows any [cloudlets Origin](#) criteria within sub-rules to override the prevailing origin.

Option	Type	Description
<code>enabled</code>	boolean	Allows you to assign custom origin definitions referenced in sub-rules by cloudlets Origin labels. If disabled, all sub-rules are ignored.
<code>honorBaseDirectory</code>	boolean	Prefixes any Cloudlet-generated origin path with a path defined by an Origin Base Path behavior. If no path is defined, it has no effect. If another Cloudlet policy already prepends the same Origin Base Path, the path is not duplicated.
<code>purgeOriginQueryParameter</code>	string	When purging content from a Cloudlets Origin, this specifies a query parameter name whose value is the specific named origin to purge. Note that this only applies to content purge requests, for example when using the Content Control Utility API .

allowDelete

- **Property Manager name:** [Allow DELETE](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `allowDelete` behavior v1.4.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow HTTP requests using the DELETE method. By default, GET, HEAD, and OPTIONS requests are allowed, and all other methods result in a 501 error. Such content does not cache, and any DELETE requests pass to the origin. See also the [allowOptions](#), [allowPatch](#), [allowPost](#), and [allowPut](#) behaviors.

Option	Type	Description
<code>enabled</code>	boolean	Allows DELETE requests. Content does <i>not</i> cache.
<code>allowBody</code>	boolean	Allows data in the body of the DELETE request.

allowHTTPSCacheKeySharing

- **Property Manager name:** [HTTPS Cache Key Sharing](#)
- **Behavior version:** The v2024-02-12 rule format supports the allowHTTPSCacheKeySharing behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

HTTPS cache key sharing allows HTTP requests to be served from an HTTPS cache.

Option	Type	Description
enabled	boolean	Enables HTTPS cache key sharing.

allowHTTPSDowngrade

- **Property Manager name:** [Protocol Downgrade \(HTTPS Downgrade to Origin\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the allowHTTPSDowngrade behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Passes HTTPS requests to origin as HTTP. This is useful when incorporating Standard TLS or Akamai's shared certificate delivery security with an origin that serves HTTP traffic.

Option	Type	Description
enabled	boolean	Downgrades to HTTP protocol for the origin server.

allowOptions

- **Property Manager name:** [Allow OPTIONS](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `allowOptions` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

GET, HEAD, and OPTIONS requests are allowed by default. All other HTTP methods result in a 501 error. For full support of Cross-Origin Resource Sharing (CORS), you need to allow requests that use the OPTIONS method. If you're using the `corsSupport` behavior, do not disable OPTIONS requests. The response to an OPTIONS request is not cached, so the request always goes through the Akamai network to your origin, unless you use the `constructResponse` behavior to send responses directly from the Akamai network. See also the `allowDelete` , `allowPatch` , `allowPost` , and `allowPut` behaviors.

Option	Type	Description
<code>enabled</code>	boolean	Set this to <code>true</code> to reflect the default policy where edge servers allow the OPTIONS method, without caching the response. Set this to <code>false</code> to deny OPTIONS requests and respond with a 501 error.

allowPatch

- **Property Manager name:** [Allow PATCH](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `allowPatch` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow HTTP requests using the PATCH method. By default, GET, HEAD, and OPTIONS requests are allowed, and all other methods result in a 501 error. Such content does not cache, and any PATCH requests pass to the origin. See also the `allowDelete` , `allowOptions` , `allowPost` , and `allowPut` behaviors.

Option	Type	Description
enabled	boolean	Allows PATCH requests. Content does <i>not</i> cache.

allowPost

- **Property Manager name:** [Allow POST](#)
- **Behavior version:** The v2024-02-12 rule format supports the allowPost behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow HTTP requests using the POST method. By default, GET, HEAD, and OPTIONS requests are allowed, and POST requests are denied with 403 error. All other methods result in a 501 error. See also the [allowDelete](#) , [allowOptions](#) , [allowPatch](#) , and [allowPut](#) behaviors.

Option	Type	Description
enabled	boolean	Allows POST requests.
allowWithout Content Length	boolean	By default, POST requests also require a Content-Length header, or they result in a 411 error. With this option enabled with no specified Content-Length , the edge server relies on a Transfer-Encoding header to chunk the data. If neither header is present, it assumes the request has no body, and it adds a header with a 0 value to the forward request.

allowPut

- **Property Manager name:** [Allow PUT](#)
- **Behavior version:** The v2024-02-12 rule format supports the allowPut behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow HTTP requests using the PUT method. By default, GET, HEAD, and OPTIONS requests are allowed, and all other methods result in a 501 error. Such content does not cache, and any PUT requests pass to the origin. See also the [allowDelete](#) , [allowOptions](#) , [allowPatch](#) , and [allowPost](#) behaviors.

Option	Type	Description
enabled	boolean	Allows PUT requests. Content does <i>not</i> cache.

allowTransferEncoding

- **Property Manager name:** [Chunked Transfer Encoding](#)
- **Behavior version:** The v2024-02-12 rule format supports the allowTransferEncoding behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Controls whether to allow or deny Chunked Transfer Encoding (CTE) requests to pass to your origin. If your origin supports CTE, you should enable this behavior. This behavior also protects against a known issue when pairing [http2](#) and [webdav](#) behaviors within the same rule tree, in which case it's required.

Option	Type	Description
enabled	boolean	Allows Chunked Transfer Encoding requests.

altSvcHeader

- **Property Manager name:** [Alt-Svc Header](#)
- **Behavior version:** The v2024-02-12 rule format supports the altSvcHeader behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [Yes](#)

Sets the maximum age value for the Alternative Services (Alt-Svc) header.

Option	Type	Description
max Age	number	Specifies the max-age value in seconds for the Alt-Svc header. The default max-age for an Alt-Svc header is 93600 seconds (26 hours).

apiPrioritization

- **Property Manager name:** [API Prioritization Cloudlet](#)
- **Behavior version:** The v2024-02-12 rule format supports the apiPrioritization behavior v3.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Enables the API Prioritization Cloudlet, which maintains continuity in user experience by serving an alternate static response when load is too high. You can configure rules using either the Cloudlets Policy Manager application or the [Cloudlets API](#). Use this feature serve static API content, such as fallback JSON data. To serve non-API HTML content, use the [visitorPrioritization](#) behavior.

Option	Type	Description	Requires
enabled	boolean	Activates the API Prioritization feature.	
isSharedPolicy	boolean	Whether you want to apply the Cloudlet shared policy to an unlimited number of properties within your account. Learn more about shared policies and how to create them in Cloudlets Policy Manager .	
cloudletPolicy	object	Identifies the Cloudlet policy.	isSharedPolicy is false
cloudletPolicy.id	number	Identifies the Cloudlet.	
cloudletPolicy.name	string	The Cloudlet's descriptive name.	
cloudletSharedPolicy	string	Identifies the Cloudlet shared policy to use with this behavior. Use the Cloudlets API to list available shared policies.	isSharedPolicy is true
label	string	A label to distinguish this API Prioritization policy from any others in the same property.	
useThrottledCpCode	boolean	Specifies whether to apply an alternative CP code for requests served the alternate response.	
throttledCpCode	object	Specifies the CP code as an object. You only need to provide the initial id , stripping any cpc_ .prefix to pass	useThrottledCp Code is true

Option	Type	Description	Requires
		the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	
throttledCpCode.cpCodeLimits	array	Read-only. Describes the current usage limit for the CP code.	
throttledCpCode.createdDate	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.	
throttledCpCode.description	string	Read-only. Additional description for the CP code.	
throttledCpCode.id	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeId</code> value from the List CP codes operation.	
throttledCpCode.name	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.	
throttledCpCode.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.	
useThrottledStatusCode	boolean	Allows you to assign a specific HTTP response code to a throttled request.	
throttledStatusCode	number	Specifies the HTTP response code for requests that receive the alternate response.	<code>useThrottledStatusCode</code> is <code>true</code>
netStorage	object	Specify the NetStorage domain that contains the alternate response.	
netStorage.cpCode	integer	Identifies a CP code assigned to this storage group.	
netStorage.downloadDomainName	string	Domain name from which content can be downloaded.	
netStorage.g2oToken	string	Signature Header Authentication key.	
netStorage.id	integer	Unique identifier for the storage group.	
netStorage.name	string	Name of the storage group.	
netStoragePath	string	Specify the full NetStorage path for the alternate response, including trailing file name.	
alternateResponseCacheTtl	number (5-30)	Specifies the alternate response's time to live in the cache, 5 minutes by default.	

applicationLoadBalancer

- **Property Manager name:** [Application Load Balancer Cloudlet](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `applicationLoadBalancer` behavior v1.10.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Enables the Application Load Balancer Cloudlet, which automates load balancing based on configurable criteria. To configure this behavior, use either the Cloudlets Policy Manager or the [Cloudlets API](#) to set up a policy.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Activates the Application Load Balancer Cloudlet.	
<code>cloudletPolicy</code>	object	Identifies the Cloudlet policy.	
<code>cloudletPolicy.id</code>	number	Identifies the Cloudlet.	
<code>cloudletPolicy.name</code>	string	The Cloudlet's descriptive name.	
<code>label</code>	string	A label to distinguish this Application Load Balancer policy from any others within the same property.	
<code>stickinessCookieType</code>	enum	Determines how a cookie persistently associates the client with a load-balanced origin.	
	<code>NONE</code>	Dynamically reassigns different load-balanced origins for each request.	
	<code>NEVER</code>	Preserves the cookie indefinitely.	
	<code>ON_BROWSER_CLOSE</code>	Limit the cookie duration to browser sessions.	
	<code>FIXED_DATE</code>	Specify a specific time for when the cookie expires.	
	<code>DURATION</code>	Specify a delay for when the cookie expires.	
	<code>ORIGIN_SESSION</code>	Limit the cookie duration to when the <code>ORIGIN_SESSION</code> terminates. (After the cookie expires, the cookie type re-evaluates.)	
<code>stickinessExpirationDate</code>	string (epoch timestamp)	Specifies when the cookie expires.	<code>stickinessCookieType</code> is <code>FIXED_DATE</code>
<code>stickinessDuration</code>	string (duration)	Sets how long it is before the cookie expires.	<code>stickinessCookieType</code> is <code>DURATION</code>
<code>stickinessRefresh</code>	boolean	Extends the duration of the cookie with each new request. When enabled, the <code>DURATION</code> thus specifies the latency between requests that would cause the cookie to expire.	<code>stickinessCookieType</code> is <code>DURATION</code>
<code>originCookieName</code>	string	Specifies the name for your session cookie.	<code>stickinessCookieType</code> is <code>ORIGIN_SESSION</code>
<code>specifyStickinessCookieDomain</code>	boolean	Specifies whether to use a cookie domain with the stickiness cookie, to tell the browser to which domain to send the cookie.	<code>stickinessCookieType</code> is either: <code>ON_BROWSER_CLOSE</code> , <code>FIXED_DATE</code> , <code>DURATION</code> , <code>NEVER</code> , <code>ORIGIN_SESSION</code>
<code>stickinessCookieDomain</code>	string	Specifies the domain to track the stickiness cookie.	<code>specifyStickinessCookieDomain</code> is <code>true</code>

Option	Type	Description	Requires
stickinessCookieAutomaticSalt	boolean	Sets whether to assign a <i>salt</i> value automatically to the cookie to prevent manipulation by the user. You should not enable this if sharing the population cookie across more than one property.	stickinessCookieType is either: ON_BROWSER_CLOSE , FIXED_DATE , DURATION , NEVER , ORIGIN_SESSION
stickinessCookieSalt	string	Specifies the stickiness cookie's salt value. Use this option to share the cookie across many properties.	stickinessCookieAutomaticSalt is false
stickinessCookieSetHttpOnlyFlag	boolean	Ensures the cookie is transmitted only over HTTP.	stickinessCookieType is either: ON_BROWSER_CLOSE , FIXED_DATE , DURATION , NEVER , ORIGIN_SESSION
allDownNetStorage	object	Specifies a NetStorage account for a static maintenance page as a fallback when no origins are available.	
allDownNetStorage.cpCode	integer	Identifies a CP code assigned to this storage group.	
allDownNetStorage.downloadDomainName	string	Domain name from which content can be downloaded.	
allDownNetStorage.g2oToken	string	Signature Header Authentication key.	
allDownNetStorage.id	integer	Unique identifier for the storage group.	
allDownNetStorage.name	string	Name of the storage group.	
allDownNetStorageFile	string	Specifies the fallback maintenance page's filename, expressed as a full path from the root of the NetStorage server.	
allDownStatusCode	string	Specifies the HTTP response code when all load-balancing origins are unavailable.	
failoverStatusCodes	string array	Specifies a set of HTTP status codes that signal a failure on the origin, in which case the cookie that binds the client to that origin is invalidated and the client is rerouted to another available origin.	
failoverMode	enum	Determines what to do if an origin fails.	
	AUTOMATIC	Automatically determines which origin in the policy to try next.	
	MANUAL	You define a sequence of failover origins. (If failover runs out of origins, requests are sent to NetStorage.)	
	DISABLED	Turns off failover, but maintains origin stickiness even when the origin goes down.	
failoverOriginMap	object array	Specifies a fixed set of failover mapping rules.	failoverMode is MANUAL

Option	Type	Description	Requires
failoverOrigin Map[].fromOriginId	string	Specifies the origin whose failure triggers the mapping rule.	
failoverOrigin Map[].toOriginIds	string array	Requests stuck to the fromOriginId origin retry for each alternate origin to OriginIds , until one succeeds.	
failoverAttempts Threshold	number	Sets the number of failed requests that would trigger the failover process.	failoverMode is either: MANUAL , AUTOMATIC
allowCachePrefresh	boolean	Allows the cache to prefetch. Only appropriate if all origins serve the same content for the same URL.	

audienceSegmentation

- **Property Manager name:** [Audience Segmentation Cloudlet](#)
- **Behavior version:** The v2024-02-12 rule format supports the audienceSegmentation behavior v3.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Allows you to divide your users into different segments based on a persistent cookie. You can configure rules using either the Cloudlets Policy Manager application or the [Cloudlets API](#).

Option	Type	Description	Requires
enabled	boolean	Enables the Audience Segmentation cloudlet feature.	
isSharedPolicy	boolean	Whether you want to use a shared policy for a Cloudlet. Learn more about shared policies and how to create them in Cloudlets Policy Manager .	
cloudletPolicy	object	Identifies the Cloudlet policy.	isSharedPolicy is false
cloudletPolicy.id	number	Identifies the Cloudlet.	
cloudlet Policy.name	string	The Cloudlet's descriptive name.	
cloudletShared Policy	string	This identifies the Cloudlet shared policy to use with this behavior. You can list available shared policies with the Cloudlets API .	isSharedPolicy is true
label	string	Specifies a suffix to append to the cookie name. This helps distinguish this audience segmentation policy from any others within the same property.	

Option	Type	Description	Requires
segmentTracking Method	enum	Specifies the method to pass segment information to the origin. The Cloudlet passes the rule applied to a given request location.	
		Supported values: IN_COOKIE_HEADER IN_CUSTOM_HEADER IN_QUERY_PARAM NONE	
segmentTracking QueryParam	string	This query parameter specifies the name of the segmentation rule.	segmentTracking Method is IN_ QUERY_PARAM
segmentTracking CookieName	string	This cookie name specifies the name of the segmentation rule.	segmentTracking Method is IN_ COOKIE_HEADER
segmentTracking CustomHeader	string	This custom HTTP header specifies the name of the segmentation rule.	segmentTracking Method is IN_ CUSTOM_HEADER
population CookieType	enum	Specifies when the segmentation cookie expires.	
	NEVER	Never expire.	
	ON_ BROWSER_ CLOSE	Expire at end of browser session.	
	DURATION	Specify a delay.	
population Duration	string (duration)	Specifies the lifetime of the segmentation cookie.	populationCookie Type is DURATION
population Refresh	boolean	If disabled, sets the expiration time only if the cookie is not yet present in the request.	populationCookie Type is DURATION
specify PopulationCookie Domain	boolean	Whether to specify a cookie domain with the population cookie. It tells the browser to which domain to send the cookie.	
population CookieDomain	string	Specifies the domain to track the population cookie.	specifyPopulation CookieDomain is true
population CookieAutomatic Salt	boolean	Whether to assign a <i>salt</i> value automatically to the cookie to prevent manipulation by the user. You should not enable if sharing the population cookie across more than one property.	
population CookieSalt	string	Specifies the cookie's salt value. Use this option to share the cookie across many properties.	populationCookie AutomaticSalt is false
population CookieInclude RuleName	boolean	When enabled, includes in the session cookie the name of the rule in which this behavior appears.	

autoDomainValidation

- **Property Manager name:** [Auto Domain Validation](#)
 - **Behavior version:** The `v2024-02-12` rule format supports the `autoDomainValidation` behavior v1.0.
 - **Rule format status:** [Deprecated, outdated rule format](#)
 - **Access:** [Read/Write](#)
 - **Allowed in includes:** [Yes](#)
-

This behavior allows standard TLS domain validated certificates to renew automatically. Apply it after using the [Certificate Provisioning System](#) to request a certificate for a hostname. To provision certificates programmatically, see the [Certificate Provisioning System API](#).

This behavior does not affect hostnames that use enhanced TLS certificates.

This behavior object does not support any options. Specifying the behavior enables it.

baseDirectory

- **Property Manager name:** [Origin Base Path](#)
 - **Behavior version:** The `v2024-02-12` rule format supports the `baseDirectory` behavior v1.1.
 - **Rule format status:** [Deprecated, outdated rule format](#)
 - **Access:** [Read/Write](#)
 - **Allowed in includes:** [Yes](#)
-

Prefix URLs sent to the origin with a base path.

For example, with an origin of `example.com`, setting the `value` to `/images` sets the origin's base path to `example.com/images`. Any request for a `my_pics/home.jpg` file resolves on the origin server to `example.com/images/my_pics/home.jpg`.

Note:

- Changing the origin's base path also changes the cache key, which makes any existing cached data inaccessible. This causes a spike in traffic to your origin until the cache repopulates with fresh content.
- You can't override the base path with other behaviors. For example, if in the [rewriteUrl](#) behavior you specify `targetPath` to `/gifs/hello.gif`, this gets appended to the base path: `example.com/images/gifs/hello.gif`.

Option	Type	Description
value	string (allows variables)	Specifies the base path of content on your origin server. The value needs to begin and end with a slash (/) character, for example <code>/parent/child/</code> .

bossBeaconing

- **Property Manager name:** [Diagnostic data beacons \(Ex. BOSS\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `bossBeaconing` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

Triggers diagnostic data beacons for use with BOSS, Akamai's monitoring and diagnostics system.

Option	Type	Description
enabled	boolean	Enable diagnostic data beacons.
cpcodes	string	The space-separated list of CP codes that trigger the beacons. You need to specify the same set of CP codes within BOSS.
requestType	enum	Specify when to trigger a beacon.
	EDGE	For edge requests only.
	EDGE_MIDGRESS	Both end and midgress requests.
forwardType	enum	Specify when to trigger a beacon.
	MIDGRESS	For internal midgress forwards only.
	ORIGIN	For origin forwards only.
	MIDGRESS_ORIGIN	Both.
sampling Frequency	enum	Specifies a sampling frequency or disables beacons.
	SAMPLING_ FREQ_0_0	Disables beacons altogether.
	SAMPLING_ FREQ_0_1	Specifies a sampling frequency.
conditional Sampling Frequency	enum	Specifies a conditional sampling frequency or disables beacons.
	CONDITIONAL_ SAMPLING_ FREQ_0_0	Disables beacons altogether.
	CONDITIONAL_ SAMPLING_	Specifies a sampling frequency.

Option	Type	Description														
	FREQ_0_1															
	CONDITIONAL_SAMPLING_FREQ_0_2	Specifies a sampling frequency.														
	CONDITIONAL_SAMPLING_FREQ_0_3	Specifies a sampling frequency.														
conditional HTTPStatus	string array	Specifies the set of response status codes or ranges that trigger the beacon.														
		Supported values: <table><tr><td>0xx</td><td>304</td><td>401</td><td>404</td><td>4xx</td><td>503</td><td>6xx</td></tr><tr><td>302</td><td>3xx</td><td>403</td><td>408</td><td>500</td><td>5xx</td><td></td></tr></table>	0xx	304	401	404	4xx	503	6xx	302	3xx	403	408	500	5xx	
0xx	304	401	404	4xx	503	6xx										
302	3xx	403	408	500	5xx											
conditionalError Pattern	string	A space-separated set of error patterns that trigger beacons to conditional feeds. Each pattern can include wildcards, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters. For example, <code>*CONNECT* *DENIED*</code> matches two different words as substrings.														

breadcrumbs

- **Property Manager name:** [Breadcrumbs](#)
- **Behavior version:** The v2024-02-12 rule format supports the breadcrumbs behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Provides per-HTTP transaction visibility into a request for content, regardless of how deep the request goes into the Akamai platform. The Akamai-Request-BC response header includes various data, such as network health and the location in the Akamai network used to serve content, which simplifies log review for troubleshooting.

Option	Type	Description
enabled	boolean	Enables the Breadcrumbs feature.
optMode	boolean	Specifies whether to include Breadcrumbs data in the response header. To bypass the current optMode, append the opposite ak-bc query string to each request from your player.
logging Enabled	boolean	Whether to collect all Breadcrumbs data in logs, including the response headers sent a requesting client. This can also be helpful if you're using DataStream 2 to retrieve log data. This way, all Breadcrumbs data is carried in the logs it uses.

breakConnection

- **Property Manager name:** [Break Forward Connection](#)
- **Behavior version:** The v2024-02-12 rule format supports the breakConnection behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior simulates an origin connection problem, typically to test an accompanying [fail Action](#) policy.

Option	Type	Description
enabled	boolean	Enables the break connection behavior.

brotli

- **Property Manager name:** [Brotli Support](#)
- **Behavior version:** The v2024-02-12 rule format supports the brotli behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Accesses Brotli-compressed assets from your origin and caches them on edge servers. This doesn't compress resources within the content delivery network in real time. You need to set up Brotli compression separately on your origin. If a requesting client doesn't support Brotli, edge servers deliver non-Brotli resources.

Note: If you're using Ion and want Akamai to compress your content on edge servers, use these behaviors instead:

- [adaptiveAcceleration](#) . Ion properties include this by default. It offers several forms of compression, including Brotli. See the [Ion guide](#) for more details.

- [adaptiveImageCompression](#) . This is a separate module you can add to your contract.

Option	Type	Description
<code>enabled</code>	boolean	Fetches Brotli-compressed assets from your origin and caches them on edge servers.

cacheError

- **Property Manager name:** [Cache HTTP Error Responses](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheError` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Caches the origin's error responses to decrease server load. Applies for 10 seconds by default to the following HTTP codes: `204` , `305` , `404` , `405` , `501` , `502` , `503` , `504` , and `505` .

This behavior no longer caches `400` error responses from the origin server. If you need to cache such errors, you can set up a custom variable. See [Caching 400 responses](#) for more information.

Option	Type	Description
<code>enabled</code>	boolean	Activates the error-caching behavior.
<code>ttl</code>	string (duration)	Overrides the default caching duration of <code>10s</code> . Note that if set to <code>0</code> , it is equivalent to <code>no-cache</code> , which forces revalidation and may cause a traffic spike. This can be counterproductive when, for example, the origin is producing an error code of <code>500</code> .
<code>preserve Stale</code>	boolean	When enabled, the edge server preserves stale cached objects when the origin returns <code>500</code> , <code>502</code> , <code>503</code> , and <code>504</code> error codes. This avoids re-fetching and re-caching content after transient errors.

cacheld

- **Property Manager name:** [Cache ID Modification](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheld` behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Controls which query parameters, headers, and cookies are included in or excluded from the cache key identifier.

Note that this behavior executes differently than usual within rule trees. Applying a set of `cacheId` behaviors within the same rule results in a system of forming cache keys that applies independently to the rule's content. If any `cacheId` behaviors are present in a rule, any others specified in parent rules or prior executing sibling rules no longer apply. Otherwise for any rule that lacks a `cacheId` behavior, the set of behaviors specified in an ancestor or prior sibling rule determines how to form cache keys for that content.

Option	Type	Description	Requires
<code>rule</code>	enum	Specifies how to modify the cache ID.	
	<code>INCLUDE_QUERY_PARAMS</code>	Includes the specified set of query parameters when forming a cache ID.	
	<code>INCLUDE_COOKIES</code>	Includes specified cookies in the cache ID.	
	<code>INCLUDE_HEADERS</code>	Includes specified HTTP headers in the cache ID.	
	<code>EXCLUDE_QUERY_PARAMS</code>	Excludes the specified set of query parameters when forming a cache ID.	
	<code>INCLUDE_ALL_QUERY_PARAMS</code>	Includes all query parameters when forming a cache ID.	
	<code>INCLUDE_VARIABLE</code>	Includes a specific user variable in the cache ID.	
	<code>INCLUDE_URL</code>	Includes the full URL, the same as the default without the <code>cacheId</code> behavior.	
<code>include Value</code>	boolean	Includes the value of the specified elements in the cache ID. Otherwise only their names are included.	<code>rule</code> is either: <code>INCLUDE_COOKIES</code> , <code>INCLUDE_QUERY_PARAMS</code> , <code>INCLUDE_HEADERS</code>
<code>optional</code>	boolean	Requires the behavior's specified elements to be present for content to cache. When disabled, requests that lack the specified elements are still cached.	<code>rule</code> is either: <code>INCLUDE_COOKIES</code> , <code>INCLUDE_QUERY_PARAMS</code> , <code>INCLUDE_HEADERS</code> , <code>EXCLUDE_QUERY_PARAMS</code>
<code>elements</code>	string array	Specifies the names of the query parameters, cookies, or headers to include or exclude from the cache ID.	<code>rule</code> is either: <code>INCLUDE_COOKIES</code> , <code>INCLUDE_QUERY_PARAMS</code> , <code>INCLUDE_HEADERS</code> , <code>EXCLUDE_QUERY_PARAMS</code>
<code>variable Name</code>	string (variable name)	Specifies the name of the variable you want to include in the cache key.	<code>rule</code> is <code>INCLUDE_VARIABLE</code>

cacheKeyIgnoreCase

- **Property Manager name:** [Ignore Case In Cache Key](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheKeyIgnoreCase` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

By default, cache keys are generated under the assumption that path and filename components are case-sensitive, so that `File.html` and `file.html` use separate cache keys. Enabling this behavior forces URL components whose case varies to resolve to the same cache key. Enable this behavior if your origin server is already case-insensitive, such as those based on Microsoft IIS.

With this behavior enabled, make sure any child rules do not match case-sensitive path components, or you may apply different settings to the same cached object.

Note that if already enabled, disabling this behavior potentially results in new sets of cache keys. Until these new caches are built, your origin server may experience traffic spikes as requests pass through. It may also result in *cache pollution*, excess cache space taken up with redundant content.

If you're using [NetStorage](#) in conjunction with this behavior, enable its **Force Case** option to match it, and make sure you name the original files consistently as either upper- or lowercase.

Option	Type	Description
<code>enabled</code>	boolean	Ignores case when forming cache keys.

cacheKeyQueryParams

- **Property Manager name:** [Cache Key Query Parameters](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheKeyQueryParams` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [Yes](#)

By default, cache keys are formed as URLs with full query strings. This behavior allows you to consolidate cached objects based on specified sets of query parameters.

Note also that whenever you apply behavior that generates new cache keys, your origin server may experience traffic spikes before the new cache starts to serve out.

Option	Type	Description	Requires
behavior	enum	Configures how sets of query string parameters translate to cache keys. Be careful not to ignore any parameters that result in substantially different content, as it is <i>not</i> reflected in the cached object.	
	INCLUDE_ALL_PRESERVE_ORDER	Forms a separate key for the entire set of query parameters, but sensitive to the order in which they appear. (For example, <code>?q=akamai&state=ma</code> and <code>?state=ma&q=akamai</code> cache separately.)	
	INCLUDE_ALL_ALPHABETIZE_ORDER	Forms keys for the entire set of parameters, but the order doesn't matter. The examples above both use the same cache key.	
	IGNORE_ALL	Causes query string parameters to be ignored when forming cache keys.	
	INCLUDE	Include the sequence of values in the <code>parameters</code> field.	
	IGNORE	Include all but the sequence of values in the <code>parameters</code> field.	
parameters	string array	Specifies the set of parameter field names to include in or exclude from the cache key. By default, these match the field names as string prefixes.	behavior is either: INCLUDE , IGNORE
exactMatch	boolean	When enabled, <code>parameters</code> needs to match exactly. Keep disabled to match string prefixes.	behavior is either: INCLUDE , IGNORE

cacheKeyRewrite

- **Property Manager name:** [Cache Key Path Rewrite \(Beta\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheKeyRewrite` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This behavior rewrites a default cache key's path. Contact Akamai Professional Services for help configuring it.

Option	Type	Description
purgeKey	string	Specifies the new cache key path as an alphanumeric value.

cachePost

- **Property Manager name:** [Cache POST Responses](#)
- **Behavior version:** The v2024-02-12 rule format supports the cachePost behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

By default, POST requests are passed to the origin. This behavior overrides the default, and allows you to cache POST responses.

Option	Type	Description
enabled	boolean	Enables caching of POST responses.
use Body	enum	Define how and whether to use the POST message body as a cache key.
	IGNORE	Uses only the URL to cache the response.
	MD5	Adds a string digest of the data as a query parameter to the cache URL.
	QUERY	Adds the raw request body as a query parameter to the cache key, but only if the POST request's Content-Type is application/x-www-form-urlencoded . (Use this in conjunction with cached to define relevant query parameters.)

cacheRedirect

- **Property Manager name:** [Cache HTTP Temporary Redirects](#)
- **Behavior version:** The v2024-02-12 rule format supports the cacheRedirect behavior v1.0.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Controls the caching of HTTP 302 and 307 temporary redirects. By default, Akamai edge servers don't cache them. Enabling this behavior instructs edge servers to allow these redirects to be cached the same as HTTP 200 responses.

Use the `cacheTag` behavior to separately control TTL for these redirects, either with a specific TTL value or based on `Cache-Control` or `Expires` response headers.

Option	Type	Description
<code>enabled</code>	boolean	Enables the redirect caching behavior.

cacheTag

- **Property Manager name:** [Cache.Tag](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheTag` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This adds a cache tag to the requested object. With cache tags, you can flexibly fast purge tagged segments of your cached content. You can either define these tags with an `Edge-Cache-Tag` header at the origin server level, or use this behavior to directly add a cache tag to the object as the edge server caches it. The `cacheTag` behavior can only take a single value, including a variable. If you want to specify more tags for an object, add a few instances of this behavior to your configuration.

See [Fast Purge](#) for guidance on best practices to deploy cache tags. Use the [Fast Purge API](#) to purge by cache tag programmatically.

Note that this behavior is not compatible with the `dynamicThroughputOptimization` behavior. Don't include both behaviors in a rule for the same request.

Option	Type	Description
<code>tag</code>	string (allows variables)	Specifies the cache tag you want to add to your cached content. A cache tag is only added when the object is first added to cache. A single cache tag can't exceed 128 characters and can only include alphanumeric characters, plus this class of characters: <code>[!#\$%'+./^_` ~-]</code>

cacheTagVisible

- **Property Manager name:** [Cache Tag Visibility](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `cacheTagVisible` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Cache tags are comma-separated string values you define within an `Edge-Cache-Tag` header. You can use them to flexibly fast purge tagged segments of your cached content. You can either define these headers at the origin server level, or use the [modifyOutgoingResponseHeader](#) behavior to configure them at the edge. Apply this behavior to confirm you're deploying the intended set of cache tags to your content.

See [Fast Purge](#) for guidance on best practices to deploy cache tags. Use the [Fast Purge API](#) to purge by cache tag programmatically.

Option	Type	Description
behavior	enum	Specifies when to include the <code>Edge-Cache-Tag</code> in responses.
	NEVER	Strip out the <code>Edge-Cache-Tag</code> header, edge servers' default response.
	PRAGMA_HEADER	Edge servers respond with the <code>Edge-Cache-Tag</code> header only when you pass in a <code>Pragma: akamai-x-get-cache-tags</code> header as part of the request.
	ALWAYS	Include the <code>Edge-Cache-Tag</code> header in all responses.

caching

- **Property Manager name:** [Caching](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `caching` behavior v1.12.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Control content caching on edge servers: whether or not to cache, whether to honor the origin's caching headers, and for how long to cache. Note that any `NO_STORE` or `BYPASS_CACHE` HTTP headers set on the origin's content override this behavior. For more details on how caching works in Property Manager, see the [Learn about caching](#) section in the guide.

Option	Type	Description	Requires
behavior	enum	Specify the caching option.	
	MAX_AGE	Honor the origin's <code>MAX_AGE</code> header.	
	NO_STORE	Clears the cache and serves from the origin.	
	BYPASS_CACHE	Retains the cache but serves from the origin.	
	CACHE_CONTROL_AND_EXPIRES	Honor the origin's <code>CACHE_CONTROL</code> or <code>EXPIRES</code> header, whichever comes last. This adds support for the <code>s-maxage</code> response directive specified in RFC 7234 . Use this alternative value to instruct a downstream CDN how long to cache content.	
	CACHE_CONTROL	Honor the origin's <code>CACHE_CONTROL</code> header. This adds support for the <code>s-maxage</code> response directive specified in RFC 7234 . Use this alternative value to instruct a downstream CDN how long to cache content.	
	EXPIRES	Honor the origin's <code>EXPIRES</code> header.	
must Revalidate	boolean	Determines what to do once the cached content has expired, by which time the Akamai platform should have re-fetched and validated content from the origin. If enabled, only allows the re-fetched content to be served. If disabled, may serve stale content if the origin is unavailable.	behavior is either: <code>CACHE_CONTROL_AND_EXPIRES</code> , <code>CACHE_CONTROL</code> , <code>EXPIRES</code> , <code>MAX_AGE</code>
ttl	string (duration)	The maximum time content may remain cached. Setting the value to <code>0</code> is the same as setting a <code>no-cache</code> header, which forces content to revalidate.	behavior is <code>MAX_AGE</code>
defaultTtl	string (duration)	Set the <code>MAX_AGE</code> header for the cached content.	behavior is either: <code>CACHE_CONTROL_AND_EXPIRES</code> , <code>CACHE_CONTROL</code> , <code>EXPIRES</code>
enhanced RfcSupport	boolean	This enables honoring particular <code>Cache-Control</code> header directives from the origin. Supports all official RFC 7234 directives except for <code>no-transform</code> .	behavior is either: <code>CACHE_CONTROL</code> , <code>CACHE_CONTROL_AND_EXPIRES</code>
honorNo Store	boolean	Instructs edge servers not to cache the response when the origin response includes the <code>no-store</code> directive.	enhancedRfcSupport is true
honor Private	boolean	Instructs edge servers not to cache the response when the origin response includes the <code>private</code> directive.	behavior is either: <code>CACHE_CONTROL</code> , <code>CACHE_CONTROL_AND_EXPIRES</code>
honorNo Cache	boolean	With the <code>no-cache</code> directive present in the response, this instructs edge servers to validate or refetch the response for each request. Effectively, set the time to live <code>ttl</code> to zero seconds.	enhancedRfcSupport is true
honorMax Age	boolean	This instructs edge servers to cache the object for a length of time set by the <code>max-age</code> directive in the response. When present in the origin response, this directive takes precedence over the <code>max-age</code> directive and the <code>defaultTtl</code> setting.	enhancedRfcSupport is true
honor SMaxage	boolean	Instructs edge servers to cache the object for a length of time set by the <code>s-maxage</code> directive in the response.	enhancedRfcSupport is true

Option	Type	Description	Requires
		When present in the origin response, this directive takes precedence over the <code>max-age</code> directive and the <code>defaultTtl</code> setting.	
<code>honorMustRevalidate</code>	boolean	This instructs edge servers to successfully revalidate with the origin server before using stale objects in the cache to satisfy new requests.	<code>behavior</code> is either: <code>CACHE_CONTROL</code> , <code>CACHE_CONTROL_AND_EXPIRES</code>
<code>honorProxyRevalidate</code>	boolean	With the <code>proxy-revalidate</code> directive present in the response, this instructs edge servers to successfully revalidate with the origin server before using stale objects in the cache to satisfy new requests.	<code>enhancedRfcSupport</code> is <code>true</code>

centralAuthorization

- **Property Manager name:** [Centralized Authorization](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `centralAuthorization` behavior `v1.1`.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Forward client requests to the origin server for authorization, along with optional `Set-Cookie` headers, useful when you need to maintain tight access control. The edge server forwards an `If-Modified-Since` header, to which the origin needs to respond with a `304` (Not-Modified) HTTP status when authorization succeeds. If so, the edge server responds to the client with the cached object, since it does not need to be re-acquired from the origin.

Option	Type	Description
<code>enabled</code>	boolean	Enables the centralized authorization behavior.

chaseRedirects

- **Property Manager name:** [Chase Redirects](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `chaseRedirects` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Controls whether the edge server chases any redirects served from the origin.

Note: Chase Redirects is not compatible with Amazon Web Services and Google Cloud Storage authentication methods in the `originCharacteristics` behavior. If you're using any of these authentication methods, Chase Redirects gets automatically disabled.

Option	Type	Description
<code>enabled</code>	boolean	Allows edge servers to chase redirects.
<code>limit</code>	string	Specifies, as a string, the maximum number of redirects to follow.
<code>serve404</code>	boolean	Once the redirect <code>limit</code> is reached, enabling this option serves an HTTP <code>404</code> (Not Found) error instead of the last redirect.

clientCertificateAuth

- **Property Manager name:** [Client Certificate Authentication](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `clientCertificateAuth` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Sends a `Client-To-Edge` header to your origin server with details from the mutual TLS certificate sent from the requesting client to the edge network. This establishes transitive trust between the client and your origin server.

Option	Type	Description
<code>enable</code>	boolean	Constructs the <code>Client-To-Edge</code> authentication header using information from the client to edge mTLS handshake and forwards it to your origin. You can configure your origin to acknowledge the header to enable transitive trust. Some form of the client x.509 certificate needs to be included in the header. You can include the full certificate or specific attributes.
<code>enableCompleteClientCertificate</code>	boolean	Whether to include the complete client certificate in the header, in its binary (DER) format. DER-formatted certificates leave out the <code>BEGIN CERTIFICATE/END CERTIFICATE</code> statements and most often use the <code>.der</code>

Option	Type	Description
		extension. Alternatively, you can specify individual <code>clientCertificateAttributes</code> you want included in the request.
<code>clientCertificateAttributes</code>	string array	Specify client certificate attributes to include in the <code>Client-To-Edge</code> authentication header that's sent to your origin server.
	<code>SUBJECT</code>	The distinguished name of the client certificate's public key, in the <code>Client-To-Edge</code> authentication header.
	<code>COMMON_NAME</code>	The common name (CN) that's been set in the client certificate, in the <code>Client-To-Edge</code> authentication header.
	<code>SHA256_FINGERPRINT</code>	An SHA-256 encrypted fingerprint of the client certificate, in the <code>Client-To-Edge</code> authentication header.
	<code>ISSUER</code>	The distinguished name of the entity that issued the certificate, in the <code>Client-To-Edge</code> authentication header.
<code>enableClientCertificateValidationStatus</code>	boolean	Whether to include the current validation status of the client certificate in the <code>Client-To-Edge</code> authentication header. This verifies the validation status of the certificate, regardless of the certificate attributes you're including in the header.

clientCharacteristics

- **Property Manager name:** [Client Characteristics](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `clientCharacteristics` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the client ecosystem. Akamai uses this information to optimize your metadata configuration, which may result in better end-user performance.

See also [originCharacteristics](#) and various product-specific behaviors whose names are prefixed *contentCharacteristics*.

Option	Type	Description
<code>country</code>	enum	Specifies the client request's geographic region.
	<code>GLOBAL</code>	Global.
	<code>GLOBAL_US_CENTRIC</code>	Regional.
	<code>GLOBAL_EU_CENTRIC</code>	Regional.
	<code>GLOBAL_ASIA_CENTRIC</code>	Regional.

Option	Type	Description
	EUROPE	Europe.
	NORTH_AMERICA	North America.
	SOUTH_AMERICA	South America.
	NORDICS	Northern Europe.
	ASIA_PACIFIC	Asia and Pacific Islands.
	AUSTRALIA	Australia.
	GERMANY	Germany.
	INDIA	India.
	ITALY	Italy.
	JAPAN	Japan.
	TAIWAN	Taiwan.
	UNITED_KINGDOM	United Kingdom.
	OTHER	A fallback value.
	UNKNOWN	Defer any optimizations.

cloudInterconnects

- **Property Manager name:** [Cloud Interconnects for Google Cloud \(GCP\)](#).
- **Behavior version:** The v2024-02-12 rule format supports the cloudInterconnects behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Cloud Interconnects forwards traffic from edge servers to your cloud origin through Private Network Interconnects (PNIs), helping to reduce the egress costs at the origin. Supports origins hosted by Google Cloud Provider (GCP).

Option	Type	Description
enabled	boolean	Channels the traffic to maximize the egress discount at the origin.
cloud Locations	string array	Specifies the geographical locations of your cloud origin. You should enable Cloud Interconnects only if your origin is in one of these locations, since GCP doesn't provide a discount for egress traffic for any other regions.
	AS	Asia.
	EU	Europe.

Option	Type	Description
	NA	North America.

cloudWrapper

- **Property Manager name:** [Cloud Wrapper](#)
- **Behavior version:** The v2024-02-12 rule format supports the cloudWrapper behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

[Cloud Wrapper](#) maximizes origin offload for large libraries of video, game, and software downloads by optimizing data caches in regions nearest to your origin. You can't use this behavior in conjunction with [sureRoute](#) or [tieredDistribution](#).

Option	Type	Description
enabled	boolean	Enables Cloud Wrapper behavior.
location	string	The location you want to distribute your Cloud Wrapper cache space to. This behavior allows all locations configured in your Cloud Wrapper configuration.

cloudWrapperAdvanced

- **Property Manager name:** [Cloud Wrapper Advanced](#)
- **Behavior version:** The v2024-02-12 rule format supports the cloudWrapperAdvanced behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Your account representative uses this behavior to implement a customized failover configuration on your behalf. Use Cloud Wrapper Advanced with an enabled `cloudWrapper` behavior in the same rule.

Option	Type	Description	Requires
enabled	boolean	Enables failover for Cloud Wrapper.	
failoverMap	string	Specifies the failover map to handle Cloud Wrapper failures. Contact your account representative for more information.	
custom FailoverMap	string (allows variables)	Specifies the custom failover map to handle Cloud Wrapper failures. Contact your account representative for more information.	failoverMap is Custom

commonMediaClientData

- **Property Manager name:** [Common Media Client Data support](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `commonMediaClientData` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Use this behavior to send expanded playback information as CMCD metadata in requests from a media player. Edge servers may use this metadata for segment prefetching to optimize your content's delivery, or for logging. For more details and additional property requirements, see the [Adaptive Media Delivery](#) documentation.

Option	Type	Description
enableCMCDSegment Prefetch	boolean	Uses Common Media Client Data (CMCD) metadata to determine the segment URLs your origin server prefetches to speed up content delivery.

constructResponse

- **Property Manager name:** [Construct Response](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `constructResponse` behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior constructs an HTTP response, complete with HTTP status code and body, to serve from the edge independently of your origin. For example, you might want to send a customized response if the URL doesn't point to an object on the origin server, or if the end user is not authorized to view the requested content. You can use it with all request methods you allow for your property, including POST. For more details, see the [allowOptions](#) , [allowPatch](#) , [allowPost](#) , [allowPut](#) , and [allowDelete](#) behaviors.

Don't use this behavior with Bot Manager when you [set up alternate hostnames](#) [Ⓐ] to send bot traffic to an alternate page or site. Make sure the `constructResponse` behavior is disabled in that case.

Option	Type	Description
<code>enabled</code>	boolean	Serves the custom response.
<code>body</code>	string (allows variables)	HTML response of up to 2000 characters to send to the end-user client.
<code>response Code</code>	enum	The HTTP response code to send to the end-user client.
		Supported values: <div> <div>200403405500502504</div> <div>401404417501503</div> </div>
<code>force Eviction</code>	boolean	For GET requests from clients, this forces edge servers to evict the underlying object from cache. Defaults to <code>false</code> .
<code>ignore Purge</code>	boolean	Whether to ignore the custom response when purging.

contentCharacteristics

- **Property Manager name:** [Content Characteristics](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `contentCharacteristics` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the delivered content. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

Along with other behaviors whose names are prefixed *contentCharacteristics*, this behavior is customized for a specific product set. Use PAPI's [List available behaviors](#) operation to determine the set available to you. See also the related [clientCharacteristics](#) and [originCharacteristics](#) behaviors.

Option	Type	Description
objectSize	enum	Optimize based on the size of the object retrieved from the origin.
	LESS_THAN_1MB	Less than 1Mb.
	ONE_MB_TO_TEN_MB	1-10 Mb.
	TEN_MB_TO_100_MB	10-100 Mb.
	OTHER	A fallback value.
	UNKNOWN	Defer this optimization.
popularityDistribution	enum	Optimize based on the content's expected popularity.
	LONG_TAIL	A low volume of requests over a long period.
	ALL_POPULAR	A high volume of requests over a short period.
	OTHER	A fallback value.
	UNKNOWN	Defer this optimization.
catalogSize	enum	Optimize based on the total size of the content library delivered.
	SMALL	Under 100GB.
	MEDIUM	100GB-1TB.
	LARGE	1TB-100TB.
	EXTRA_LARGE	More than 100TB.
	OTHER	A fallback value.
	UNKNOWN	Defer this optimization.
contentType	enum	Optimize based on the type of content.
	USER_GENERATED	Generally, user-generated media.
	WEB_OBJECTS	Generally, media delivered for websites.
	SOFTWARE	Software.
	IMAGES	Images.
	OTHER_OBJECTS	Content that doesn't fall under any of these categories.
	UNKNOWN	Defer this optimization.

contentCharacteristicsAMD

- **Property Manager name:** [Content Characteristics](#)
- **Behavior version:** The v2024-02-12 rule format supports the contentCharacteristicsAMD behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the delivered content. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

Along with other behaviors whose names are prefixed *contentCharacteristics*, this behavior is customized for a specific product set. Use PAPI's [List available behaviors](#) operation to determine the set available to you. See also the related [clientCharacteristics](#) and [originCharacteristics](#) behaviors.

Option	Type	Description	Requires
catalogSize	enum	Optimize based on the total size of the content library delivered.	
	SMALL	Less than 100Gb.	
	MEDIUM	100Gb-1Tb.	
	LARGE	1-100Tb.	
	EXTRA_LARGE	More than 100Tb.	
	OTHER	Customize the value.	
	UNKNOWN	Defer this optimization.	
contentType	enum	Optimize based on the quality of media content.	
	SD	Standard definition.	
	HD	High definition.	
	ULTRA_HD	Ultra high definition.	
	OTHER	More than one level of quality.	
	UNKNOWN	Defer this optimization.	
popularityDistribution	enum	Optimize based on the content's expected popularity.	
	LONG_TAIL	A low volume of requests over a long period.	
	ALL_POPULAR	A high volume of requests over a short period.	
	OTHER	Customize the value.	
	UNKNOWN	Defer this optimization.	
hls	boolean	Enable delivery of HLS media.	
segmentDurationHLS	enum	Specifies the duration of individual segments.	hls is true
	SEGMENT_DURATION_2S	2 seconds.	

Option	Type	Description	Requires
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
	OTHER	Customize the value.	
segmentDurationHLSCustom	number	Customizes the number of seconds for the segment.	segmentDurationHLS is OTHER
segmentSizeHLS	enum	Specifies the size of the media object retrieved from the origin.	hls is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	
hds	boolean	Enable delivery of HDS media.	
segmentDurationHDS	enum	Specifies the duration of individual fragments.	hds is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
	OTHER	Customize the value.	
segmentDurationHDSCustom	number	Customizes the number of seconds for the fragment.	segmentDurationHDS is OTHER
segmentSizeHDS	enum	Specifies the size of the media object retrieved from the origin.	hds is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	

Option	Type	Description	Requires
	UNKNOWN	Defer this optimization.	
	OTHER	Customize the value.	
dash	boolean	Enable delivery of DASH media.	
segmentDuration DASH	enum	Specifies the duration of individual segments.	dash is true
	SEGMENT_ DURATION_2S	2 seconds.	
	SEGMENT_ DURATION_4S	4 seconds.	
	SEGMENT_ DURATION_6S	6 seconds.	
	SEGMENT_ DURATION_8S	8 seconds.	
	SEGMENT_ DURATION_10S	10 seconds.	
	OTHER	Customize the value.	
segmentDuration DASHCustom	number	Customizes the number of seconds for the segment.	segmentDurationDASH is OTHER
segmentSizeDASH	enum	Specifies the size of the media object retrieved from the origin.	dash is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_ MB	1-10Mb.	
	TEN_MB_ TO_100_MB	10-100Mb.	
	GREATER_ THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes that straddle these ranges.	
smooth	boolean	Enable delivery of Smooth media.	
segmentDuration Smooth	enum	Specifies the duration of individual fragments.	smooth is true
	SEGMENT_ DURATION_2S	2 seconds.	
	SEGMENT_ DURATION_4S	4 seconds.	
	SEGMENT_ DURATION_6S	6 seconds.	
	SEGMENT_ DURATION_8S	8 seconds.	
	SEGMENT_ DURATION_10S	10 seconds.	
	OTHER	Customize the value.	
segmentDuration SmoothCustom	number	Customizes the number of seconds for the fragment.	segmentDurationSmooth is OTHER

Option	Type	Description	Requires
segmentSizeSmooth	enum	Specifies the size of the media object retrieved from the origin.	smooth is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	

contentCharacteristicsDD

- **Property Manager name:** [Content Characteristics](#)
- **Behavior version:** The v2024-02-12 rule format supports the contentCharacteristicsDD behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the delivered content. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

Along with other behaviors whose names are prefixed *contentCharacteristics*, this behavior is customized for a specific product set. Use PAPI's [List available behaviors](#) operation to determine the set available to you. See also the related [clientCharacteristics](#) and [originCharacteristics](#) behaviors.

Option	Type	Description
objectSize	enum	Optimize based on the size of the object retrieved from the origin.
	LESS_THAN_1MB	Less than 1Mb.
	ONE_MB_TO_TEN_MB	1-10Mb.
	TEN_MB_TO_100_MB	10-100Mb.
	GREATER_THAN_100MB	More than 100Mb.
	OTHER	A fallback value.

Option	Type	Description
	UNKNOWN	Defer this optimization.
popularity Distribution	enum	Optimize based on the content's expected popularity.
	LONG_TAIL	A low volume of requests over a long period.
	ALL_POPULAR	A high volume of requests over a short period.
	OTHER	A fallback value.
	UNKNOWN	Defer this optimization.
catalogSize	enum	Optimize based on the total size of the content library delivered.
	SMALL	Less than 100Gb.
	MEDIUM	100Gb-1Tb.
	LARGE	1-100Tb.
	EXTRA_LARGE	More than 100Tb.
	OTHER	A fallback value.
	UNKNOWN	Defer this optimization.
contentType	enum	Optimize based on the type of content.
	VIDEO	Video.
	SOFTWARE	Software.
	SOFTWARE_PATCH	Software patch.
	GAME	Game.
	GAME_PATCH	Game patch.
	OTHER_DOWNLOADS	Other downloads that don't fall into these categories.
	UNKNOWN	Defer this optimization.
optimizeOption	boolean	Optimizes the delivery throughput and download times for large files.

contentCharacteristicsWsdLargeFile

- **Property Manager name:** [Content Characteristics - Large File](#)
- **Behavior version:** The v2024-02-12 rule format supports the contentCharacteristicsWsdLargeFile behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the delivered content, specifically targeted to delivering large files. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

Along with other behaviors whose names are prefixed *contentCharacteristics*, this behavior is customized for a specific product set. Use PAPI's [List available behaviors](#) operation to determine the set available to you. See also the related [clientCharacteristics](#) and [originCharacteristics](#) behaviors.

Option	Type	Description
objectSize	enum	Optimize based on the size of the object retrieved from the origin.
	LESS_THAN_1MB	Less than 1Mb.
	ONE_MB_TO_TEN_MB	1-10Mb.
	TEN_MB_TO_100_MB	10-100Mb.
	GREATER_THAN_100MB	More than 100Mb.
	UNKNOWN	Defer this optimization.
popularity Distribution	enum	Optimize based on the content's expected popularity.
	LONG_TAIL	A low volume of requests over a long period.
	ALL_POPULAR	A high volume of requests over a short period.
	UNKNOWN	Defer this optimization.
catalogSize	enum	Optimize based on the total size of the content library delivered.
	SMALL	Less than 100Gb.
	MEDIUM	100Gb-1Tb.
	LARGE	1-100Tb.
	EXTRA_LARGE	More than 100Tb.
	UNKNOWN	Defer this optimization.
contentType	enum	Optimize based on the type of content.
	VIDEO	Video.
	SOFTWARE	Software.
	SOFTWARE_PATCH	Software patch.
	GAME	Game.
	GAME_PATCH	Game patch.
	OTHER_DOWNLOADS	Other downloads that don't fall into these categories.
	UNKNOWN	Defer this optimization.

contentCharacteristicsWsdLive

- **Property Manager name:** [Content Characteristics - Streaming Video Live](#)
- **Behavior version:** The v2024-02-12 rule format supports the contentCharacteristicsWsdLive behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the delivered content, specifically targeted to delivering live video. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

Along with other behaviors whose names are prefixed *contentCharacteristics*, this behavior is customized for a specific product set. Use PAPI's [List available behaviors](#) operation to determine the set available to you. See also the related [clientCharacteristics](#) and [originCharacteristics](#) behaviors.

Option	Type	Description	Requires
catalogSize	enum	Optimize based on the total size of the content library delivered.	
	SMALL	Less than 100Gb.	
	MEDIUM	100Gb-1Tb.	
	LARGE	1-100Tb.	
	EXTRA_LARGE	More than 100Tb.	
	UNKNOWN	Defer this optimization.	
contentType	enum	Optimize based on the quality of media content.	
	SD	Standard definition.	
	HD	High definition.	
	ULTRA_HD	Ultra high definition.	
	OTHER	More than one level of quality.	
	UNKNOWN	Defer this optimization.	
popularity Distribution	enum	Optimize based on the content's expected popularity.	
	LONG_TAIL	A low volume of requests over a long period.	
	ALL_POPULAR	A high volume of requests over a short period.	
	UNKNOWN	Defer this optimization.	
hls	boolean	Enable delivery of HLS media.	
segmentDuration HLS	enum	Specifies the duration of individual segments.	hls is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_	6 seconds.	

Option	Type	Description	Requires
	DURATION_6S		
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeHLS	enum	Specifies the size of the media object retrieved from the origin.	hls is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	
hds	boolean	Enable delivery of HDS media.	
segmentDurationHDS	enum	Specifies the duration of individual fragments.	hds is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeHDS	enum	Specifies the size of the media object retrieved from the origin.	hds is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	
dash	boolean	Enable delivery of DASH media.	
segmentDurationDASH	enum	Specifies the duration of individual segments.	dash is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	

Option	Type	Description	Requires
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeDASH	enum	Specifies the size of the media object retrieved from the origin.	dash is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	
smooth	boolean	Enable delivery of Smooth media.	
segmentDuration Smooth	enum	Specifies the duration of individual fragments.	smooth is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeSmooth	enum	Specifies the size of the media object retrieved from the origin.	smooth is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes that straddle these ranges.	

contentCharacteristicsWsdVod

- **Property Manager name:** [Content Characteristics - Streaming Video On-demand](#)
- **Behavior version:** The v2024-02-12 rule format supports the contentCharacteristicsWsdVod behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the delivered content, specifically targeted to delivering on-demand video. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

Along with other behaviors whose names are prefixed *contentCharacteristics*, this behavior is customized for a specific product set. Use PAPI's [List available behaviors](#) operation to determine the set available to you. See also the related [clientCharacteristics](#) and [originCharacteristics](#) behaviors.

Option	Type	Description	Requires
catalogSize	enum	Optimize based on the total size of the content library delivered.	
	SMALL	Less than 100Gb.	
	MEDIUM	100Gb-1Tb.	
	LARGE	1-100Tb.	
	EXTRA_LARGE	More than 100Tb.	
	UNKNOWN	Defer this optimization.	
contentType	enum	Optimize based on the quality of media content.	
	SD	Standard definition.	
	HD	High definition.	
	ULTRA_HD	Ultra high definition.	
	OTHER	More than one level of quality.	
	UNKNOWN	Defer this optimization.	
popularity Distribution	enum	Optimize based on the content's expected popularity.	
	LONG_TAIL	A low volume of requests over a long period.	
	ALL_POPULAR	A high volume of requests over a short period.	
	UNKNOWN	Defer this optimization.	
hls	boolean	Enable delivery of HLS media.	
segmentDuration HLS	enum	Specifies the duration of individual segments.	hls is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	

Option	Type	Description	Requires
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeHLS	enum	Specifies the size of the media object retrieved from the origin.	hls is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	
hds	boolean	Enable delivery of HDS media.	
segmentDurationHDS	enum	Specifies the duration of individual fragments.	hds is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeHDS	enum	Specifies the size of the media object retrieved from the origin.	hds is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	
dash	boolean	Enable delivery of DASH media.	
segmentDurationDASH	enum	Specifies the duration of individual segments.	dash is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	

Option	Type	Description	Requires
	DURATION_8S		
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeDASH	enum	Specifies the size of the media object retrieved from the origin.	dash is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Values straddle these ranges.	
smooth	boolean	Enable delivery of Smooth media.	
segmentDuration Smooth	enum	Specifies the duration of individual fragments.	smooth is true
	SEGMENT_DURATION_2S	2 seconds.	
	SEGMENT_DURATION_4S	4 seconds.	
	SEGMENT_DURATION_6S	6 seconds.	
	SEGMENT_DURATION_8S	8 seconds.	
	SEGMENT_DURATION_10S	10 seconds.	
segmentSizeSmooth	enum	Specifies the size of the media object retrieved from the origin.	smooth is true
	LESS_THAN_1MB	Less than 1Mb.	
	ONE_MB_TO_TEN_MB	1-10Mb.	
	TEN_MB_TO_100_MB	10-100Mb.	
	GREATER_THAN_100MB	More than 100Mb.	
	UNKNOWN	Defer this optimization.	
	OTHER	Sizes straddle these ranges.	

contentTargetingProtection

- **Property Manager name:** [Content Targeting - Protection](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `contentTargetingProtection` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Content Targeting is based on [EdgeScape](#)[®], Akamai's location-based access control system. You can use it to allow or deny access to a set of geographic regions or IP addresses.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the Content Targeting feature.	
<code>enableGeoProtection</code>	boolean	When enabled, verifies IP addresses are unique to specific geographic regions.	
<code>geoProtectionMode</code>	enum	Specifies how to handle requests.	<code>enableGeoProtection</code> is <code>true</code>
	<code>ALLOW</code>	Allow requests.	
	<code>DENY</code>	Deny requests.	
<code>countries</code>	string array	Specifies a set of two-character ISO 3166 country codes from which to allow or deny traffic. See EdgeScape Data Codes [®] for a list.	<code>enableGeoProtection</code> is <code>true</code>
<code>regions</code>	string array	Specifies a set of ISO 3166-2 regional codes from which to allow or deny traffic. See EdgeScape Data Codes [®] for a list.	<code>enableGeoProtection</code> is <code>true</code>
<code>dmaz</code>	string array	Specifies the set of Designated Market Area codes from which to allow or deny traffic. See EdgeScape Data Codes [®] for a list.	<code>enableGeoProtection</code> is <code>true</code>
<code>overrideIPAddresses</code>	string array	Specify a set of IP addresses or CIDR blocks that exceptions to the set of included or excluded areas.	<code>enableGeoProtection</code> is <code>true</code>
<code>enableGeoRedirectOnDeny</code>	boolean	When enabled, redirects denied requests rather than responding with an error code.	<code>enableGeoProtection</code> is <code>true</code>
<code>geoRedirectUrl</code>	string	This specifies the full URL to the redirect page for denied requests.	<code>enableGeoRedirectOnDeny</code> is <code>true</code>
<code>enableIPProtection</code>	boolean	Allows you to control access to your content from specific sets of IP addresses and CIDR blocks.	
<code>ipProtectionMode</code>	enum	Specifies how to handle requests.	<code>enableIPProtection</code> is <code>true</code>
	<code>ALLOW</code>	Allow requests.	
	<code>DENY</code>	Deny requests.	
<code>ipAddresses</code>	string array	Specify a set of IP addresses or CIDR blocks to allow or deny.	<code>enableIPProtection</code> is <code>true</code>
<code>enableIPRedirectOnDeny</code>	boolean	When enabled, redirects denied requests rather than responding with an error code.	<code>enableIPProtection</code> is <code>true</code>
<code>ipRedirectUrl</code>	string	This specifies the full URL to the redirect page for denied requests.	<code>enableIPRedirectOnDeny</code> is <code>true</code>
<code>enableReferrerProtection</code>	boolean	Allows you allow traffic from certain referring websites, and disallow traffic from unauthorized sites that hijack those links.	

Option	Type	Description	Requires
referrerProtection Mode	enum	Specify the action to take.	enableReferrer Protection is true
	ALLOW	Allow requests.	
	DENY	Deny requests.	
referrerDomains	string array	Specifies the set of domains from which to allow or deny traffic.	enableReferrer Protection is true
enableReferrer RedirectOnDeny	boolean	When enabled, redirects denied requests rather than responding with an error code.	enableReferrer Protection is true
referrerRedirect Url	string	This specifies the full URL to the redirect page for denied requests.	enableReferrer RedirectOnDeny is true

corsSupport

- **Property Manager name:** [CORS Protocol Support](#)
- **Behavior version:** The v2024-02-12 rule format supports the corsSupport behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Cross-origin resource sharing (CORS) allows web pages in one domain to access restricted resources from your domain. Specify external origin hostnames, methods, and headers that you want to accept via HTTP response headers. Full support of CORS requires allowing requests that use the OPTIONS method. See [allowOptions](#) .

Option	Type	Description	Requires
enabled	boolean	Enables CORS feature.	
allow Origins	enum	In responses to preflight requests, sets which origin hostnames to accept requests from.	
	ANY	Accept from any origin hostname.	
	SPECIFIED	Accept from a set of origin hostnames.	
origins	string array	Defines the origin hostnames to accept requests from. The hostnames that you enter need to start with http or https . For detailed hostname syntax requirements, refer to RFC-952 and RFC-1123 specifications.	allowOrigins is SPECIFIED
allow Credentials	boolean	Accepts requests made using credentials, like cookies or TLS client certificates.	
allow Headers	enum	In responses to preflight requests, defines which headers to allow when making the actual request.	

Option	Type	Description	Requires
	ANY	Allow any headers.	
	SPECIFIED	Allow a specific set of headers.	
headers	string array	Defines the supported request headers.	allow Headers is SPECIFIED
methods	string array	Specifies any combination of the following methods: DELETE , GET , PATCH , POST , and PUT that are allowed when accessing the resource from an external domain.	
expose Headers	string array (allows variables)	In responses to preflight requests, lists names of headers that clients can access. By default, clients can access the following simple response headers: Cache-Control , Content-Language , Content-Type , Expires , Last-Modified , and Pragma . You can add other header names to make them accessible to clients.	
preflight MaxAge	string (duration)	Defines the number of seconds that the browser should cache the response to a preflight request.	

cpCode

- **Property Manager name:** [Content Provider Code](#)
- **Behavior version:** The v2024-02-12 rule format supports the cpCode behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Content Provider Codes (CP codes) allow you to distinguish various reporting and billing traffic segments, and you need them to access properties. You receive an initial CP code when purchasing Akamai, and you can run the [Create a new CP code](#) operation to generate more. This behavior applies any valid CP code, either as required as a default at the top of the rule tree, or subsequently to override the default. For a CP code to be valid, it needs to be assigned the same contract and product as the property, and the group needs access to it. For available values, run the [List CP codes](#) operation.

Option	Type	Description
value	object	Specifies the CP code as an object. You only need to provide the initial id , stripping any _cp_ _prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.
value.cpCode Limits	array	Read-only. Describes the current usage limit for the CP code.
value.created Date	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.

Option	Type	Description
value.description	string	Read-only. Additional description for the CP code.
value.id	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeId</code> value from the List CP codes operation.
value.name	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.
value.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.

customBehavior

- **Property Manager name:** [Custom Behavior](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `customBehavior` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allows you to insert a customized XML metadata behavior into any property's rule tree. Talk to your Akamai representative to implement the customized behavior. Once it's ready, run PAPI's [List custom behaviors](#) operation, then apply the relevant `behaviorId` value from the response within the current `customBehavior`. See [Custom behaviors and overrides](#) for guidance on custom metadata behaviors.

Option	Type	Description
behaviorId	string	The unique identifier for the predefined custom behavior you want to insert into the current rule.

datastream

- **Property Manager name:** [DataStream](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `datastream` behavior v1.8.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [DataStream](#) reporting service provides real-time logs on application activity, including aggregated metrics on complete request and response cycles and origin response times. Apply this behavior to report on this set of traffic. Use the [DataStream API](#) to aggregate the data.

In the latest rule format, `logStreamName` is an array of string values, such as `["1234", "5678"]` instead of a single `1234` integer value. Make sure your property accepts the single integer for the previous rule format, otherwise use an array to prevent errors.

Option	Type	Description	Requires
<code>streamType</code>	enum	Specify the DataStream type.	
	<code>BEACON</code>	Low latency streaming of raw or aggregated data for push delivery or through the pull API.	
	<code>LOG</code>	Scalable, low latency streaming of raw data for push delivery.	
	<code>BEACON_AND_LOG</code>	Specify both.	
<code>enabled</code>	boolean	Enables DataStream reporting.	
<code>datastreamIds</code>	string	A set of dash-separated DataStream ID values to limit the scope of reported data. By default, all active streams report. Use the DataStream application to gather stream ID values that apply to this property configuration. Specifying IDs for any streams that don't apply to this property has no effect, and results in no data reported.	
<code>logEnabled</code>	boolean	Enables log collection for the property by associating it with Data Stream configurations.	<code>streamType</code> is either: <code>LOG</code> , <code>BEACON_AND_LOG</code>
<code>logStreamName</code>	string	Specifies the unique IDs of streams configured for the property. For properties created with the previous version of the rule format, this option contains a string instead of an array of strings. You can use the List streams operation to get stream IDs.	<code>logEnabled</code> is <code>true</code>
<code>samplingPercentage</code>	number	Specifies the percentage of log data you want to collect for this property.	<code>logEnabled</code> is <code>true</code>
<code>collectMidgressTraffic</code>	boolean	If enabled, gathers midgress traffic data within the Akamai platform, such as between two edge servers, for all streams configured.	<code>logEnabled</code> is <code>true</code>

dcp

- **Property Manager name:** [IoT Edge Connect](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dcp` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. (The [IoT Edge Connect API](#) allows programmatic access.) This behavior allows you to select previously reserved namespaces and set the protocols for users to publish and receive messages within these namespaces. Use the [verifyJsonWebTokenForDcp](#) behavior to control access.

Option	Type	Description
<code>enabled</code>	boolean	Enables IoT Edge Connect.
<code>namespaceId</code>	string	Specifies the globally reserved name for a specific configuration. It includes authorization rules over publishing and subscribing to logical categories known as <i>topics</i> . This provides a root path for all topics defined within a namespace configuration. You can use the IoT Edge Connect API to configure access control lists for your namespace configuration.
<code>tlsenabled</code>	boolean	When enabled, you can publish and receive messages over a secured MQTT connection on port 8883.
<code>wenabled</code>	boolean	When enabled, you can publish and receive messages through a secured MQTT connection over WebSockets on port 443.
<code>gwenabled</code>	boolean	When enabled, you can publish and receive messages over a secured HTTP connection on port 443.
<code>anonymous</code>	boolean	When enabled, you don't need to pass the JWT token with the mqtt request, and JWT validation is skipped.

dcpAuthHMACTransformation

- **Property Manager name:** [Variable Hash Transformation](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dcpAuthHMACTransformation` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. In conjunction with `dcp`

[AuthVariableExtractor](#) , this behavior affects how clients can authenticate themselves to edge servers, and which groups within namespaces are authorized to access topics. It transforms a source string value extracted from the client certificate and stored as a variable, then generates a hash value based on the selected algorithm, for use in authenticating the client request.

Note that you can apply this hash transformation, or either of the [dcpAuthRegexTransformation](#) or [dcpAuthSubstringTransformation](#) behaviors.

Option	Type	Description
hashConversion Algorithm	enum	Specifies the hash algorithm.
	SHA256	Use SHA-256.
	MD5	Use MD5.
	SHA384	Use SHA-384.
hashConversionKey	string	Specifies the key to generate the hash, ideally a long random string to ensure adequate security.

dcpAuthRegexTransformation

- **Property Manager name:** [Variable Regex Transformation](#)
- **Behavior version:** The v2024-02-12 rule format supports the dcpAuthRegexTransformation behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. In conjunction with [dcpAuthVariableExtractor](#) , this behavior affects how clients can authenticate themselves to edge servers, and which groups within namespaces are authorized to access topics. It transforms a source string value extracted from the client certificate and stored as a variable, then transforms the string based on a regular expression search pattern, for use in authenticating the client request.

Note that you can apply this regular expression transformation, or either of the [dcpAuthHMACTransformation](#) or [dcpAuthSubstringTransformation](#) behaviors.

Option	Type	Description
regex Pattern	string	Specifies a Perl-compatible regular expression with a single grouping to capture the text. For example, a value of ^.{0,10}) omits the first character, but then captures up to 10 characters after that. If the regular expression does not capture a substring, authentication may fail.

dcpAuthSubstringTransformation

- **Property Manager name:** [Variable Substring Transformation](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dcpAuthSubstringTransformation` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. In conjunction with `dcpAuthVariableExtractor`, this behavior affects how clients can authenticate themselves to edge servers, and which groups within namespaces are authorized to access topics. It transforms a source string value extracted from the client certificate and stored as a variable, then extracts a substring, for use in authenticating the client request.

Note that you can apply this substring transformation, or either of the `dcpAuthHMACTransformation` or `dcpAuthRegexTransformation` behaviors.

Option	Type	Description
<code>substringStart</code>	string	The zero-based index offset of the first character to extract. If the index is out of bound from the string's length, authentication may fail.
<code>substringEnd</code>	string	The zero-based index offset of the last character to extract, where <code>-1</code> selects the remainder of the string. If the index is out of bound from the string's length, authentication may fail.

dcpAuthVariableExtractor

- **Property Manager name:** [Mutual Authentication](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dcpAuthVariableExtractor` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. This behavior affects how clients can authenticate themselves to edge servers, and which groups within namespaces are authorized to access topics. When enabled, this behavior allows end users to authenticate their requests with valid x509 client certificates. Either a client identifier or access authorization groups are required to make the request valid.

The behavior extracts the value from the specified field in the client certificate and stores it as a variable for a client identifier or access authorization groups. You can then apply any of these behaviors to transform the value: [dcpAuthHMACTransformation](#) , [dcpAuthRegexTransformation](#) , or [dcpAuthSubstringTransformation](#) .

Option	Type	Description
certificateField	enum	Specifies the field in the client certificate to extract the variable from.
	SUBJECT_DN	Subject distinguished name.
	V3_SUBJECT_ALT_NAME	Subject alternative name.
	SERIAL	Serial number.
	FINGERPRINT_DYN	The fingerprint hashed based on the algorithm that was used to generate the signature in the certificate.
	FINGERPRINT_MD5	Fingerprint MD5.
	FINGERPRINT_SHA1	Fingerprint SHA1.
	V3_NETSCAPE_COMMENT	An X.509 v3 certificate extension used to include comments inside certificates.
dcpMutualAuthProcessingVariableId	enum	Where to store the value.
	VAR_DCP_CLIENT_ID	Variable for the client ID.
	VAR_DCP_AUTH_GROUP	Variable for the access authorization groups.

dcpDefaultAuthzGroups

- **Property Manager name:** [Default Authorization Groups](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dcpDefaultAuthzGroups` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. This behavior defines a set of default authorization groups to add to each request the property configuration controls. These groups have access regardless of the authentication method you use, either JWT using the [verifyJsonWebTokenForDcp](#) behavior, or mutual authentication using the [dcpAuthVariableExtractor](#) behavior to control where authorization groups are extracted from within certificates.

Option	Type	Description
groupNames	string array	Specifies the set of authorization groups to assign to all connecting devices.

dcpDevRelations

- **Property Manager name:** [IoT Edge Connect Dev Relations](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dcpDevRelations` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [Internet of Things: Edge Connect](#) product allows connected users and devices to communicate on a publish-subscribe basis within reserved namespaces. This behavior allows Akamai-external clients to use developer test accounts in a shared environment. In conjunction with [verifyJsonWebTokenForDcp](#) , this behavior allows you to use your own JWTs in your requests, or those generated by Akamai. It lets you either enable the default JWT server for your test configuration by setting the authentication endpoint to a default path, or specify custom settings for your JWT server and the authentication endpoint.

Option	Type	Description	Requires
enabled	boolean	Enables the default JWT server and sets the authentication endpoint to a default path.	
custom Values	boolean	Allows you to specify custom JWT server connection values.	
hostname	string	Specifies the JWT server's hostname.	customValues is true
path	string	Specifies the path to your JWT server's authentication endpoint. This lets you generate JWTs to sign your requests.	customValues is true

deliveryReceipt

- **Property Manager name:** [Cloud Monitor Data Delivery](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `deliveryReceipt` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

A static behavior that's required when specifying the Cloud Monitor module's (`edgeConnect`) behavior. You can only apply this behavior if the property is marked as secure. See [Secure property requirements](#) for guidance.

This behavior object does not support any options. Specifying the behavior enables it.

denyAccess

- **Property Manager name:** [Control Access](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `denyAccess` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Assuming a condition in the rule matches, this denies access to the requested content. For example, a `userLocation` match paired with this behavior would deny requests from a specified part of the world.

By keying on the value of the `reason` option, `denyAccess` behaviors may override each other when called from nested rules. For example, a parent rule might deny access to a certain geographic area, citing `location` as the `reason` , but another nested rule can then allow access for a set of IPs within that area, so long as the `reason` matches.

Option	Type	Description
<code>reason</code>	string	Text message that keys why access is denied. Any subsequent <code>denyAccess</code> behaviors within the rule tree may refer to the same <code>reason</code> key to override the current behavior.

Option	Type	Description
enabled	boolean	Denies access when enabled.

denyDirectFailoverAccess

- **Property Manager name:** [Security Failover Protection](#)
- **Behavior version:** The v2024-02-12 rule format supports the denyDirectFailoverAccess behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

A static behavior required for all properties that implement a failover under the Cloud Security Failover product.

This behavior object does not support any options. Specifying the behavior enables it.

deviceCharacteristicCached

- **Property Manager name:** [Device Characterization - Define Cached Content](#)
- **Behavior version:** The v2024-02-12 rule format supports the deviceCharacteristicCached behavior v1.4.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

By default, source URLs serve as cache IDs on edge servers. Electronic Data Capture allows you to specify an additional set of device characteristics to generate separate cache keys. Use this in conjunction with the [deviceCharacteristicHeader](#) behavior.

Option	Type	Description
elements	string array	Specifies a set of information about the device with which to generate a separate cache key.
		Supported values: ACCEPT_THIRD_PARTY_COOKIE AJAX_PREFERRED_GEOLOC_API AJAX_SUPPORT_JAVASCRIPT BRAND_NAME COOKIE_SUPPORT DEVICE_OS DEVICE_OS_VERSION DUAL_ORIENTATION FLASH_LITE_VERSION FULL_FLASH_SUPPORT GIF_ANIMATED HTML_PREFERRED_DTD IS_MOBILE IS_TABLET IS_WIRELESS_DEVICE JPG MARKETING_NAME MAX_IMAGE_HEIGHT MAX_IMAGE_WIDTH MOBILE_BROWSER MOBILE_BROWSER_VERSION MODEL_NAME PDF_SUPPORT PHYSICAL_SCREEN_HEIGHT PHYSICAL_SCREEN_WIDTH PNG PREFERRED_MARKUP RESOLUTION_HEIGHT RESOLUTION_WIDTH VIEWPORT_INITIAL_SCALE VIEWPORT_WIDTH XHTMMP_PREFERRED_MIME_TYPE XHTML_FILE_UPLOAD XHTML_PREFERRED_CHARSET XHTML_SUPPORTS_IFRAME XHTML_SUPPORTS_TABLE_FOR_LAYOUT XHTML_SUPPORT_LEVEL XHTML_TABLE_SUPPORT

deviceCharacteristicHeader

- **Property Manager name:** [Device Characterization - Forward in Header](#)
- **Behavior version:** The v2024-02-12 rule format supports the deviceCharacteristicHeader behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Sends selected information about requesting devices to the origin server, in the form of an X-Akamai-Device-Characteristics HTTP header. Use in conjunction with the [deviceCharacteristicCacheId](#)

behavior.

Option	Type	Description
elements	string array	Specifies the set of information about the requesting device to send to the origin server.
		Supported values: ACCEPT_THIRD_PARTY_COOKIE AJAX_PREFERRED_GEOLOC_API AJAX_SUPPORT_JAVASCRIPT BRAND_NAME COOKIE_SUPPORT DEVICE_OS DEVICE_OS_VERSION DUAL_ORIENTATION FLASH_LITE_VERSION FULL_FLASH_SUPPORT GIF_ANIMATED HTML_PREFERRED_DTD IS_MOBILE IS_TABLET IS_WIRELESS_DEVICE JPG MARKETING_NAME MAX_IMAGE_HEIGHT MAX_IMAGE_WIDTH MOBILE_BROWSER MOBILE_BROWSER_VERSION MODEL_NAME PDF_SUPPORT PHYSICAL_SCREEN_HEIGHT PHYSICAL_SCREEN_WIDTH PNG PREFERRED_MARKUP RESOLUTION_HEIGHT RESOLUTION_WIDTH VIEWPORT_INITIAL_SCALE VIEWPORT_WIDTH XHTMLMP_PREFERRED_MIME_TYPE XHTML_FILE_UPLOAD XHTML_PREFERRED_CHARSET XHTML_SUPPORTS_IFRAME XHTML_SUPPORTS_TABLE_FOR_LAYOUT XHTML_SUPPORT_LEVEL XHTML_TABLE_SUPPORT

dnsAsyncRefresh

- **Property Manager name:** [DNS Asynchronous Refresh](#)
- **Behavior version:** The v2024-02-12 rule format supports the dnsAsyncRefresh behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow an edge server to use an expired DNS record when forwarding a request to your origin. The *type A* DNS record refreshes *after* content is served to the end user, so there is no wait for the DNS resolution. Avoid this behavior if you want to be able to disable a server immediately after its DNS record expires.

Option	Type	Description
enabled	boolean	Allows edge servers to refresh an expired DNS record after serving content.
timeout	string (duration)	Set the maximum allowed time an expired DNS record may be active.

dnsPrefresh

- **Property Manager name:** [DNS Prefresh](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dnsPrefresh` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

Allows edge servers to refresh your origin's DNS record independently from end-user requests. The *type A* DNS record refreshes before the origin's DNS record expires.

Option	Type	Description
enabled	boolean	Allows edge servers to refresh DNS records before they expire.
delay	string (duration)	Specifies the amount of time following a DNS record's expiration to asynchronously prefetch it.
timeout	string (duration)	Specifies the amount of time to prefetch a DNS entry if there have been no requests to the domain name.

downgradeProtocol

- **Property Manager name:** [Protocol Downgrade](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `downgradeProtocol` behavior v1.1.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Serve static objects to the end-user client over HTTPS, but fetch them from the origin via HTTP.

Option	Type	Description
enabled	boolean	Enables the protocol downgrading behavior.

downloadCompleteMarker

- **Property Manager name:** [Download Complete Marker](#)
- **Behavior version:** The v2024-02-12 rule format supports the downloadCompleteMarker behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The [Internet of Things: OTA Updates](#) product allows customers to securely distribute firmware to devices over cellular networks. Based on match criteria that executes a rule, this behavior logs requests to the OTA servers as completed in aggregated and individual reports.

See also the [downloadNotification](#) and [requestTypeMarker](#) behaviors.

This behavior object does not support any options. Specifying the behavior enables it.

downloadNotification

- **Property Manager name:** [Download Notification](#)
- **Behavior version:** The v2024-02-12 rule format supports the downloadNotification behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [Internet of Things: OTA Updates](#) product allows customers to securely distribute firmware to devices over cellular networks. Based on match criteria that executes a rule, this behavior allows requests to the [OTA Updates API](#) for a list of completed downloads to individual vehicles.

See also the [downloadCompleteMarker](#) behavior.

This behavior object does not support any options. Specifying the behavior enables it.

downstreamCache

- **Property Manager name:** [Downstream Cacheability](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `downstreamCache` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specify the caching instructions the edge server sends to the end user's client or client proxies. By default, the cache's duration is whichever is less: the remaining lifetime of the edge cache, or what the origin's header specifies. If the origin is set to `no-store` or `bypass-cache`, edge servers send *cache-busting* headers downstream to prevent downstream caching.

Option	Type	Description	Requires
behavior	enum	Specify the caching instructions the edge server sends to the end user's client.	
	ALLOW	The value of <code>allowBehavior</code> chooses the caching method and headers to send to the client.	
	MUST_REVALIDATE	This equates to a <code>Cache-Control: no-cache</code> header, which allows caching but forces the client browser to send an <code>if-modified-since</code> request each time it requests the object.	
	BUST	Sends cache-busting headers downstream.	
	TUNNEL_ORIGIN	This passes <code>Cache-Control</code> and <code>Expires</code> headers from the origin to the downstream client.	
	NONE	Don't send any caching headers. Allow client browsers to cache content according to their own default settings.	
allowBehavior	enum	Specify how the edge server calculates the downstream cache by setting the value of the <code>Expires</code>	behavior is ALLOW

Option	Type	Description	Requires
		header.	
	LESSER	Sends the lesser value of what the origin specifies and the edge cache's remaining duration. This is the default behavior.	
	GREATER	Sends the greater value of what the origin specifies and the edge cache's remaining duration.	
	REMAINING_LIFETIME	Sends the value of the edge cache's remaining duration, without comparing it to the origin's headers.	
	FROM_MAX_AGE	Sends the <code>cache:max-age</code> value applied to the object, without evaluating the cache's duration.	
	FROM_VALUE	Sends the value of the edge cache's duration.	
	PASS_ORIGIN	Sends the value of the origin's header, without evaluating the edge cache's duration.	
ttl	string (duration)	Sets the duration of the cache. Setting the value to 0 equates to a <code>no-cache</code> header that forces revalidation.	<code>allowBehavior</code> is <code>FROM_VALUE</code>
send Headers	enum	Specifies the HTTP headers to include in the response to the client.	<code>behavior</code> is <code>ALLOW</code>
	CACHE_CONTROL_AND_EXPIRES	Sends both <code>Cache-Control</code> and <code>Expires</code> header.	
	CACHE_CONTROL	Sends only the origin's <code>Cache-Control</code> header.	
	EXPIRES	Sends only the origin's <code>Expires</code> header.	
	PASS_ORIGIN	Sends the same set of <code>Cache-Control</code> and <code>Expires</code> headers received from the origin.	
send Private	boolean	Adds a <code>Cache-Control: private</code> header to prevent objects from being cached in a shared caching proxy.	<code>behavior</code> is either: <code>ALLOW</code> , <code>MUST_REVALIDATE</code> AND <code>sendHeaders</code> is not <code>EXPIRES</code>

dynamicThroughputOptimization

- **Property Manager name:** [Quick Retry](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `dynamicThroughputOptimization` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Enables *quick retry*, which detects slow forward throughput while fetching an object, and attempts a different forward connection path to avoid congestion. By default, connections under 5 mbps trigger this behavior. When the transfer rate drops below this rate during a connection attempt, quick retry is enabled and a different forward connection path is used. Contact Akamai Professional Services to override this threshold.

Note that there are certain limitations to how you can use this behavior. See the [Object Delivery documentation](#) for more information.

Option	Type	Description
enabled	boolean	Enables the quick retry feature.

dynamicThroughputOptimizationOverride

- **Property Manager name:** [Quick Retry Override](#)
- **Behavior version:** The v2024-02-12 rule format supports the `dynamicThroughputOptimizationOverride` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This overrides the default threshold of 5 Mbps that triggers the `dynamicThroughputOptimization` behavior, which enables the quick retry feature. Quick retry detects slow forward throughput while fetching an object, and attempts a different forward connection path to avoid congestion. This behavior can only be configured on your behalf by Akamai Professional Services.

Option	Type	Description
throughput	string	Specifies the default target forward throughput in Mbps, ranging from 2 to 50 Mbps. If this time is exceeded during a connection attempt, quick retry is enabled and a different forward connection path is used.

dynamicWebContent

- **Property Manager name:** [Content Characteristics - Dynamic Web Content](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `dynamicWebContent` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

In conjunction with the `subCustomer` behavior, this optional behavior allows you to control how dynamic web content behaves for your subcustomers using [Akamai Cloud Embed](#).

Option	Type	Description
<code>sureRoute</code>	boolean	Optimizes how subcustomer traffic routes from origin to edge servers. See the sureRoute behavior for more information.
<code>prefetch</code>	boolean	Allows subcustomer content to prefetch over HTTP/2.
<code>realUserMonitoring</code>	boolean	Allows Real User Monitoring (RUM) to collect performance data for subcustomer content. See the realUserMonitoring behavior for more information.
<code>imageCompression</code>	boolean	Enables image compression for subcustomer content.

ecmsBulkUpload

- **Property Manager name:** [Message Store bulk upload](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `ecmsBulkUpload` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Uploads a ZIP archive with objects to an existing data set. The target data set stores objects as key-value pairs. The path to an object in the ZIP archive is a key, and the content of an object is a value. For an overview, see [ecmsDatabase](#).

Option	Type	Description
<code>enabled</code>	boolean	Enables sending a compressed archive file with objects. Sends the archive file to the default path of the target data set: <code><hostname>/bulk/<database_name>/<dataset_name></code> .

ecmsDatabase

- **Property Manager name:** [Message Store database selection](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `ecmsDatabase` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Edge Connect Message Store is available for [Internet of Things: Edge Connect](#) users. It lets you create databases and data sets within these databases. You can use this object store to save files smaller than 2 GB. `ecmsDatabase` specifies a default database for requests to this property, unless indicated otherwise in the URL. To access objects in the default database, you can skip its name in the URLs. To access objects in a different database, pass its name in the header, query parameter, or a regular expression matching a URL segment. You can also configure the [ecmsDataset](#) behavior to specify a default data set for requests.

Option	Type	Description	Requires
<code>database</code>	string	Specifies a default database for this property. If you don't configure a default data set in the ecmsDataset behavior, requests to objects in this database follow the pattern: <code><hostname>/datastore/<data_set_name>/<object_key> .</code>	
<code>extract Location</code>	enum	Specifies where to pass a database name in requests. If the specified location doesn't include the database name or the name doesn't match the regular expression, the default database is used.	
	<code>CLIENT_REQUEST_HEADER</code>	Name is a request header.	
	<code>QUERY_STRING</code>	Name is a query parameter.	
	<code>REGEX</code>	Name matches the URL.	
<code>header Name</code>	string	Specifies the request header that passed the database name. By default, it points to <code>X-KV-Database</code> .	<code>extract Location</code> is <code>CLIENT_REQUEST_HEADER</code>
<code>query Parameter Name</code>	string	Specifies the query string parameter that passed the database name. By default, it points to <code>database</code> .	<code>extract Location</code> is <code>QUERY_STRING</code>
<code>regex Pattern</code>	string	Specifies the regular expression that matches the database name in the URL.	<code>extract Location</code> is <code>REGEX</code>

ecmsDataset

- **Property Manager name:** [Message Store data set selection](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `ecmsDataset` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

Specifies a default data set for requests to this property unless indicated otherwise in the URL. To access objects in this data set, you can skip the data set name in the URLs. To access objects in a different data set within a database, pass the data set name in the header, query parameter, or a regular expression pattern matching a URL segment. You can also configure the [ecmsDatabase](#) behavior to specify a default database for requests.

Option	Type	Description	Requires
dataset	string	Specifies a default data set for this property. If you don't configure a default database in the ecmsDatabase behavior, requests to objects in this data set follow the pattern: <code><hostname>/datastore/<database_name>/<object_key></code> .	
extract Location	enum	Specifies where to pass a data set name in requests. If the specified location doesn't include the data set name or the name doesn't match the regular expression pattern, the default data set is used.	
	CLIENT_REQUEST_HEADER	Name is a request header.	
	QUERY_STRING	Name is a query parameter.	
	REGEX	Name matches the URL.	
header Name	string	Specifies the request header that passed the data set name. By default, it points to <code>X-KV-Dataset</code> .	extract Location is CLIENT_REQUEST_HEADER
query Parameter Name	string	Specifies the query string parameter that passed the data set name. By default, it points to <code>dataset</code> .	extract Location is QUERY_STRING
regex Pattern	string	Specifies the regular expression that matches the data set name in the URL.	extract Location is REGEX

ecmsObjectKey

- **Property Manager name:** [Message Store object key selection](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `ecmsObjectKey` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Defines a regular expression to match object keys in custom URLs and to access objects in a data set. You can point custom URLs to access proper values in the target data set. For an overview, see [ecmsDatabase](#) .

Option	Type	Description
<code>regex</code>	string	Enables sending a compressed archive file with objects to the default path of the target data set: <code><hostname>/bulk/<database_name>/<dataset_name></code> .

edgeConnect

- **Property Manager name:** [Cloud Monitor Instrumentation](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `edgeConnect` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Configures traffic logs for the Cloud Monitor push API.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables Cloud Monitor's log-publishing behavior.	
<code>apiConnector</code>	enum	Describes the API connector type.	
		Supported values: BMC_APM DEFAULT SIEM_JSON	

Option	Type	Description	Requires
apiDataElements	string array	Specifies the data set to log.	
		Supported values: APM GEO HTTP NETWORK_PERFORMANCE NETWORK_V1 REQUEST_HEADER RESPONSE_HEADER SEC_APP_V2 SEC_RATE_DENY_V2 SEC_RATE_WARN_V2	
destination Hostname	string	Specifies the target hostname accepting push API requests.	
destinationPath	string	Specifies the push API's endpoint.	
overrideAggregate Settings	boolean	When enabled, overrides default log settings.	
aggregateTime	string (duration)	Specifies how often logs are generated.	overrideAggregate Settings is true
aggregateLines	string	Specifies the maximum number of lines to include in each log.	overrideAggregate Settings is true
aggregateSize	string	Specifies the log's maximum size.	overrideAggregate Settings is true

edgeLoadBalancingAdvanced

- **Property Manager name:** [Edge Load Balancing: Advanced Metadata](#)
- **Behavior version:** The v2024-02-12 rule format supports the edgeLoadBalancingAdvanced behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior implements customized Edge Load Balancing features. Contact Akamai Professional Services for help configuring it.

Option	Type	Description
description	string	A description of what the xml block does.
xml	string	A block of Akamai XML metadata.

edgeLoadBalancingDataCenter

- **Property Manager name:** [Edge Load Balancing: Data Center](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `edgeLoadBalancingDataCenter` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The Edge Load Balancing module allows you to specify groups of data centers that implement load balancing, session persistence, and real-time dynamic failover. Enabling ELB routes requests contextually based on location, device, or network, along with optional rules you specify.

This behavior specifies details about a data center, and needs to be paired in the same rule with an [edgeLoadBalancingOrigin](#) behavior, which specifies its origin. An *origin* is an abstraction that helps group a logical set of a website or application. It potentially includes information about many data centers and cloud providers, as well as many end points or IP addresses for each data center. More than one data center can thus refer to the same origin.

Option	Type	Description	Requires
<code>originId</code>	string	Corresponds to the <code>id</code> specified by the edgeLoadBalancingOrigin behavior associated with this data center.	
<code>description</code>	string	Provides a description for the ELB data center, for your own reference.	
<code>hostname</code>	string	Specifies the data center's hostname.	
<code>cookieName</code>	string	If using session persistence, this specifies the value of the cookie named in the corresponding edgeLoadBalancingOrigin behavior's <code>cookie_name</code> option.	
<code>enableFailover</code>	boolean	Allows you to specify failover rules.	
<code>ip</code>	string	Specifies this data center's IP address.	<code>enableFailover</code> is <code>true</code>
<code>failoverRules</code>	object array	Provides up to four failover rules to apply in the specified order.	<code>enableFailover</code> is <code>true</code>
<code>failoverRules[].failoverHostname</code>	string	The hostname of the data center to fail over to.	
<code>failoverRules[].modifyRequest</code>	boolean	Allows you to modify the request's hostname or path.	
<code>failoverRules[].overrideHostname</code>	boolean	Overrides the request's hostname with the <code>failover_hostname</code> .	<code>modifyRequest</code> is <code>true</code>

Option	Type	Description	Requires
failover Rules[].contextRoot	string	Specifies the path to use in the forwarding request, typically the root (/) when failing over to a different data center, or a full path such as /static/error.html when failing over to an error page.	modify Request is true
failover Rules[].absolutePath	boolean	When enabled, interprets the path specified by context_root as an absolute server path, for example to reference a site-down page. Otherwise when disabled, the path is appended to the request.	modify Request is true

edgeLoadBalancingOrigin

- **Property Manager name:** [Edge Load Balancing: Origin Definition](#)
- **Behavior version:** The v2024-02-12 rule format supports the edgeLoadBalancingOrigin behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The Edge Load Balancing module allows you to implement groups of data centers featuring load balancing, session persistence, and real-time dynamic failover. Enabling ELB routes requests contextually based on location, device, or network, along with optional rules you specify.

This behavior specifies the data center's origin, and needs to be paired in the same rule with at least one [edgeLoadBalancingDataCenter](#) behavior, which provides details about a particular data center. An *origin* is an abstraction that helps group a logical set of a website or application. It potentially includes information about many data centers and cloud providers, as well as many end points or IP addresses for each data center. To specify an ELB origin, you need to have configured an [origin](#) behavior whose type is set to elb_origin_group .

Option	Type	Description	Requires
id	string	Specifies a unique descriptive string for this ELB origin. The value needs to match the origin_id specified by the edgeLoadBalancingDataCenter behavior associated with this origin.	
description	string	Provides a description for the ELB origin, for your own reference.	
hostname	string	Specifies the hostname associated with the ELB rule.	
enableSession Persistence	boolean	Allows you to specify a cookie to pin the user's browser session to one data center. When disabled, ELB's default load balancing may send users to various data centers within the same session.	
cookieName	string	This specifies the name of the cookie that marks users' persistent sessions. The accompanying edgeLoadBalancingData	enableSession Persistence is

Option	Type	Description	Requires
		Center behavior's description option specifies the cookie's value.	true

edgeOriginAuthorization

- **Property Manager name:** [Edge Server Identification](#)
- **Behavior version:** The v2024-02-12 rule format supports the edgeOriginAuthorization behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allows the origin server to use a cookie to ensure requests from Akamai servers are genuine.

This behavior requires that you specify the cookie's domain name, so it is best to deploy within a match of the hostname. It does not work properly when the origin server accepts more than one hostname (for example, using virtual servers) that do not share the same top-level domain.

Option	Type	Description
enabled	boolean	Enables the cookie-authorization behavior.
cookie Name	string	Specifies the name of the cookie to use for authorization.
value	string	Specifies the value of the authorization cookie.
domain	string	Specify the cookie's domain, which needs to match the top-level domain of the Host header the origin server receives.

edgeRedirector

- **Property Manager name:** [Edge Redirector Cloudlet](#)
- **Behavior version:** The v2024-02-12 rule format supports the edgeRedirector behavior v4.0.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

This behavior enables the [Edge Redirector Cloudlet](#) application, which helps you manage large numbers of redirects. With Cloudlets available on your contract, choose **Your services > Edge logic Cloudlets** to control the Edge Redirector within [Control Center](#)[Ⓐ]. Otherwise use the [Cloudlets API](#) to configure it programmatically.

Option	Type	Description	Requires
enabled	boolean	Enables the Edge Redirector Cloudlet.	
isShared Policy	boolean	Whether you want to apply the Cloudlet shared policy to an unlimited number of properties within your account. Learn more about shared policies and how to create them in Cloudlets Policy Manager .	
cloudletPolicy	object	Specifies the Cloudlet policy as an object.	isShared Policy is false
cloudlet Policy.id	number	Identifies the Cloudlet.	
cloudlet Policy.name	string	The Cloudlet's descriptive name.	
cloudlet SharedPolicy	string	Identifies the Cloudlet shared policy to use with this behavior. Use the Cloudlets API to list available shared policies.	isShared Policy is true

edgeScape

- **Property Manager name:** [Content Targeting \(EdgeScape\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the edgeScape behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

[EdgeScape](#)[Ⓐ] allows you to customize content based on the end user's geographic location or connection speed. When enabled, the edge server sends a special X-Akamai-Edgescape header to the origin server encoding relevant details about the end-user client as key-value pairs.

Option	Type	Description
enabled	boolean	When enabled, sends the X-Akamai-Edgescape request header to the origin.

edgeSideIncludes

- **Property Manager name:** [ESI \(Edge Side Includes\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `edgeSideIncludes` behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allows edge servers to process edge side include (ESI) code to generate dynamic content. To apply this behavior, you need to match on a [contentType](#) , [path](#) , or [filename](#) . Since this behavior requires more parsing time, you should not apply it to pages that lack ESI code, or to any non-HTML content.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables ESI processing.	
<code>enableViaHttp</code>	boolean	Enable ESI only for content featuring the <code>Edge-control: dca=esi</code> HTTP response header.	
<code>passSetCookie</code>	boolean	Allows edge servers to pass your origin server's cookies to the ESI processor.	<code>enableViaHttp</code> is <code>true</code>
<code>passClientIp</code>	boolean	Allows edge servers to pass the client IP header to the ESI processor.	<code>enableViaHttp</code> is <code>true</code>
<code>i18nStatus</code>	boolean	Provides internationalization support for ESI.	<code>enableViaHttp</code> is <code>true</code>
<code>i18nCharset</code>	string array	Specifies the character sets to use when transcoding the ESI language, <code>UTF-8</code> and <code>ISO-8859-1</code> for example.	<code>i18nStatus</code> is <code>true</code>
<code>detectInjection</code>	boolean	Denies attempts to inject ESI code.	

edgeWorker

- **Property Manager name:** [EdgeWorkers](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `edgeWorker` behavior v1.9.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

[EdgeWorkers](#) are JavaScript applications that allow you to manipulate your web traffic on edge servers outside of Property Manager behaviors, and deployed independently from your configuration's logic. This behavior applies an EdgeWorker to a set of edge requests.

Option	Type	Description
enabled	boolean	When enabled, applies specified EdgeWorker functionality to this rule's web traffic.
edgeWorkerId	string	Identifies the EdgeWorker application to apply to this rule's web traffic. You can use the EdgeWorkers API to get this value.
mPulse	boolean	Enables mPulse reports that include data about EdgeWorkers errors generated due to JavaScript errors. For more details, see Integrate mPulse reports with EdgeWorkers .

enforceMtlsSettings

- **Property Manager name:** [Enforce mTLS settings](#)
- **Behavior version:** The v2024-02-12 rule format supports the `enforceMtlsSettings` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior repeats mTLS validation checks between a requesting client and the edge network. If the checks fail, you can deny the request or apply custom error handling. To use this behavior, you need to add either the [hostname](#) or [clientCertificate](#) criteria to the same rule.

Option	Type	Description	Requires
enableAuthSet	boolean	Whether to require a specific mutual transport layer security (mTLS) certificate authority (CA) set in a request from a client to the edge network.	
certificateAuthoritySet	string	Specify the client certificate authority (CA) sets you want to support in client requests. Run the List CA Sets operation in the mTLS Edge Trust Store API to get the <code>setId</code> value and pass it in this option as a string. If a request includes a set not defined here, it will be denied. The preset list items you can select are contingent on the CA sets you've created using the mTLS Edge Truststore, and then associated with a certificate in the Certificate Provisioning System .	enableAuthSet is true
enableOcspStatus	boolean	Whether the mutual transport layer security requests from a client should use the online certificate support protocol (OCSP). OCSP can determine the x.509 certificate revocation status during the TLS handshake.	

Option	Type	Description	Requires
enable Deny Request	boolean	This denies a request from a client that doesn't match what you've set for the options in this behavior. When disabled, non-matching requests are allowed, but you can incorporate a custom handling operation, such as reviewing generated log entries to see the discrepancies, enable the Client-To-Edge authentication header, or issue a custom message.	enableAuth Set is true OR enable OcspStatus is true

enhancedAkamaiProtocol

- **Property Manager name:** [Enhanced Akamai Protocol](#)
- **Behavior version:** The v2024-02-12 rule format supports the enhancedAkamaiProtocol behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Enables the Enhanced Akamai Protocol, a suite of advanced routing and transport optimizations that increase your website's performance and reliability. It is only available to specific applications, and requires a special routing from edge to origin.

Warning. Disabling this behavior may significantly reduce a property's performance.

This behavior object does not support any options. Specifying the behavior enables it.

enhancedProxyDetection

- **Property Manager name:** [Enhanced Proxy Detection with GeoGuard](#)
- **Behavior version:** The v2024-02-12 rule format supports the enhancedProxyDetection behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Enhanced Proxy Detection (EPD) leverages the GeoGuard service provided by GeoComply to add proxy detection and location spoofing protection. It identifies requests for your content that have been redirected from an unwanted source through a proxy. You can then allow, deny, or redirect these requests.

Include this behavior in the same rule as `epdForwardHeaderEnrichment`. The `epdForwardHeaderEnrichment` behavior sends the Enhanced Proxy Detection (Akamai-EPD) header in the forward request to determine whether the connecting IP address is an anonymous proxy.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Applies GeoGuard proxy detection.	
<code>forwardHeaderEnrichment</code>	boolean	Whether the Enhanced Proxy Detection (Akamai-EPD) header is included in the forward request to mark a connecting IP address as an anonymous proxy, with a two-letter designation. See the epdForwardHeaderEnrichment behavior for details.	
<code>enableConfigurationMode</code>	enum	Specifies how to field the proxy request.	
	<code>BEST_PRACTICE</code>	GeoComply maintains a fixed list of categories for their GeoGuard service. Select this mode to automatically apply their primary, "must-have" categories for proxy detection.	
	<code>ADVANCED</code>	Use this mode to selectively apply GeoGuard categories and customize the applied action. Make sure you include at least the categories GeoGuard considers "must-have." Akamai can't guarantee optimal proxy protection if you leave them out.	
<code>bestPracticeAction</code>	enum	Specifies how to field the proxy request.	<code>enableConfigurationMode</code> is <code>BEST_PRACTICE</code>
	<code>ALLOW</code>	Allow the request.	
	<code>DENY</code>	Deny the request.	
	<code>REDIRECT</code>	Respond with a redirect.	
<code>bestPracticeRedirecturl</code>	string (allows variables)	This specifies the URL to which to redirect requests.	<code>bestPracticeAction</code> is <code>REDIRECT</code>
<code>detectAnonymousVpn</code>	boolean	This enables detection of requests from anonymous VPNs.	<code>enableConfigurationMode</code> is <code>ADVANCED</code>
<code>detectAnonymousVpnAction</code>	enum	Specifies how to field anonymous VPN requests.	<code>detectAnonymousVpn</code> is <code>true</code>
	<code>ALLOW</code>	Allow the request.	
	<code>DENY</code>	Deny the request.	
	<code>REDIRECT</code>	Respond with a redirect.	
<code>detectAnonymousVpnRedirecturl</code>	string (allows variables)	This specifies the URL to which to redirect anonymous VPN requests.	<code>detectAnonymousVpnAction</code> is <code>REDIRECT</code>
<code>detectPublicProxy</code>	boolean	This enables detection of requests from public proxies.	<code>enableConfiguration</code>

Option	Type	Description	Requires
			Mode is ADVANCED
detectPublicProxyAction	enum	Specifies how to field public proxy requests.	detectPublicProxy is true
	ALLOW	Allow the request.	
	DENY	Deny the request.	
	REDIRECT	Respond with a redirect.	
detectPublicProxyRedirecturl	string (allows variables)	This specifies the URL to which to redirect public proxy requests.	detectPublicProxyAction is REDIRECT
detectTorExitNode	boolean	This enables detection of requests from Tor exit nodes.	enable Configuration Mode is ADVANCED
detectTorExitNodeAction	enum	This specifies whether to DENY , ALLOW , or REDIRECT requests from Tor exit nodes.	detectTorExitNode is true
	ALLOW	Allow the request.	
	DENY	Deny the request.	
	REDIRECT	Respond with a redirect.	
detectTorExitNodeRedirecturl	string (allows variables)	This specifies the URL to which to redirect requests from Tor exit nodes.	detectTorExitNodeAction is REDIRECT
detectSmartDNSProxy	boolean	This enables detection of requests from smart DNS proxies.	enable Configuration Mode is ADVANCED
detectSmartDNSProxyAction	enum	Specifies whether to DENY , ALLOW , or REDIRECT smart DNS proxy requests.	detectSmartDNSProxy is true
	ALLOW	Allow the request.	
	DENY	Deny the request.	
	REDIRECT	Respond with a redirect.	
detectSmartDNSProxyRedirecturl	string (allows variables)	This specifies the URL to which to redirect DNS proxy requests.	detectSmartDNSProxyAction is REDIRECT
detectHostingProvider	boolean	This detects requests from a hosting provider.	enable Configuration Mode is ADVANCED
detectHostingProviderAction	enum	This specifies whether to DENY , ALLOW , or REDIRECT requests from hosting providers.	detectHostingProvider is true
	ALLOW	Allow the request.	
	DENY	Deny the request.	
	REDIRECT	Respond with a redirect.	
detectHostingProviderRedirecturl	string (allows variables)	This specifies the absolute URL to which to redirect requests from hosting providers.	detectHostingProviderAction is REDIRECT

Option	Type	Description	Requires
detectVpnDataCenter	boolean	This enables detection of requests from VPN data centers.	enable Configuration Mode is ADVANCED
detectVpnDataCenterAction	enum	This specifies whether to DENY , ALLOW , or REDIRECT requests from VPN data centers.	detectVpnDataCenter is true
	ALLOW	Allow the request.	
	DENY	Deny the request.	
	REDIRECT	Respond with a redirect.	
detectVpnDataCenterRedirecturl	string (allows variables)	This specifies the URL to which to redirect requests from VPN data centers.	detectVpnDataCenterAction is REDIRECT
detectResidentialProxy	boolean	This enables detection of requests from a residential proxy. See Enhanced Proxy Detection with GeoGuard and learn more about this GeoGuard category before enabling it.	enable Configuration Mode is ADVANCED
detectResidentialProxyAction	enum	This specifies whether to DENY , ALLOW , or REDIRECT requests from residential proxies.	detectResidentialProxy is true
	ALLOW	Allow the request.	
	DENY	Deny the request.	
	REDIRECT	Respond with a redirect.	
detectResidentialProxyRedirecturl	string (allows variables)	This specifies the URL to which to redirect requests.	detectResidentialProxyAction is REDIRECT

epdForwardHeaderEnrichment

- **Property Manager name:** [Enhanced Proxy Detection with GeoGuard - Forward Header Enrichment](#)
- **Behavior version:** The v2024-02-12 rule format supports the epdForwardHeaderEnrichment behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior identifies unwanted requests from an anonymous proxy. This and the [enhanced ProxyDetection](#) behavior work together and need to be included either in the same rule, or in the default one.

Option	Type	Description
enabled	boolean	<p>Sends the Enhanced Proxy Detection (Akamai-EPD) header in the forward request to determine whether the connecting IP address is an anonymous proxy. The header can contain one or more two-letter codes that indicate the IP address type detected by edge servers:</p> <ul style="list-style-type: none"> av for is_anonymous_vpn hp for is_hosting_provider pp for is_public_proxy dp for is_smart_dns_proxy tn for is_tor_exit_node vc for is_vpn_datacentre rp for is_residential_proxy

failAction

- **Property Manager name:** [Site Failover](#)
- **Behavior version:** The v2024-02-12 rule format supports the failAction behavior v1.7.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies how to respond when the origin is not available: by serving stale content, by serving an error page, or by redirecting. To apply this behavior, you should match on an [originTimeout](#) or [matchResponseCode](#) .

Option	Type	Description	Requires
enabled	boolean	When enabled in case of a failure to contact the origin, the current behavior applies.	
actionType	enum	Specifies the basic action to take when there is a failure to contact the origin.	
	SERVE_STALE	Serves content that is already in the cache.	
	REDIRECT	Specifies a redirect action. (Use with these options: <code>redirectHostnameType</code> , <code>redirectHostname</code> , <code>redirectCustomPath</code> , <code>redirectPath</code> , <code>redirectMethod</code> , <code>modifyProtocol</code> , and <code>protocol</code> .)	
	RECREATED_CO	Serves alternate content from your network. (Use with these options: <code>contentHostname</code> ,	

Option	Type	Description	Requires
		contentCustomPath , and contentPath .)	
	RECREATED_CEX	Serves alternate content from an external network. (Use with these options: cex Hostname , cexCustomPath , and cexPath .)	
	RECREATED_NS	Serves NetStorage content. (Use with these options: netStorageHostname , netStorage Path , and cpCode .)	
	DYNAMIC	Allows you to serve dynamic SaaS content if SaaS acceleration is available on your contract. (Use with these options: dynamic Method , dynamicCustomPath , saasType , saas Suffix , saasRegex , and saasReplace .)	
saasType	enum	Identifies the component of the request that identifies the SaaS dynamic fail action.	actionType is DYNAMIC
		Supported values: COOKIE HOSTNAME PATH QUERY_STRING	
saasCnameEnabled	boolean	Specifies whether to use a CNAME chain to determine the hostname for the SaaS dynamic failaction.	saasType is HOSTNAME
saasCnameLevel	number	Specifies the number of elements in the CNAME chain backwards from the edge hostname that determines the hostname for the SaaS dynamic failaction.	saasCname Enabled is true
saasCookie	string (allows variables)	Specifies the name of the cookie that identifies this SaaS dynamic failaction.	saasType is COOKIE
saasQueryString	string (allows variables)	Specifies the name of the query parameter that identifies this SaaS dynamic failaction.	saasType is QUERY_STRING
saasRegex	string	Specifies the substitution pattern (a Perl-compatible regular expression) that defines the SaaS dynamic failaction.	actionType is DYNAMIC
saasReplace	string (allows variables)	Specifies the replacement pattern that defines the SaaS dynamic failaction.	actionType is DYNAMIC
saasSuffix	string (allows variables)	Specifies the static portion of the SaaS dynamic failaction.	actionType is DYNAMIC
dynamicMethod	enum	Specifies the redirect method.	actionType is DYNAMIC
	SERVE_301	A 301 redirect response.	
	SERVE_302	A 302 redirect response.	
	SERVE_ALTERNATE	Serve an alternate response.	
dynamicCustomPath	boolean	Allows you to modify the original requested path.	actionType is DYNAMIC
dynamicPath	string (allows variables)	Specifies the new path.	dynamicCustom Path is true
redirectHostnameType	enum	Whether to preserve or customize the hostname.	actionType is REDIRECT
	ORIGINAL	Preserve the original hostname in the redirect.	
	ALTERNATE	Specify a redirectHostname .	

Option	Type	Description	Requires
redirectHostname	string (allows variables)	When the <code>actionType</code> is REDIRECT and the <code>redirectHostnameType</code> is ALTERNATE, this specifies the hostname for the redirect.	redirectHostnameType is ALTERNATE
redirectCustomPath	boolean	Uses the <code>redirectPath</code> to customize a new path.	<code>actionType</code> is REDIRECT
redirectPath	string (allows variables)	Specifies a new path.	<code>redirectCustomPath</code> is true
redirectMethod	enum	Specifies the HTTP response code.	<code>actionType</code> is REDIRECT
		Supported values: 301 302	
contentHostname	string (allows variables)	Specifies the static hostname for the alternate redirect.	<code>actionType</code> is RECREATED_CO
contentCustomPath	boolean	Specifies a custom redirect path.	<code>actionType</code> is RECREATED_CO
contentPath	string (allows variables)	Specifies a custom redirect path.	<code>contentCustomPath</code> is true
netStorageHostname	object	When the <code>actionType</code> is RECREATED_NS, specifies the NetStorage origin to serve the alternate content. Contact Akamai Professional Services for your NetStorage origin's <code>id</code> .	<code>actionType</code> is RECREATED_NS
netStorageHostname.cpCode	integer	Identifies a CP code assigned to this storage group.	
netStorageHostname.downloadDomainName	string	Domain name from which content can be downloaded.	
netStorageHostname.g2oToken	string	Signature Header Authentication key.	
netStorageHostname.id	integer	Unique identifier for the storage group.	
netStorageHostname.name	string	Name of the storage group.	
netStoragePath	string (allows variables)	When the <code>actionType</code> is RECREATED_NS, specifies the path for the NetStorage request.	<code>actionType</code> is RECREATED_NS
cexHostname	string (allows variables)	Specifies a hostname.	<code>actionType</code> is RECREATED_CEX
cexCustomPath	boolean	Specifies a custom path.	<code>actionType</code> is RECREATED_CEX
cexPath	string (allows variables)	Specifies a custom path.	<code>cexCustomPath</code> is true
cpCode	object	Specifies a CP code for which to log errors for the NetStorage location. You only need to provide the initial <code>id</code> , stripping any cpc_ prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	<code>actionType</code> is RECREATED_NS
cpCode.cpCodeLimits	array	Read-only. Describes the current usage limit for the CP code.	
cpCode.createdDate	integer	Read-only. UNIX epoch timestamp reflecting	

Option	Type	Description	Requires																																																												
		when the CP code was originally created.																																																													
cpCode.description	string	Read-only. Additional description for the CP code.																																																													
cpCode.id	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpCodeId</code> value from the List CP codes operation.																																																													
cpCode.name	string	Read-only. The name of the CP code you specify as the <code>cpCodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.																																																													
cpCode.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.																																																													
statusCode	enum	Assigns a new HTTP status code to the failure response.	<code>actionType</code> is <code>RECREATED_NS</code>																																																												
		Supported values: <table><tr><td>100</td><td>401</td><td>416</td><td>501</td></tr><tr><td>101</td><td>402</td><td>417</td><td>502</td></tr><tr><td>102</td><td>403</td><td>422</td><td>503</td></tr><tr><td>103</td><td>404</td><td>423</td><td>504</td></tr><tr><td>122</td><td>405</td><td>424</td><td>505</td></tr><tr><td>200</td><td>406</td><td>425</td><td>506</td></tr><tr><td>201</td><td>407</td><td>426</td><td>507</td></tr><tr><td>202</td><td>408</td><td>428</td><td>509</td></tr><tr><td>203</td><td>409</td><td>429</td><td>510</td></tr><tr><td>204</td><td>410</td><td>431</td><td>511</td></tr><tr><td>205</td><td>411</td><td>444</td><td>598</td></tr><tr><td>206</td><td>412</td><td>449</td><td>599</td></tr><tr><td>207</td><td>413</td><td>450</td><td></td></tr><tr><td>226</td><td>414</td><td>499</td><td></td></tr><tr><td>400</td><td>415</td><td>500</td><td></td></tr></table>	100	401	416	501	101	402	417	502	102	403	422	503	103	404	423	504	122	405	424	505	200	406	425	506	201	407	426	507	202	408	428	509	203	409	429	510	204	410	431	511	205	411	444	598	206	412	449	599	207	413	450		226	414	499		400	415	500		
100	401	416	501																																																												
101	402	417	502																																																												
102	403	422	503																																																												
103	404	423	504																																																												
122	405	424	505																																																												
200	406	425	506																																																												
201	407	426	507																																																												
202	408	428	509																																																												
203	409	429	510																																																												
204	410	431	511																																																												
205	411	444	598																																																												
206	412	449	599																																																												
207	413	450																																																													
226	414	499																																																													
400	415	500																																																													
preserveQueryString	boolean	When using either <code>contentCustomPath</code> , <code>cexCustomPath</code> , <code>dynamicCustomPath</code> , or <code>redirectCustomPath</code> to specify a custom path, enabling this passes in the original request's query string as part of the path.	<code>contentCustomPath</code> is <code>true</code> OR <code>cexCustomPath</code> is <code>true</code> OR <code>redirectCustomPath</code> is <code>true</code> OR <code>dynamicCustomPath</code> is <code>true</code>																																																												
modifyProtocol	boolean	Modifies the redirect's protocol using the value of the <code>protocol</code> field.	<code>actionType</code> is <code>REDIRECT</code> OR <code>dynamicMethod</code> is either: <code>SERVE_301</code> , <code>SERVE_302</code>																																																												
protocol	enum	When the <code>actionType</code> is <code>REDIRECT</code> and <code>modifyProtocol</code> is enabled, this specifies the redirect's protocol.	<code>modifyProtocol</code> is <code>true</code>																																																												
		Supported values: <table><tr><td>HTTP</td></tr><tr><td>HTTPS</td></tr></table>	HTTP	HTTPS																																																											
HTTP																																																															
HTTPS																																																															

failoverBotManagerFeatureCompatibility

- **Property Manager name:** Security Failover Feature Compatibility
- **Behavior version:** The `v2024-02-12` rule format supports the `failoverBotManagerFeatureCompatibility` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Ensures that functionality such as challenge authentication and reset protocol work with a failover product property you use to create an alternate hostname. Apply it to any properties that implement a failover under the Cloud Security Failover product.

Option	Type	Description
compatibility	boolean	This behavior does not include any options. Specifying the behavior itself enables it.

fastInvalidate

- **Property Manager name:** [Fast Invalidate \(Safe to remove\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `fastInvalidate` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior is deprecated, but you should not disable or remove it if present.

Applies Akamai's *Fast Purge* feature to selected edge content, invalidating it within approximately five seconds. This behavior sends an `If-Modified-Since` request to the origin for subsequent requests, replacing it with origin content if its timestamp is more recent. Otherwise if the origin lacks a `Last-Modified` header, it sends a simple GET request. Note that this behavior does not simply delete content if more recent origin content is unavailable. See the [Fast Purge API](#) for an independent way to invalidate selected sets of content, and for more information on the feature.

Option	Type	Description
enabled	boolean	When enabled, forces a validation test for all edge content to which the behavior applies.

fips

- **Property Manager name:** [FIPS mode - origin](#)
- **Behavior version:** The v2024-01-09 rule format supports the fips behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-write](#)
- **Allowed in includes:** [Yes](#)

Ensures [Federal Information Process Standards \(FIPS\) 140-2](#) compliance for a connection to an origin server. For this behavior to work properly, verify that your origin's secure certificate supports Enhanced TLS and is FIPS-compliant.

Note that you can't use fips if [downgradeProtocol](#) or [allowHTTPSDowngrade](#) behaviors are enabled in the same property.

Option	Type	Description
enable	boolean	When enabled, supports the use of FIPS-validated ciphers in the connection between this delivery configuration and your origin server.

firstPartyMarketing

- **Property Manager name:** Cloud Marketing Cloudlet (Beta)
- **Behavior version:** The v2024-02-12 rule format supports the firstPartyMarketing behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Enables the Cloud Marketing Cloudlet, which helps MediaMath customers collect usage data and place corresponding tags for use in online advertising. You can configure tags using either the Cloudlets Policy Manager application or the [Cloudlets API](#). See also the [firstPartyMarketingPlus](#) behavior, which integrates better with both MediaMath and its partners. Both behaviors support the same set of options.

Option	Type	Description	Requires
enabled	boolean	Enables the Cloud Marketing Cloudlet.	
javaScript InsertionRule	enum	Select how to insert the MediaMath JavaScript reference script.	
	NEVER	Specify this if inserting the script at the origin.	
	POLICY	Allow the Cloudlet policy to determine when to insert it.	
	ALWAYS	Insert it for all edge requests.	
cloudlet Policy	object	Identifies the Cloudlet policy.	javaScript InsertionRule is POLICY
cloudlet Policy.id	number	Identifies the Cloudlet.	
cloudlet Policy.name	string	The Cloudlet's descriptive name.	
mediaMath Prefix	string	Specify the URL path prefix that distinguishes Cloud Marketing requests from your other web traffic. Include the leading slash character, but no trailing slash. For example, if the path prefix is /mmath , and the request is for www.example.com/dir , the new URL is www.example.com/mmatah/dir .	

firstPartyMarketingPlus

- **Property Manager name:** Cloud Marketing Plus Cloudlet (Beta)
- **Behavior version:** The v2024-02-12 rule format supports the firstPartyMarketingPlus behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Enables the Cloud Marketing Plus Cloudlet, which helps MediaMath customers collect usage data and place corresponding tags for use in online advertising. You can configure tags using either the Cloudlets Policy Manager application or the [Cloudlets API](#). See also the [firstPartyMarketing](#) behavior, which integrates with MediaMath but not its partners. Both behaviors support the same set of options.

Option	Type	Description	Requires
enabled	boolean	Enables the Cloud Marketing Plus Cloudlet.	
javaScript InsertionRule	enum	Select how to insert the MediaMath JavaScript reference script.	
	NEVER	Specify this if inserting the script at the origin.	
	POLICY	Allow the Cloudlet policy to determine when to insert it.	
	ALWAYS	Insert it for all edge requests.	
cloudlet Policy	object	Identifies the Cloudlet policy.	javaScript InsertionRule is POLICY
cloudlet Policy.id	number	Identifies the Cloudlet.	
cloudlet Policy.name	string	The Cloudlet's descriptive name.	
mediaMath Prefix	string	Specify the URL path prefix that distinguishes Cloud Marketing requests from your other web traffic. Include the leading slash character, but no trailing slash. For example, if the path prefix is /mmath , and the request is for www.example.com/dir , the new URL is www.example.com/mmath/dir .	

forwardRewrite

- **Property Manager name:** [Forward Rewrite Cloudlet](#)
- **Behavior version:** The v2024-02-12 rule format supports the forwardRewrite behavior v4.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The Forward Rewrite Cloudlet allows you to conditionally modify the forward path in edge content without affecting the URL that displays in the user's address bar. If Cloudlets are available on your contract, choose **Your services > Edge logic Cloudlets** to control how this feature works within [Control Center](#) [ⓘ], or use the [Cloudlets API](#) to configure it programmatically.

Option	Type	Description	Requires
enabled	boolean	Enables the Forward Rewrite Cloudlet behavior.	
isSharedPolicy	boolean	Whether you want to use a shared policy for a Cloudlet. Learn more about shared policies and how to create them in Cloudlets Policy Manager .	
cloudletPolicy	object	Identifies the Cloudlet policy.	isSharedPolicy is false

Option	Type	Description	Requires
cloudlet Policy.id	number	Identifies the Cloudlet.	
cloudlet Policy.name	string	The Cloudlet's descriptive name.	
cloudletShared Policy	string	This identifies the Cloudlet shared policy to use with this behavior. You can list available shared policies with the Cloudlets API .	isSharedPolicy is true

g2oheader

- **Property Manager name:** [Signature Header Authentication](#)
- **Behavior version:** The v2024-02-12 rule format supports the g2oheader behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The *signature header authentication* (g2o) security feature provides header-based verification of outgoing origin requests. Edge servers encrypt request data in a pre-defined header, which the origin uses to verify that the edge server processed the request. This behavior configures the request data, header names, encryption algorithm, and shared secret to use for verification.

Option	Type	Description	Requires
enabled	boolean	Enables the g2o verification behavior.	
dataHeader	string	Specifies the name of the header that contains the request data that needs to be encrypted.	
signed Header	string	Specifies the name of the header containing encrypted request data.	
encoding Version	enum	Specifies the version of the encryption algorithm as an integer from 1 through 5 .	
		Supported values: 1 3 5 2 4	
useCustom SignString	boolean	When disabled, the encrypted string is based on the forwarded URL. If enabled, you can use customSignString to customize the set of data to encrypt.	
customSign String	string array	Specifies the set of data to be encrypted as a combination of concatenated strings.	useCustomSign String is true
	AK_METHOD	Incoming request method.	
	AK_SCHEME	Incoming request scheme (HTTP or HTTPS).	

Option	Type	Description	Requires
	AK_HOSTHEADER	Incoming request hostname.	
	AK_DOMAIN	Incoming request domain.	
	AK_URL	Incoming request URL.	
	AK_PATH	Incoming request path.	
	AK_QUERY	Incoming request query string.	
	AK_FILENAME	Incoming request filename.	
	AK_EXTENSION	Incoming request filename extension.	
	AK_CLIENT_REAL_IP	Incoming client IP.	
secretKey	object array	Specifies the shared secret key.	
nonce	string	Specifies the cryptographic <i>nonce</i> string.	

globalRequestNumber

- **Property Manager name:** [Global Request Number](#)
- **Behavior version:** The v2024-02-12 rule format supports the globalRequestNumber behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Generates a unique identifier for each request on the Akamai edge network, for use in logging and debugging. GRN identifiers follow the same format as Akamai's error reference strings, for example: 0.05313217.1567801841.1457a3 . You can use the Edge Diagnostics API's [Translate error string](#) operation to get low-level details about any request.

Option	Type	Description	Requires
output Option	enum	Specifies how to report the GRN value.	
	RESPONSE_HEADER	Use a response header.	
	REQUEST_HEADER	Use a request header.	
	BOTH_HEADERS	Use both headers.	

Option	Type	Description	Requires
	ASSIGN_VARIABLE	Process the value in some other way as a variable .	
header Name	string	With <code>outputOption</code> set to specify any set of headers, this specifies the name of the header to report the GRN value.	<code>outputOption</code> is either: <code>RESPONSE_HEADER</code> , <code>REQUEST_HEADER</code> , <code>BOTH_HEADERS</code>
variable Name	string (variable name)	This specifies the name of the variable to assign the GRN value to. You need to pre-declare any variable you specify within the rule tree.	<code>outputOption</code> is <code>ASSIGN_VARIABLE</code>

graphqlCaching

- **Property Manager name:** [GraphQL Caching](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `graphqlCaching` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior configures how to cache GraphQL-based API traffic. Enable [caching](#) for your GraphQL API traffic, along with [allowPost](#) to cache POST responses. To configure REST API traffic, use the [rapid](#) behavior.

Option	Type	Description
<code>enabled</code>	boolean	Enables GraphQL caching.
<code>cacheResponses WithErrors</code>	boolean	When enabled, caches responses that include an <code>error</code> field at the top of the response body object. Disable this if your GraphQL server yields temporary errors with success codes in the 2xx range.
<code>postRequest ProcessingError Handling</code>	enum	Specify what happens if GraphQL query processing fails on POST requests.
	<code>APPLY_CACHING_BEHAVIOR</code>	If your GraphQL server does not allow mutations and subscriptions, this offloads requests.
	<code>NO_STORE</code>	Pass requests to the origin.
<code>operationsUriQuery ParameterName</code>	string	Specifies the name of a query parameter that identifies requests as GraphQL queries.
<code>operationsJson BodyParameter Name</code>	string	The name of the JSON body parameter that identifies GraphQL POST requests.

inputValidation

- **Property Manager name:** [Input Validation Cloudlet](#)
- **Behavior version:** The `v2023-01-05` rule format supports the `inputValidation` behavior v1.5.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

This behavior is deprecated, but you should not disable or remove it if present.

The Input Validation Cloudlet detects anomalous edge requests and helps mitigate repeated invalid requests. You can configure it using either the Cloudlets Policy Manager application, available within [Control Center](#) under **Your services > Edge logic Cloudlets**, or the [Cloudlets API](#).

Use this behavior to specify criteria that identifies each unique end user, and optionally supplement the Input Validation policy with additional criteria your origin uses to identify invalid requests. Specify the threshold number of invalid requests that triggers a penalty, and the subsequent response. Also specify an ordinary failure response for those who have not yet met the threshold, which should not conflict with any other behavior that defines a failure response.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Applies the Input Validation Cloudlet behavior.	
<code>cloudletPolicy</code>	object	Identifies the Cloudlet policy.	
<code>cloudletPolicy.id</code>	number	Identifies the Cloudlet.	
<code>cloudletPolicy.name</code>	string	The Cloudlet's descriptive name.	
<code>label</code>	string	Distinguishes this Input Validation policy from any others within the same property.	
<code>userIdentificationByCookie</code>	boolean	When enabled, identifies users by the value of a cookie.	
<code>userIdentificationKeyCookie</code>	string	This specifies the cookie name whose value needs to remain constant across requests to identify a user.	<code>userIdentificationByCookie</code> is <code>true</code>
<code>userIdentificationByIp</code>	boolean	When enabled, identifies users by specific IP address. Do not enable this if you are concerned about DDoS attacks from many different IP addresses.	
<code>userIdentificationByHeaders</code>	boolean	When enabled, identifies users by specific HTTP headers on GET or POST requests.	
<code>userIdentificationKeyHeaders</code>	string array	This specifies the HTTP headers whose combined set of values identify each end user.	<code>userIdentificationByHeaders</code> is <code>true</code>

Option	Type	Description	Requires
userIdentificationByParams	boolean	When enabled, identifies users by specific query parameters on GET or POST requests.	
userIdentificationKeyParams	string array	This specifies the query parameters whose combined set of values identify each end user.	userIdentificationByParams is true
allowLargePostBody	boolean	Fails POST request bodies that exceed 16 KB when enabled, otherwise allows them to pass with no validation for policy compliance.	
resetOnValid	boolean	Upon receiving a valid request, enabling this resets the penaltyThreshold counter to zero. Otherwise, even those series of invalid requests that are interrupted by valid requests may trigger the penaltyAction .	
validateOnOriginWith	enum	For any validation that edge servers can't perform alone, this specifies additional validation steps based on how the origin identifies an invalid request. If a request is invalid, the origin can indicate this to the edge server.	
	DISABLED	Specify if no additional validation is necessary.	
	RESPONSE_CODE	Use a response code.	
	RESPONSE_CODE_AND_HEADER	Use a response code and header.	
validateOnOriginHeaderName	string	If validateOnOriginWith is set to RESPONSE_CODE_AND_HEADER , this specifies the header name for a request that the origin identifies as invalid.	validateOnOriginWith is RESPONSE_CODE_AND_HEADER
validateOnOriginHeaderValue	string	If validateOnOriginWith is set to RESPONSE_CODE_AND_HEADER , this specifies an invalid request's header value that corresponds to the validateOnOriginHeaderName .	validateOnOriginWith is RESPONSE_CODE_AND_HEADER
validateOnOriginResponseCode	number	Unless validateOnOriginWith is DISABLED , this identifies the integer response code for requests the origin identifies as invalid.	validateOnOriginWith is either: RESPONSE_CODE , RESPONSE_CODE_AND_HEADER
failure302Uri	string	Specifies the redirect link for invalid requests that have not yet triggered a penalty.	
penaltyThreshold	number	Specifies the number of invalid requests permitted before executing the penalty Action .	
penaltyAction	enum	Once the penaltyThreshold of invalid requests is met, this specifies the response.	
	REDIRECT_302	A 302 redirect response.	
	BLANK_403	A 403 response with no body content.	
	BRANDED_403	A custom 403 response.	
penalty302Uri	string	Specifies the redirect link for end users who trigger the penalty.	penaltyAction is REDIRECT_302

Option	Type	Description	Requires
penaltyNetStorage	object	Specifies the NetStorage account that serves out the penalty's static 403 response content. Details appear in an object featuring a downloadDomainName string member that identifies the NetStorage hostname, and an integer cpCode to track the traffic.	penaltyAction is BRANDED_403
penaltyNetStorage.cpCodeList	array	A set of CP codes that apply to this storage group.	
penaltyNetStorage.downloadDomainName	string	Domain name from which content can be downloaded.	
penaltyNetStorage.id	number	Unique identifier for the storage group.	
penaltyNetStorage.name	string	Name of the storage group.	
penaltyNetStorage.uploadDomainName	string	Domain name used to upload content.	
penalty403NetStoragePath	string	Specifies the full path to the static 403 response content relative to the downloadDomainName in the penaltyNetStorage object.	penaltyAction is BRANDED_403
penaltyBrandedDenyCacheTtl	number (5-30)	Specifies the penalty response's time to live in the cache, 5 minutes by default.	penaltyAction is BRANDED_403

gzipResponse

- **Property Manager name:** [Last Mile Acceleration \(Gzip Compression\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the gzipResponse behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Apply *gzip* compression to speed transfer time. This behavior applies best to text-based content such as HTML, CSS, and JavaScript, especially once files exceed about 10KB. Do not apply it to already compressed image formats, or to small files that would add more time to uncompress. To apply this behavior, you should match on [contentType](#) or the content's [cacheability](#).

Option	Type	Description
behavior	enum	Specify when to compress responses.

Option	Type	Description
	ORIGIN_RESPONSE	Compress for clients that send an <code>Accept-Encoding: gzip</code> header.
	ALWAYS	Always compress.
	NEVER	Never compress.

hdDataAdvanced

- **Property Manager name:** [HD Data Override: Advanced Metadata](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `hdDataAdvanced` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This behavior specifies Akamai XML metadata that can only be configured on your behalf by Akamai Professional Services. Unlike the [advanced](#) behavior, this may apply a different set of overriding metadata that executes in a post-processing phase.

Option	Type	Description
<code>description</code>	string	Human-readable description of what the XML block does.
<code>xml</code>	string	A block of Akamai XML metadata.

healthDetection

- **Property Manager name:** [Origin Health Detection](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `healthDetection` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Monitors the health of your origin server by tracking unsuccessful attempts to contact it. Use this behavior to keep end users from having to wait several seconds before a forwarded request times out, or to reduce requests on the origin server when it is unavailable.

When client requests are forwarded to the origin, the edge server tracks the number of attempts to connect to each IP address. It cycles through IP addresses in least-recently-tested order to avoid hitting the same one twice in a row. If the number of consecutive unsuccessful tests reaches a threshold you specify, the behavior identifies the address as faulty and stops sending requests. The edge server returns an error message to the end user or else triggers any [fail Action](#) behavior you specify.

Option	Type	Description
retryCount	number	The number of consecutive connection failures that mark an IP address as faulty.
retryInterval	string (duration)	Specifies the amount of time the edge server will wait before trying to reconnect to an IP address it has already identified as faulty.
maximum Reconnects	number	Specifies the maximum number of times the edge server will contact your origin server. If your origin is associated with several IP addresses, maximumReconnects effectively overrides the value of retryCount .

hsafEipBinding

- **Property Manager name:** [HSAF for Edge IP Binding](#).
- **Behavior version:** The v2024-02-12 rule format supports the hsafEipBinding behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#).
- **Allowed in includes:** [No \(temporarily\)](#).

Edge IP Binding works with a limited set of static IP addresses to distribute your content, which can be limiting in large footprint environments. This behavior sets Hash Serial and Forward (HSAF) for Edge IP Binding to deal with larger footprints. It can only be configured on your behalf by Akamai Professional Services. For more information, see the [Edge IP Binding documentation](#).

Option	Type	Description	Requires
enabled	boolean	Enables HSAF for Edge IP Binding customers with a large footprint.	
custom Extracted Serial	boolean	Whether to pull the serial number from the variable value set in the advanced behavior. Work with your Akamai Services team to add the advanced behavior earlier in your property to extract and apply the AKA_PM_EIP_HSAF_SERIAL variable.	
hashMin Value	number	Specifies the minimum value for the HSAF hash range, from 2 through 2045. This needs to be lower than hashMaxValue .	custom ExtractedSerial is false

Option	Type	Description	Requires
hashMax Value	number	Specifies the maximum value for the hash range, from 3 through 2046. This needs to be higher than hashMinValue .	custom ExtractedSerial is false
tier	enum	Specifies where the behavior is applied.	
	EDGE	Applies Hash Serial and Forward only at edge regions.	
	PARENT	Applies Hash Serial and Forward using tiers. For more details, see the Edge IP Binding documentation .	
	BOTH	Applies Hash Serial and Forward in both environments.	

http2

- **Property Manager name:** [HTTP/2](#)
- **Behavior version:** The v2024-02-12 rule format supports the http2 behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Enables the HTTP/2 protocol, which reduces latency and improves efficiency. You can only apply this behavior if the property is marked as secure. See [Secure property requirements](#) for guidance.

This behavior object does not support any options. Specifying the behavior enables it.

http3

- **Property Manager name:** [HTTP/3](#)
- **Behavior version:** The v2024-02-12 rule format supports the http3 behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

This enables the HTTP/3 protocol that uses QUIC. The behavior allows for improved performance and faster connection setup. You can only apply this behavior if the property is marked as secure. See [Secure property requirements](#) and the [Property Manager documentation](#) for guidance.

If you want all requests processed by a property to support HTTP/3 for transfer, add the behavior to the default rule. If you add the behavior to a custom rule, use it with the `bucket` match so that it applies to a specific percentage of the HTTP/3 requests.

Option	Type	Description
enable	boolean	This enables HTTP/3 connections between requesting clients and Akamai edge servers. You also need to enable QUIC and TLS 1.3 in your certificate deployment settings. See the Property Manager documentation for more details.

httpStrictTransportSecurity

- **Property Manager name:** [HTTP Strict Transport Security \(HSTS\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `httpStrictTransportSecurity` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Applies HTTP Strict Transport Security (HSTS), disallowing insecure HTTP traffic. Apply this to hostnames managed with Standard TLS or Enhanced TLS certificates.

Option	Type	Description	Requires
enable	boolean	Applies HSTS to this set of requests.	
maxAge	enum	Specifies the duration for which to apply HSTS for new browser connections.	
	ZERO_MINS	This effectively disables HSTS, without affecting any existing browser connections.	
	TEN_MINS	10 minutes.	
	ONE_DAY	1 day.	
	ONE_MONTH	1 month.	
	THREE_MONTHS	3 months.	
	SIX_MONTHS	6 months.	
	ONE_YEAR	1 year.	

Option	Type	Description	Requires
includeSubDomains	boolean	When enabled, applies HSTS to all subdomains.	maxAge is not ZERO_MINS
preload	boolean	When enabled, adds this domain to the browser's preload list. You still need to declare the domain at hstspreload.org .	maxAge is not ZERO_MINS
redirect	boolean	When enabled, redirects all HTTP requests to HTTPS.	maxAge is not ZERO_MINS
redirectStatusCode	enum	Specifies a response code.	maxAge is not ZERO_MINS AND redirect is true
		Supported values: 301 302	

httpToHttpsUpgrade

- **Property Manager name:** [HTTP to HTTPS Upgrade](#)
- **Behavior version:** The v2024-02-12 rule format supports the httpToHttpsUpgrade behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Upgrades an HTTP edge request to HTTPS for the remainder of the request flow. Enable this behavior only if your origin supports HTTPS, and if your [origin](#) behavior is configured with [origin CertsToHonor](#) to verify SSL certificates.

This behavior object does not support any options. Specifying the behavior enables it.

imOverride

- **Property Manager name:** [Image and Video Manager: Set Parameter](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `imOverride` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This specifies common query parameters that affect how `imageManager` transforms images, potentially overriding policy, width, format, or density request parameters. This also allows you to assign the value of one of the property's [rule tree variables](#) to one of Image and Video Manager's own policy variables.

Option	Type	Description	Requires
<code>override</code>	enum	Selects the type of query parameter you want to set.	
	<code>POLICY</code>	For the name of the Image and Video Manager policy you want to apply.	
	<code>POLICY_VARIABLE</code>	Specify that you want to set an Image and Video Manager policy variable from a rule tree variable defined in the property.	
	<code>WIDTH</code>	A predefined width to constrain the image to.	
	<code>FORMAT</code>	For browser types.	
	<code>DPR</code>	For pixel density.	
	<code>EXCLUDE_QUERY</code>	Excludes the specified query parameters from the cache key.	
<code>typesel</code>	enum	Specifies how to set a query parameter.	<code>override</code> is not <code>POLICY_VARIABLE</code> AND <code>override</code> is not <code>EXCLUDE_QUERY</code>
	<code>VALUE</code>	Assign a specific value.	
	<code>VARIABLE</code>	Assign a Property Manager rule tree <code>VARIABLE</code> .	
<code>formatvar</code>	string (variable name)	This selects the variable with the name of the browser you want to optimize images for. The variable specifies the same type of data as the <code>format</code> option below.	<code>override</code> is <code>FORMAT</code> AND <code>typesel</code> is <code>VARIABLE</code>
<code>format</code>	enum	Specifies the type of the browser, or the encodings passed in the <code>Accept</code> header, that you want to optimize images for.	<code>override</code> is <code>FORMAT</code> AND <code>typesel</code> is <code>VALUE</code>
	<code>CHROME</code>	Google Chrome.	
	<code>IE</code>	Internet Explorer.	
	<code>SAFARI</code>	Apple Safari.	
	<code>GENERIC</code>	Generic.	
	<code>AVIF_WEBP_JPEG_PNG_GIF</code>	Best of AVIF, WebP, JPEG, PNG, and GIF.	
	<code>JP2_WEBP_JPEG_PNG_GIF</code>	Best of JP2, WebP, JPEG, PNG, and GIF.	
	<code>WEBP_JPEG_PNG_GIF</code>	Best of WebP, JPEG, PNG, and GIF.	

Option	Type	Description	Requires
	JPEG_PNG_GIF	Best of JPEG, PNG, GIF.	
dprvar	string (variable name)	This selects the variable with the desired pixel density. The variable specifies the same type of data as the dpr option below.	override is DPR AND typesel is VARIABLE
dpr	number	Directly specifies the pixel density. The numeric value is a scaling factor of 1, representing normal density.	override is DPR AND typesel is VALUE
widthvar	string (variable name)	Selects the variable with the desired width. If the Image and Video Manager policy doesn't define that width, it serves the next largest width.	override is WIDTH AND typesel is VARIABLE
width	number	Sets the image's desired pixel width directly. If the Image Manager policy doesn't define that width, it serves the next largest width.	override is WIDTH AND typesel is VALUE
policyvar	string (variable name)	This selects the variable with the desired Image and Video Manager policy name to apply to image requests. If there is no policy by that name, Image and Video Manager serves the image unmodified.	override is POLICY AND typesel is VARIABLE
policy	string	This selects the desired Image and Video Manager policy name directly. If there is no policy by that name, Image and Video Manager serves the image unmodified.	override is POLICY AND typesel is VALUE
policyvar Name	string	This selects the name of one of the variables defined in an Image and Video Manager policy that you want to replace with the property's rule tree variable.	override is POLICY_VARIABLE
policyvar IMvar	string (variable name)	This selects one of the property's rule tree variables to assign to the policyvarName variable within Image and Video Manager.	override is POLICY_VARIABLE
excludeAll Query Parameters	boolean	Whether to exclude all query parameters from the Image and Video Manager cache key.	override is EXCLUDE_QUERY
excludedQuery Parameters	string array	Specifies individual query parameters to exclude from the Image and Video Manager cache key.	override is EXCLUDE_QUERY AND excludeAll QueryParameters is false

imageManager

- **Property Manager name:** [Image and Video Manager \(Images\)](#).
- **Behavior version:** The v2024-02-12 rule format supports the imageManager behavior v2.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [Yes](#)

Optimizes images' size or file type for the requesting device. You can also use this behavior to generate API tokens to apply your own policies to matching images using the [Image and Video Manager API](#). To apply this behavior, you need to match on a [fileExtension](#). Once you apply Image and Video Manager to traffic, you can add the [advancedImMatch](#) to ensure the behavior applies to the requests from the Image and Video Manager backend.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enable image management capabilities and generate a corresponding API token.	
<code>resize</code>	boolean	Specify whether to scale down images to the maximum screen resolution, as determined by the rendering device's user agent. Note that enabling this may affect screen layout in unexpected ways.	
<code>applyBestFileType</code>	boolean	Specify whether to convert images to the best file type for the requesting device, based on its user agent and the initial image file. This produces the smallest file size possible that retains image quality.	
<code>superCacheRegion</code>	enum	Specifies a location for your site's heaviest traffic, for use in caching derivatives on edge servers.	<code>useExistingPolicySet</code> is not <code>true</code>
	<code>US</code>	United States.	
	<code>ASIA</code>	Asia.	
	<code>AUSTRALIA</code>	Australia.	
	<code>EMEA</code>	Europe, Middle East, and Africa.	
	<code>JAPAN</code>	Japan.	
	<code>CHINA</code>	China.	
<code>cpCodeOriginal</code>	object	Assigns a CP code to track traffic and billing for original images that the Image and Video Manager has not modified. You only need to provide the initial <code>id</code> , stripping any <code>cpc_</code> prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	
<code>cpCodeOriginal.cpCodeLimits</code>	array	Read-only. Describes the current usage limit for the CP code.	
<code>cpCodeOriginal.createdDate</code>	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.	
<code>cpCodeOriginal.description</code>	string	Read-only. Additional description for the CP code.	
<code>cpCodeOriginal.id</code>	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeId</code> value from the List CP codes operation.	
<code>cpCodeOriginal.name</code>	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.	
<code>cpCodeOriginal.products</code>	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.	
<code>cpCodeTransformed</code>	object	Assigns a separate CP code to track traffic and billing for derived images. You only need to provide the initial	

Option	Type	Description	Requires
		id , stripping any <code>cpc_</code> prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	
<code>cpCodeTransformed.cpCodeLimits</code>	array	Read-only. Describes the current usage limit for the CP code.	
<code>cpCodeTransformed.createdDate</code>	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.	
<code>cpCodeTransformed.description</code>	string	Read-only. Additional description for the CP code.	
<code>cpCodeTransformed.id</code>	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeId</code> value from the List CP codes operation.	
<code>cpCodeTransformed.name</code>	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.	
<code>cpCodeTransformed.products</code>	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.	
<code>useExistingPolicySet</code>	boolean	Whether to use a previously created policy set that may be referenced in other properties, or create a new policy set to use with this property. A policy set can be shared across multiple properties belonging to the same contract. The behavior populates any changes to the policy set across all properties that reference that set.	
<code>policySet</code>	object	Identifies the existing policy set configured with Image and Video Manager API .	<code>useExistingPolicySet</code> is true
<code>advanced</code>	boolean	Generates a custom Image and Video Manager API token to apply a corresponding policy to this set of images. The token consists of a descriptive label (the <code>policyToken</code>) concatenated with a property-specific identifier that's generated when you save the property. The API registers the token when you activate the property.	<code>useExistingPolicySet</code> is false
<code>policyToken</code>	string	Assign a prefix label to help match the policy token to this set of images, limited to 32 alphanumeric or underscore characters. If you don't specify a label, <i>default</i> becomes the prefix.	<code>advanced</code> is true
<code>policyTokenDefault</code>	string	Specify the default policy identifier, which is registered with the Image and Video Manager API once you activate this property. The <code>advanced</code> option needs to be inactive.	<code>advanced</code> is false

imageManagerVideo

- **Property Manager name:** [Image and Video Manager \(Videos\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `imageManagerVideo` behavior `v2.0`.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Optimizes videos managed by Image and Video Manager for the requesting device. You can also use this behavior to generate API tokens to apply your own policies to matching videos using the [Image and Video Manager API](#). To apply this behavior, you need to match on a [fileExtension](#) .

Option	Type	Description	Requires
<code>enabled</code>	boolean	Applies Image and Video Manager's video optimization to the current content.	
<code>resize</code>	boolean	When enabled, scales down video for smaller mobile screens, based on the device's <code>User-Agent</code> header.	
<code>applyBestFileType</code>	boolean	When enabled, automatically converts videos to the best file type for the requesting device. This produces the smallest file size that retains image quality, based on the user agent and the initial image file.	
<code>superCacheRegion</code>	enum	To optimize caching, assign a region close to your site's heaviest traffic.	<code>useExistingPolicySet</code> is not <code>true</code>
	<code>US</code>	United States.	
	<code>ASIA</code>	Asia.	
	<code>AUSTRALIA</code>	Australia.	
	<code>EMEA</code>	Europe, Middle East, and Africa.	
	<code>JAPAN</code>	Japan.	
	<code>CHINA</code>	China.	
<code>cpCodeOriginal</code>	object	Specifies the CP code for which to track Image and Video Manager video traffic. Use this along with <code>cpCodeTransformed</code> to track traffic to derivative video content. You only need to provide the initial <code>id</code> , stripping any <code>cpCodePrefix</code> to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	
<code>cpCodeOriginal.cpCodeLimits</code>	array	Read-only. Describes the current usage limit for the CP code.	
<code>cpCodeOriginal.createdDate</code>	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.	
<code>cpCodeOriginal.description</code>	string	Read-only. Additional description for the CP code.	
<code>cpCodeOriginal.id</code>	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpCodeId</code> value from the List CP codes operation.	
<code>cpCodeOriginal.name</code>	string	Read-only. The name of the CP code you specify as the <code>cpCodeName</code> when creating a new CP code in PAPI. You	

Option	Type	Description	Requires
		can modify this value with the PUT operation in the CP codes and Reporting Groups API.	
cpCodeOriginal.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.	
cpCodeTransformed	object	Specifies the CP code to identify derivative transformed video content. You only need to provide the initial <code>id</code> , stripping any <code>cpc_</code> prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	
cpCodeTransformed.cpCodeLimits	array	Read-only. Describes the current usage limit for the CP code.	
cpCodeTransformed.createdDate	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.	
cpCodeTransformed.description	string	Read-only. Additional description for the CP code.	
cpCodeTransformed.id	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeId</code> value from the List CP codes operation.	
cpCodeTransformed.name	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.	
cpCodeTransformed.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.	
useExistingPolicySet	boolean	Whether to use a previously created policy set that may be referenced in other properties, or create a new policy set to use with this property. A policy set can be shared across multiple properties belonging to the same contract. The behavior populates any changes to the policy set across all properties that reference that set.	
policySet	object	Identifies the existing policy set configured with Image and Video Manager API .	<code>useExistingPolicySet</code> is <code>true</code>
advanced	boolean	When disabled, applies a single standard policy based on your property name. Allows you to reference a rule-specific <code>policyToken</code> for videos with different match criteria.	<code>useExistingPolicySet</code> is <code>false</code>
policyToken	string	Specifies a custom policy defined in the Image and Video Manager Policy Manager or the Image and Video Manager API . The policy name can include up to 64 alphanumeric, dash, or underscore characters.	<code>advanced</code> is <code>true</code>
policyTokenDefault	string	Specifies the default policy identifier, which is registered with the Image and Video Manager API once you activate this property.	<code>advanced</code> is <code>false</code>

include

- **Property Manager name:** [Include](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `include` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Includes let you reuse chunks of a property configuration that you can manage separately from the rest of the property rule tree.

Option	Type	Description
id	string	Identifies the include you want to add to your rule tree. You can get the include ID using PAPI . This option only accepts digits, without the <code>inc_</code> ID prefix .

instant

- **Property Manager name:** [Akamai Instant \(Prefetching\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `instant` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The Instant feature allows you to prefetch content to the edge cache by adding link relation attributes to markup. For example:

```
xml <a href="page2.html" rel="Akamai-prefetch">Page 2</a>
```

Default link relation values are `prefetch` and `Akamai-prefetch` . Applies only to HTML elements that may specify an external file: `<a>` , `<base>` , `` , `<script>` , `<input>` , `<link>` , `<table>` , `<td>` , or `<th>` . (For the latter three, some legacy browsers support a nonstandard `background` image attribute.)

This behavior provides an alternative to the `prefetch` and `prefetchable` behaviors, which allow you to configure more general prefetching behavior outside of markup.

Option	Type	Description	Requires
<code>prefetchCacheable</code>	boolean	When enabled, applies prefetching only to objects already set to be cacheable, for example using the <code>cacheing</code> behavior. Only applies to content with the <code>tieredDistribution</code> behavior enabled.	
<code>prefetchNoStore</code>	boolean	Allows otherwise non-cacheable <code>no-store</code> content to prefetch if the URL path ends with <code>/</code> to indicate a request for a default file, or if the extension matches the value of the <code>prefetchNoStoreExtensions</code> option. Only applies to content with the <code>sureRoute</code> behavior enabled.	
<code>prefetchNoStoreExtensions</code>	string array	Specifies a set of file extensions for which the <code>prefetchNoStore</code> option is allowed.	<code>prefetchNoStore</code> is <code>true</code>
<code>prefetchHtml</code>	boolean	Allows edge servers to prefetch additional HTML pages while pages that link to them are being delivered. This only applies to links from <code><a></code> or <code><link></code> tags with the appropriate link relation attribute.	<code>prefetchCacheable</code> is <code>true</code> OR <code>prefetchNoStore</code> is <code>true</code>
<code>customLinkRelations</code>	string array	Specify link relation values that activate the prefetching behavior. For example, specifying <code>fetch</code> allows you to use shorter <code>rel="fetch"</code> markup.	<code>prefetchHtml</code> is <code>true</code>

instantConfig

- **Property Manager name:** [InstantConfig](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `instantConfig` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Multi-Domain Configuration, also known as *InstantConfig*, allows you to apply property settings to all incoming hostnames based on a DNS lookup, without explicitly listing them among the property's hostnames.

Option	Type	Description
<code>enabled</code>	boolean	Enables the InstantConfig behavior.

largeFileOptimization

- **Property Manager name:** [Large File Optimization](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `largeFileOptimization` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The [Large File Optimization](#) (LFO) feature improves performance and reliability when delivering large files. You need this behavior for objects larger than 1.8GB, and you should apply it to anything over 100MB. You should apply it only to the specific content to be optimized, such as a download directory's `.gz` files, and enable the `useVersioning` option while enforcing your own filename versioning policy. Make sure you meet all the [requirements and best practices](#) for the LFO delivery.

Note that it is best to use [NetStorage](#) for objects larger than 1.8GB.

See also the [largeFileOptimizationAdvanced](#) behavior, which provides additional options for to configure partial object caching and HTTP/2 prefetching.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the file optimization behavior.	
<code>enablePartialObjectCaching</code>	enum	Specifies whether to cache partial objects.	
	<code>PARTIAL_OBJECT_CACHING</code>	Allows <i>partial-object caching</i> , which always applies to large objects served from NetStorage . The size of the object to be cached can't be greater than 323 GB. To enable this, the origin needs to support byte range requests.	
	<code>NON_PARTIAL_OBJECT_CACHING</code>	Caches entire objects. The size of the object to be cached can't be greater than 1800 MB.	
<code>minimumSize</code>	string	Optimization only applies to files larger than this, expressed as a number suffixed with a unit string such as <code>MB</code> or <code>GB</code> .	<code>enablePartialObjectCaching</code> is <code>PARTIAL_OBJECT_CACHING</code>
<code>maximumSize</code>	string	Optimization does not apply to files larger than this, expressed as a number suffixed with a unit string such as <code>MB</code> or <code>GB</code> . The size of a file can't be greater than 323 GB. If you need to optimize a larger file, contact Akamai Professional Services for help.	<code>enablePartialObjectCaching</code> is <code>PARTIAL_OBJECT_CACHING</code>
<code>useVersioning</code>	boolean	When <code>enablePartialObjectCaching</code> is set to <code>PARTIAL_OBJECT_CACHING</code> , enabling this option signals your intention to vary filenames by version, strongly recommended to avoid	<code>enablePartialObjectCaching</code> is <code>PARTIAL_OBJECT_CACHING</code>

Option	Type	Description	Requires
		serving corrupt content when chunks come from different versions of the same file.	

largeFileOptimizationAdvanced

- **Property Manager name:** [Large File Optimization \(Advanced\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the largeFileOptimizationAdvanced behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

The [Large File Optimization](#) feature improves performance and reliability when delivering large files. You need this behavior for objects larger than 1.8GB, and it's recommended for anything over 100MB. You should apply it only to the specific content to be optimized, such as a download directory's .gz files. Note that it is best to use [NetStorage](#) for objects larger than 1.8GB.

This advanced behavior provides additional HTTP/2 options not present in the [largeFileOptimization](#) behavior.

Option	Type	Description
enabled	boolean	Enables the file optimization behavior.
objectSize	string	Specifies the size of the file at which point to apply partial object (POC) caching. Append a numeric value with a MB or GB suffix.
fragmentSize	enum	Specifies the size of each fragment used for partial object caching.
		Supported values: FOUR_MB ONE_MB HALF_MB TWO_MB
prefetchDuringRequest	number	The number of POC fragments to prefetch during the request.
prefetchAfterRequest	number	The number of POC fragments to prefetch after the request.

limitBitRate

- **Property Manager name:** [Bit Rate Limiting](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `limitBitRate` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Control the rate at which content serves out to end users, optionally varying the speed depending on the file size or elapsed download time. Each bit rate specified in the `bitrateTable` array corresponds to a `thresholdTable` entry that activates it. You can use this behavior to prevent media downloads from progressing faster than they are viewed, for example, or to differentiate various tiers of end-user experience. To apply this behavior, you should match on a [contentType](#) , [path](#) , or [filename](#) .

Option	Type	Description
<code>enabled</code>	boolean	When enabled, activates the bit rate limiting behavior.
<code>bitrateTable</code>	object array	Specifies a download rate that corresponds to a <code>thresholdTable</code> entry. The bit rate appears as a two-member object consisting of a numeric <code>bitrateValue</code> and a <code>bitrateUnit</code> string, with allowed values of <code>Kbps</code> , <code>Mbps</code> , and <code>Gbps</code> .
<code>bitrateTable[].bitrateValue</code>	number	The numeric indicator of the download rate.
<code>bitrateTable[].bitrateUnit</code>	enum	The unit of measurement, either <code>KBPS</code> , <code>MBPS</code> , or <code>GBPS</code> .
		Supported values: <div>GBPS MBPS</div> <div>KBPS</div>
<code>thresholdTable</code>	object array	Specifies the minimum size of the file or the amount of elapsed download time before applying the bit rate limit from the corresponding <code>bitrateTable</code> entry. The threshold appears as a two-member object consisting of a numeric <code>thresholdValue</code> and <code>thresholdUnit</code> string, with allowed values of <code>SECONDS</code> or <code>BYTES</code> .
<code>thresholdTable[].thresholdValue</code>	number	The numeric indicator of the minimum file size or elapsed download time.
<code>thresholdTable[].thresholdUnit</code>	enum	The unit of measurement, either <code>SECONDS</code> of the elapsed download time, or <code>BYTES</code> of the file size.
		Supported values: <div>BYTES</div> <div>SECONDS</div>

logCustom

- **Property Manager name:** [Log_Custom_Details](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `logCustom` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Logs custom details from the origin response in the [Log_Delivery_Service](#) report.

Option	Type	Description	Requires
<code>logCustomLogField</code>	boolean	Whether to append additional custom data to each log line.	
<code>customLogField</code>	string (allows variables)	Specifies an additional data field to append to each log line, maximum 1000 bytes, typically based on a dynamically generated built-in system variable. For example, <code>round-trip: {{builtin.AK_CLIENT_TURNAROUND_TIME}}ms</code> logs the total time to complete the response. See Support for variables for more information. Since this option can specify both a request and response, it overrides any <code>customLogField</code> settings in the report behavior.	<code>logCustomLogField</code> is <code>true</code>

mPulse

- **Property Manager name:** [mPulse](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `mPulse` behavior v1.4.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

[mPulse](#) provides high-level performance analytics and predictive recommendations based on real end user data. See the [mPulse Quick Start](#) to set up mPulse on your website.

Option	Type	Description
<code>enabled</code>	boolean	Applies performance monitoring to this behavior's set of content.
<code>requirePci</code>	boolean	Suppresses gathering metrics for potentially sensitive end-user interactions. Enabling this omits data from some older browsers.
<code>loaderVersion</code>	enum	Specifies the version of the Boomerang JavaScript loader snippet. See mPulse Loader Snippets for more information.
	V10	Use version 10.

Option	Type	Description
	V12	Use version 12.
	LATEST	Automatically update to the latest available production version.
	BETA	Use the latest version, including beta releases.
apiKey	string	This generated value uniquely identifies sections of your website for you to analyze independently. To access this value, see Enable mPulse in Property Manager .
buffer Size	string	Allows you to override the browser's default (150) maximum number of reported performance timeline entries.
config Override	string	A JSON string representing a configuration object passed to the JavaScript library under which mPulse runs. It corresponds at run-time to the <code>window.BOOMR_config</code> object. For example, this turns on monitoring of Single Page App frameworks: <code>"{\\"history\\": {\\"enabled\\": true, \\"auto\\": true}}"</code> . See Configuration Overrides for more information.

manifestPersonalization

- **Property Manager name:** [Manifest Personalization](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `manifestPersonalization` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allows customers who use the Adaptive Media Delivery product to enhance content based on the capabilities of each end user's device. This behavior configures a *manifest* for both HLS Live and on-demand streaming. For more information, see [Adaptive Media Delivery](#).

Option	Type	Description	Requires
enabled	boolean	Enables the Manifest Personalization feature.	
hlsEnabled	boolean	Allows you to customize the HLS master manifest that's sent to the requesting client.	
hlsMode	enum	Applies with <code>hlsEnabled</code> on.	<code>hlsEnabled</code> is <code>true</code>
	BEST_PRACTICE	Specify the default best practice mode.	
	CUSTOM	Specify a custom manifest.	
hlsPreferred Bitrate	string	Sets the preferred bit rate in Kbps. This causes the media playlist specified in the <code>#EXT-X-STREAM-INF</code> tag that most closely matches the value to list first. All other playlists maintain their current position in the manifest.	<code>hlsMode</code> is <code>CUSTOM</code>

Option	Type	Description	Requires
hlsFilterIn Bitrates	string	Specifies a comma-delimited set of preferred bit rates, such as 100,200,400 . Playlists specified in the #EXT-X-STREAM-INF tag with bit rates outside of any of those values by up to 100 Kbps are excluded from the manifest.	hlsMode is CUSTOM
hlsFilterIn BitrateRanges	string	Specifies a comma-delimited set of bit rate ranges, such as 100-400,1000-4000 . Playlists specified in the #EXT-X-STREAM-INF tag with bit rates outside of any of those ranges are excluded from the manifest.	hlsMode is CUSTOM
hlsQuery ParamEnabled	boolean	Specifies query parameters for the HLS master manifest to customize the manifest's content. Any settings specified in the query string override those already configured in Property Manager.	hlsEnabled is true
hlsQuery ParamSecret Key	object array	Specifies a primary key as a token to accompany the request.	hlsQueryParam Enabled is true
hlsQuery Param TransitionKey	object array	Specifies a transition key as a token to accompany the request.	hlsQueryParam Enabled is true
hlsShow Advanced	boolean	Allows you to configure advanced settings.	hlsEnabled is true
hlsEnable Debug Headers	boolean	Includes additional Akamai-Manifest-Personalization and Akamai-Manifest-Personalization-Config-Source debugging headers.	hlsShow Advanced is true

manifestRerouting

- **Property Manager name:** [Manifest Rerouting](#)
- **Behavior version:** The v2024-02-12 rule format supports the manifestRerouting behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior works with [adScalerCircuitBreaker](#) . It delegates parts of the media delivery workflow, like ad insertion, to other technology partners. Akamai reroutes manifest file requests to partner platforms for processing prior to being delivered. Rerouting simplifies the workflow and improves the media streaming experience.

Option	Type	Description
partner	enum	Set this value to adobe_primetime , which is an external technology partner that provides value added offerings, like advertisement integration, to the requested media objects.

Option	Type	Description
	adobe_primetime	This is currently the only supported value.
username	string	The user name for your Adobe Primetime account.

manualServerPush

- **Property Manager name:** [Manual Server Push](#)
- **Behavior version:** The v2024-02-12 rule format supports the manualServerPush behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

With the [http2](#) behavior enabled, this loads a specified set of objects into the client browser's cache. To apply this behavior, you should match on a [path](#) or [filename](#) .

Option	Type	Description
serverpushlist	string array	Specifies the set of objects to load into the client browser's cache over HTTP2. Each value in the array represents a hostname and full path to the object, such as <code>www.example.com/js/site.js</code> .

mediaAcceleration

- **Property Manager name:** [Media Acceleration](#)
- **Behavior version:** The v2024-02-12 rule format supports the mediaAcceleration behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Enables Accelerated Media Delivery for this set of requests.

Option	Type	Description
enabled	boolean	Enables Media Acceleration.

mediaAccelerationQuicOptout

- **Property Manager name:** [Media Acceleration \(QUIC Protocol\) Opt-Out](#)
- **Behavior version:** The v2024-02-12 rule format supports the mediaAccelerationQuicOptout behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

When enabled, disables use of QUIC protocol for this set of accelerated media content.

This behavior object does not support any options. Specifying the behavior enables it.

mediaClient

- **Property Manager name:** [Media Client](#)
- **Behavior version:** The v2024-02-12 rule format supports the mediaClient behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior is deprecated, but you should not disable or remove it if present.

Enables client-side reporting through analytics beacon requests.

Option	Type	Description
enabled	boolean	Enables client-side download analytics.
beaconId	string	Specifies the ID of data source's beacon.
useHybridHttpUdp	boolean	Enables the hybrid HTTP/UDP protocol.

mediaFileRetrievalOptimization

- **Property Manager name:** [Media File Retrieval Optimization](#)
- **Behavior version:** The v2024-02-12 rule format supports the mediaFileRetrievalOptimization behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Media File Retrieval Optimization (MFRO) speeds the delivery of large media files by relying on caches of partial objects. You should use it for files larger than 100 MB. It's required for files larger than 1.8 GB, and works best with [NetStorage](#). To apply this behavior, you should match on a [fileExtension](#) .

Option	Type	Description
enabled	boolean	Enables the partial-object caching behavior.

mediaOriginFailover

- **Property Manager name:** [Media Origin Failover](#)
- **Behavior version:** The v2024-02-12 rule format supports the mediaOriginFailover behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies how edge servers respond when the origin is unresponsive, or suffers from server or content errors. You can specify how many times to retry, switch to a backup origin hostname, or configure a redirect.

Option	Type	Description	Requires
<code>detectOriginUnresponsive</code>	boolean	Allows you to configure what happens when the origin is unresponsive.	
<code>originUnresponsiveDetectionLevel</code>	enum	Specify the level of response to slow origin connections.	<code>detectOriginUnresponsive</code> is true
	<code>AGGRESSIVE</code>	Aggressive response.	
	<code>CONSERVATIVE</code>	Conservative response.	
	<code>MODERATE</code>	Moderate response.	
<code>originUnresponsiveBlacklistOriginIp</code>	boolean	Enabling this blacklists the origin's IP address.	<code>detectOriginUnresponsive</code> is true
<code>originUnresponsiveBlacklistWindow</code>	enum	This sets the delay before blacklisting an IP address.	<code>originUnresponsiveBlacklistOriginIp</code> is true
	<code>TEN_S</code>	10 seconds.	
	<code>THIRTY_S</code>	30 seconds.	
<code>originUnresponsiveRecovery</code>	enum	This sets the recovery option.	<code>detectOriginUnresponsive</code> is true
	<code>RETRY_X_TIMES</code>	Retry.	
	<code>SWITCH_TO_BACKUP_ORIGIN</code>	Switch to a backup origin.	
	<code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>	Redirect to a different origin.	
<code>originUnresponsiveRetryLimit</code>	enum	Sets how many times to retry.	<code>originUnresponsiveRecovery</code> is <code>RETRY_X_TIMES</code>
		Supported values: ONE TWO THREE	
<code>originUnresponsiveBackupHost</code>	string	This specifies the origin hostname.	<code>originUnresponsiveRecovery</code> is <code>SWITCH_TO_BACKUP_ORIGIN</code>
<code>originUnresponsiveAlternateHost</code>	string	This specifies the redirect's destination hostname.	<code>originUnresponsiveRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
<code>originUnresponsiveModifyRequestPath</code>	boolean	Modifies the request path.	<code>originUnresponsiveRecovery</code> is <code>SWITCH_TO_BACKUP_ORIGIN</code> OR <code>originUnresponsiveRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
<code>originUnresponsiveModifiedPath</code>	string	This specifies the path to form the new URL.	<code>originUnresponsiveModifyRequestPath</code> is true
<code>originUnresponsiveIncludeQueryString</code>	boolean	Enabling this includes the original set of query parameters.	<code>originUnresponsiveModifyRequestPath</code> is true
<code>originUnresponsiveRedirectMethod</code>	enum	Specifies the redirect response code.	<code>originUnresponsiveRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
		Supported values:	

Option	Type	Description	Requires
		301 302	
originUnresponsive ChangeProtocol	boolean	This allows you to change the request protocol.	originUnresponsiveRecovery is SWITCH_TO_BACKUP_ORIGIN OR originUnresponsiveRecovery is REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION
originUnresponsive Protocol	enum	Specifies which protocol to use.	originUnresponsiveChangeProtocol is true
		Supported values: HTTP HTTPS	
detectOrigin Unavailable	boolean	Allows you to configure failover settings when the origin server responds with errors.	
originUnavailable DetectionLevel	enum	Specify RESPONSE_CODES , the only available option.	detectOriginUnavailable is true
	RESPONSE_CODES	This is the only value currently available.	
originUnavailable ResponseCodes	string array	Specifies the set of response codes identifying when the origin responds with errors.	detectOriginUnavailable is true
originUnavailable BlacklistOriginIp	boolean	Enabling this blacklists the origin's IP address.	detectOriginUnavailable is true
originUnavailable BlacklistWindow	enum	This sets the delay before blacklisting an IP address.	originUnavailableBlacklistOriginIp is true
	TEN_S	10 seconds.	
	THIRTY_S	30 seconds.	
originUnavailable Recovery	enum	This sets the recovery option.	detectOriginUnavailable is true
	RETRY_X_TIMES	Retry.	
	SWITCH_TO_BACKUP_ORIGIN	Switch to a backup origin.	
	REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION	Redirect to a different origin.	
originUnavailable RetryLimit	enum	Sets how many times to retry.	originUnavailableRecovery is RETRY_X_TIMES
		Supported values: ONE TWO THREE	
originUnavailable BackupHost	string	This specifies the origin hostname.	originUnavailableRecovery is SWITCH_TO_BACKUP_ORIGIN
originUnavailable AlternateHost	string	This specifies the redirect's destination hostname.	originUnavailableRecovery is REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION
originUnavailable ModifyRequestPath	boolean	Modifies the request path.	originUnavailableRecovery is SWITCH_TO_BACKUP_ORIGIN OR originUnavailableRecovery is REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION

Option	Type	Description	Requires
originUnavailableModifiedPath	string	This specifies the path to form the new URL.	originUnavailableModifyRequestPath is true
originUnavailableIncludeQueryString	boolean	Enabling this includes the original set of query parameters.	originUnavailableModifyRequestPath is true
originUnavailableRedirectMethod	enum	Specifies either a redirect response code.	originUnavailableRecovery is REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION
		Supported values: 301 302	
originUnavailableChangeProtocol	boolean	Modifies the request protocol.	originUnavailableRecovery is SWITCH_TO_BACKUP_ORIGIN OR originUnavailableRecovery is REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION
originUnavailableProtocol	enum	Specifies either the HTTP or HTTPS protocol.	originUnavailableChangeProtocol is true
		Supported values: HTTP HTTPS	
detectObjectUnavailable	boolean	Allows you to configure failover settings when the origin has content errors.	
objectUnavailableDetectionLevel	enum	Specify RESPONSE_CODES , the only available option.	detectObjectUnavailable is true
	RESPONSE_CODES	This is the only value currently available.	
objectUnavailableResponseCodes	string array	Specifies the set of response codes identifying when there are content errors.	detectObjectUnavailable is true
objectUnavailableBlacklistOriginIp	boolean	Enabling this blacklists the origin's IP address.	detectObjectUnavailable is true
objectUnavailableBlacklistWindow	enum	This sets the delay before blacklisting an IP address.	objectUnavailableBlacklistOriginIp is true
	TEN_S	10 seconds.	
	THIRTY_S	30 seconds.	
objectUnavailableRecovery	enum	This sets the recovery option.	detectObjectUnavailable is true
	RETRY_X_TIMES	Retry.	
	SWITCH_TO_BACKUP_ORIGIN	Switch to a backup origin.	
	REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION	Redirect to a different origin.	
objectUnavailableRetryLimit	enum	Sets how many times to retry.	objectUnavailableRecovery is RETRY_X_TIMES
		Supported values: ONE TWO THREE	
objectUnavailableBackupHost	string	This specifies the origin hostname.	objectUnavailableRecovery is SWITCH_TO_BACKUP_ORIGIN

Option	Type	Description	Requires
<code>objectUnavailableAlternateHost</code>	string	This specifies the redirect's destination hostname.	<code>objectUnavailableRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
<code>objectUnavailableModifyRequestPath</code>	boolean	Enabling this allows you to modify the request path.	<code>objectUnavailableRecovery</code> is <code>SWITCH_TO_BACKUP_ORIGIN</code> OR <code>objectUnavailableRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
<code>objectUnavailableModifiedPath</code>	string	This specifies the path to form the new URL.	<code>objectUnavailableModifyRequestPath</code> is <code>true</code>
<code>objectUnavailableIncludeQueryString</code>	boolean	Enabling this includes the original set of query parameters.	<code>objectUnavailableModifyRequestPath</code> is <code>true</code>
<code>objectUnavailableRedirectMethod</code>	enum	Specifies a redirect response code.	<code>objectUnavailableRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
		Supported values: 301 302	
<code>objectUnavailableChangeProtocol</code>	boolean	Changes the request protocol.	<code>objectUnavailableRecovery</code> is <code>SWITCH_TO_BACKUP_ORIGIN</code> OR <code>objectUnavailableRecovery</code> is <code>REDIRECT_TO_DIFFERENT_ORIGIN_LOCATION</code>
<code>objectUnavailableProtocol</code>	enum	Specifies either the HTTP or HTTPS protocol.	<code>objectUnavailableChangeProtocol</code> is <code>true</code>
		Supported values: HTTP HTTPS	
<code>clientResponseCode</code>	string	Specifies the response code served to the client.	
<code>cacheErrorResponse</code>	boolean	When enabled, caches the error response.	
<code>cacheWindow</code>	enum	This sets error response's TTL.	<code>cacheErrorResponse</code> is <code>true</code>
	<code>ONE_S</code>	1 second.	
	<code>TEN_S</code>	10 seconds.	
	<code>THIRTY_S</code>	30 seconds.	

metadataCaching

- **Property Manager name:** [Metadata Caching](#).
- **Behavior version:** The `v2024-02-12` rule format supports the `metadataCaching` behavior v1.0.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This behavior reduces time spent waiting for the initial response, also known as time to first byte, during peak traffic events. Contact Akamai Professional Services for help configuring it.

Option	Type	Description
enabled	boolean	Enables metadata caching.

mobileSdkPerformance

- **Property Manager name:** [Mobile App Performance SDK](#)
- **Behavior version:** The v2024-02-12 rule format supports the mobileSdkPerformance behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior is deprecated, but you should not disable or remove it if present.

The Mobile Application Performance software development kit allows you to optimize native iOS and Android apps, effectively extending Akamai's intelligent edge platform's advantages to mobile devices operation in poor network conditions. This behavior enables the SDK's features for this set of requests.

Option	Type	Description
enabled	boolean	Enables the Mobile App Performance SDK.
secondaryMultipathToOrigin	boolean	When enabled, sends secondary multi-path requests to the origin server.

modifyIncomingRequestHeader

- **Property Manager name:** [Modify Incoming Request Header](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `modifyIncomingRequestHeader` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Modify, add, remove, or pass along specific request headers coming upstream from the client.

Depending on the type of `action` you want to perform, specify the corresponding *standard* header name, or a `customHeaderName` if the standard name is set to `OTHER`. The `headerValue` serves as a match condition when the action is `DELETE` or `MODIFY`, and the `newHeaderValue` applies when the action is `ADD` or `MODIFY`.

See also [modifyIncomingResponseHeader](#), [modifyOutgoingRequestHeader](#), and [modifyOutgoingResponseHeader](#).

Option	Type	Description	Requires
<code>action</code>	enum	Either <code>ADD</code> , <code>DELETE</code> , <code>MODIFY</code> , or <code>PASS</code> incoming HTTP request headers.	
	<code>ADD</code>	Add the header.	
	<code>DELETE</code>	Delete the header.	
	<code>MODIFY</code>	Modify the header.	
	<code>PASS</code>	Pass through the header.	
<code>standardAddHeaderName</code>	enum	If the value of <code>action</code> is <code>ADD</code> , this specifies the name of the field to add.	<code>action</code> is <code>ADD</code>
	<code>ACCEPT_ENCODING</code>	Add an <code>Accept-Encoding</code> header.	
	<code>ACCEPT_LANGUAGE</code>	Add an <code>Accept-Language</code> header.	
	<code>OTHER</code>	Specify another header to add.	
<code>standardDeleteHeaderName</code>	enum	If the value of <code>action</code> is <code>DELETE</code> , this specifies the name of the field to remove.	<code>action</code> is <code>DELETE</code>
	<code>IF_MODIFIED_SINCE</code>	The <code>If-Modified-Since</code> header.	
	<code>VIA</code>	The <code>Via</code> header.	
	<code>OTHER</code>	Specify another header to remove.	
<code>standardModifyHeaderName</code>	enum	If the value of <code>action</code> is <code>MODIFY</code> , this specifies the name of the field to modify.	<code>action</code> is <code>MODIFY</code>
	<code>ACCEPT_ENCODING</code>	Add an <code>Accept-Encoding</code> header.	
	<code>ACCEPT_LANGUAGE</code>	Add an <code>Accept-Language</code> header.	
	<code>OTHER</code>	Specify another header to add.	
<code>standardPassHeaderName</code>	enum	If the value of <code>action</code> is <code>PASS</code> , this specifies the name of the field to pass through.	<code>action</code> is <code>PASS</code>
	<code>ACCEPT_ENCODING</code>	Add an <code>Accept-Encoding</code> header.	
	<code>ACCEPT_LANGUAGE</code>	Add an <code>Accept-Language</code> header.	
	<code>OTHER</code>	Specify another header to add.	

Option	Type	Description	Requires
customHeader Name	string (allows variables)	Specifies a custom field name that applies when the relevant <i>standard</i> header name is set to OTHER .	standardAddHeader Name is OTHER OR standardDelete HeaderName is OTHER OR standardModify HeaderName is OTHER OR standardPassHeader Name is OTHER
headerValue	string (allows variables)	Specifies the new header value.	action is ADD
newHeader Value	string (allows variables)	Supplies an HTTP header replacement value.	action is MODIFY
avoidDuplicate Headers	boolean	When enabled with the action set to MODIFY , prevents creation of more than one instance of a header.	action is MODIFY

modifyIncomingResponseHeader

- **Property Manager name:** [Modify Incoming Response Header](#)
- **Behavior version:** The v2024-02-12 rule format supports the `modifyIncomingResponseHeader` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Modify, add, remove, or pass along specific response headers coming downstream from the origin.

Depending on the type of `action` you want to perform, specify the corresponding *standard* header name, or a `customHeaderName` if the standard name is set to OTHER . The `headerValue` serves as a match condition when the action is DELETE or MODIFY , and the `newHeaderValue` applies when the action is ADD or MODIFY .

See also [modifyIncomingRequestHeader](#) , [modifyOutgoingRequestHeader](#) , and [modifyOutgoingResponseHeader](#) .

Option	Type	Description	Requires
action	enum	Either ADD , DELETE , MODIFY , or PASS incoming HTTP response headers.	
	ADD	Add the header.	

Option		Type	Description	Requires
		DELETE	Delete the header.	
		MODIFY	Modify the header.	
		PASS	Pass through the header.	
standardAdd HeaderName		enum	If the value of <code>action</code> is <code>ADD</code> , this specifies the name of the field to add.	<code>action</code> is <code>ADD</code>
		CACHE_CONTROL	The <code>Cache-Control</code> header.	
		CONTENT_TYPE	The <code>Content-Type</code> header.	
		EDGE_CONTROL	The <code>Edge-Control</code> header.	
		EXPIRES	The <code>Expires</code> header.	
		LAST_MODIFIED	The <code>Last-Modified</code> header.	
		OTHER	Specify another header to add.	
standardDelete HeaderName		enum	If the value of <code>action</code> is <code>DELETE</code> , this specifies the name of the field to remove.	<code>action</code> is <code>DELETE</code>
		CACHE_CONTROL	The <code>Cache-Control</code> header.	
		CONTENT_TYPE	The <code>Content-Type</code> header.	
		VARY	The <code>Vary</code> header.	
		OTHER	Specify another header to remove.	
standardModify HeaderName		enum	If the value of <code>action</code> is <code>MODIFY</code> , this specifies the name of the field to modify.	<code>action</code> is <code>MODIFY</code>
		CACHE_CONTROL	The <code>Cache-Control</code> header.	
		CONTENT_TYPE	The <code>Content-Type</code> header.	
		EDGE_CONTROL	The <code>Edge-Control</code> header.	
		OTHER	Specify another header to modify.	
standardPass HeaderName		enum	If the value of <code>action</code> is <code>PASS</code> , this specifies the name of the field to pass through.	<code>action</code> is <code>PASS</code>
		CACHE_CONTROL	Pass through the <code>Cache-Control</code> header.	
		EXPIRES	Pass through the <code>Expires</code> header.	
		PRAGMA	Pass through the <code>Pragma</code> header.	
		OTHER	Specify another header to pass.	
customHeader Name		string (allows variables)	Specifies a custom field name that applies when the relevant <i>standard</i> header name is set to <code>OTHER</code> .	<code>standardAddHeaderName</code> is <code>OTHER</code> OR <code>standardDeleteHeaderName</code> is <code>OTHER</code> OR <code>standardModifyHeaderName</code> is <code>OTHER</code> OR <code>standardPassHeaderName</code> is <code>OTHER</code>
headerValue		string (allows variables)	Specifies the header's new value.	<code>action</code> is <code>ADD</code>
newHeader Value		string (allows variables)	Specifies an HTTP header replacement value.	<code>action</code> is <code>MODIFY</code>
avoidDuplicate Headers		boolean	When enabled with the <code>action</code> set to <code>MODIFY</code> , prevents creation of more than one	<code>action</code> is <code>MODIFY</code>

Option	Type	Description	Requires
		instance of a header.	

modifyOutgoingRequestHeader

- **Property Manager name:** [Modify Outgoing Request Header](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `modifyOutgoingRequestHeader` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Modify, add, remove, or pass along specific request headers going upstream towards the origin.

Depending on the type of `action` you want to perform, specify the corresponding *standard* header name, or a `customHeaderName` if the standard name is set to `OTHER`. The `headerValue` serves as a match condition when the action is `DELETE` or `MODIFY`, and the `newHeaderValue` applies when the action is `ADD` or `MODIFY`. Whole-text replacements apply when the action is `MODIFY`, and substitutions apply when set to `REGEX`.

See also [modifyIncomingRequestHeader](#), [modifyIncomingResponseHeader](#), and [modifyOutgoingResponseHeader](#).

Option	Type	Description	Requires
<code>action</code>	enum	Either <code>ADD</code> or <code>DELETE</code> outgoing HTTP request headers, <code>MODIFY</code> their fixed values, or specify a <code>REGEX</code> pattern to transform them.	
	<code>ADD</code>	Add the header.	
	<code>DELETE</code>	Delete the header.	
	<code>MODIFY</code>	Modify the header.	
	<code>REGEX</code>	Specify another header to modify.	
<code>standardAddHeaderName</code>	enum	If the value of <code>action</code> is <code>ADD</code> , this specifies the name of the field to add.	<code>action</code> is <code>ADD</code>
	<code>USER_AGENT</code>	The <code>User-Agent</code> header.	
	<code>OTHER</code>	Specify another header to add.	
<code>standardDeleteHeaderName</code>	enum	If the value of <code>action</code> is <code>DELETE</code> , this specifies the name of the field to remove.	<code>action</code> is <code>DELETE</code>
	<code>PRAGMA</code>	The <code>Pragma</code> header.	
	<code>USER_AGENT</code>	The <code>User-Agent</code> header.	

Option	Type	Description	Requires
	VIA	The <code>Via</code> header.	
	OTHER	Specify another header to remove.	
standardModifyHeaderName	enum	If the value of <code>action</code> is <code>MODIFY</code> or <code>REGEX</code> , this specifies the name of the field to modify.	<code>action</code> is <code>MODIFY</code> OR <code>action</code> is <code>REGEX</code>
	USER_AGENT	The <code>User-Agent</code> header.	
	OTHER	Specify another header to modify.	
customHeaderName	string (allows variables)	Specifies a custom field name that applies when the relevant <i>standard</i> header name is set to <code>OTHER</code> .	<code>standardAddHeaderName</code> is <code>OTHER</code> OR <code>standardDeleteHeaderName</code> is <code>OTHER</code> OR <code>standardModifyHeaderName</code> is <code>OTHER</code>
headerValue	string (allows variables)	Specifies the new header value.	<code>action</code> is <code>ADD</code>
newHeaderValue	string (allows variables)	Specifies an HTTP header replacement value.	<code>action</code> is <code>MODIFY</code>
regexHeaderMatch	string (allows variables)	Specifies a Perl-compatible regular expression to match within the header value.	<code>action</code> is <code>REGEX</code>
regexHeaderReplace	string (allows variables)	Specifies text that replaces the <code>regexHeaderMatch</code> pattern within the header value.	<code>action</code> is <code>REGEX</code>
matchMultiple	boolean	When enabled with the <code>action</code> set to <code>REGEX</code> , replaces all occurrences of the matched regular expression, otherwise only the first match if disabled.	<code>action</code> is <code>REGEX</code>
avoidDuplicateHeaders	boolean	When enabled with the <code>action</code> set to <code>MODIFY</code> , prevents creation of more than one instance of a header.	<code>action</code> is <code>MODIFY</code>

modifyOutgoingResponseHeader

- **Property Manager name:** [Modify Outgoing Response Header](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `modifyOutgoingResponseHeader` behavior v1.6.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Modify, add, remove, or pass along specific response headers going downstream towards the client.

Depending on the type of `action` you want to perform, specify the corresponding *standard* header name, or a `customHeaderName` if the standard name is set to `OTHER`. The `headerValue` serves as a match condition when the action is `DELETE` or `MODIFY`, and the `newHeaderValue` applies when the action is `ADD` or `MODIFY`. Whole-text replacements apply when the action is `MODIFY`, and substitutions apply when set to `REGEX`.

See also [modifyIncomingRequestHeader](#), [modifyIncomingResponseHeader](#), and [modifyOutgoingRequestHeader](#)

Option	Type	Description	Requires
<code>action</code>	enum	Either <code>ADD</code> or <code>DELETE</code> outgoing HTTP response headers, <code>MODIFY</code> their fixed values, or specify a <code>REGEX</code> pattern to transform them.	
	<code>ADD</code>	Add the header.	
	<code>DELETE</code>	Delete the header.	
	<code>MODIFY</code>	Modify the header.	
	<code>REGEX</code>	Specify another header to modify.	
<code>standardAddHeaderName</code>	enum	If the value of <code>action</code> is <code>ADD</code> , this specifies the name of the field to add.	<code>action</code> is <code>ADD</code>
	<code>CACHE_CONTROL</code>	The <code>Cache-Control</code> header.	
	<code>CONTENT_DISPOSITION</code>	The <code>Content-Disposition</code> header.	
	<code>CONTENT_TYPE</code>	The <code>Content-Type</code> header.	
	<code>EDGE_CONTROL</code>	The <code>Edge-Control</code> header.	
	<code>P3P</code>	Specify another header to add.	
	<code>PRAGMA</code>	The <code>Pragma</code> header.	
	<code>ACCESS_CONTROL_ALLOW_ORIGIN</code>	The <code>Access-Control-Allow-Origin</code> header.	
	<code>ACCESS_CONTROL_ALLOW_METHODS</code>	The <code>Access-Control-Allow-Methods</code> header.	
	<code>ACCESS_CONTROL_ALLOW_HEADERS</code>	The <code>Access-Control-Allow-Headers</code> header.	
	<code>ACCESS_CONTROL_EXPOSE_HEADERS</code>	The <code>Access-Control-Expose-Headers</code> header.	
	<code>ACCESS_CONTROL_ALLOW_CREDENTIALS</code>	The <code>Access-Control-Allow-Credentials</code> header.	
	<code>ACCESS_CONTROL_MAX_AGE</code>	The <code>Access-Control-Max-Age</code> header.	
	<code>OTHER</code>	Specify another header to add.	
<code>standardDeleteHeaderName</code>	enum	If the value of <code>action</code> is <code>DELETE</code> , this specifies the name of the field to remove.	<code>action</code> is <code>DELETE</code>
	<code>CACHE_CONTROL</code>	The <code>Cache-Control</code> header.	
	<code>CONTENT_DISPOSITION</code>	The <code>Content-Disposition</code> header.	

Option	Type	Description	Requires
	CONTENT_TYPE	The Content-Type header.	
	EXPIRES	The Expires header.	
	P3P	The P3P header.	
	PRAGMA	The Pragma header.	
	ACCESS_CONTROL_ALLOW_ORIGIN	The Access-Control-Allow-Origin header.	
	ACCESS_CONTROL_ALLOW_METHODS	The Access-Control-Allow-Methods header.	
	ACCESS_CONTROL_ALLOW_HEADERS	The Access-Control-Allow-Headers header.	
	ACCESS_CONTROL_EXPOSE_HEADERS	The Access-Control-Expose-Headers header.	
	ACCESS_CONTROL_ALLOW_CREDENTIALS	The Access-Control-Allow-Credentials header.	
	ACCESS_CONTROL_MAX_AGE	The Access-Control-Max-Age header.	
	OTHER	Specify another header to remove.	
standard Modify Header Name	enum	If the value of <code>action</code> is <code>MODIFY</code> or <code>REGEX</code> , this specifies the name of the field to modify.	<code>action</code> is <code>MODIFY</code> OR <code>action</code> is <code>REGEX</code>
	CACHE_CONTROL	The Cache-Control header.	
	CONTENT_DISPOSITION	The Content-Disposition header.	
	CONTENT_TYPE	The Content-Type header.	
	P3P	The P3P header.	
	PRAGMA	The Pragma header.	
	ACCESS_CONTROL_ALLOW_ORIGIN	The Access-Control-Allow-Origin header.	
	ACCESS_CONTROL_ALLOW_METHODS	The Access-Control-Allow-Methods header.	
	ACCESS_CONTROL_ALLOW_HEADERS	The Access-Control-Allow-Headers header.	
	ACCESS_CONTROL_EXPOSE_HEADERS	The Access-Control-Expose-Headers header.	
	ACCESS_CONTROL_ALLOW_CREDENTIALS	The Access-Control-Allow-Credentials header.	
	ACCESS_CONTROL_MAX_AGE	The Access-Control-Max-Age header.	
	OTHER	Specify another header to modify.	
custom Header Name	string (allows variables)	Specifies a custom field name that applies when the relevant <i>standard</i> header name is set to <code>OTHER</code> .	<code>standardAdd</code> HeaderName is <code>OTHER</code> OR <code>standardDeleteHeader</code> Name is <code>OTHER</code> OR <code>standard</code>

Option	Type	Description	Requires
			ModifyHeader Name is OTHER
header Value	string (allows variables)	Specifies the existing value of the header to match.	action is ADD
newHeader Value	string (allows variables)	Specifies the new HTTP header replacement value.	action is MODIFY
regex Header Match	string	Specifies a Perl-compatible regular expression to match within the header value.	action is REGEX
regex Header Replace	string (allows variables)	Specifies text that replaces the <code>regexHeaderMatch</code> pattern within the header value.	action is REGEX
match Multiple	boolean	When enabled with the <code>action</code> set to <code>REGEX</code> , replaces all occurrences of the matched regular expression, otherwise only the first match if disabled.	action is REGEX
avoid Duplicate Headers	boolean	When enabled with the <code>action</code> set to <code>MODIFY</code> , prevents creation of more than one instance of a header. The last header clobbers others with the same name. This option affects the entire set of outgoing headers, and is not confined to the subset of regular expression matches.	action is MODIFY

modifyViaHeader

- **Property Manager name:** [Modify Via Header](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `modifyViaHeader` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Removes or renames the HTTP `Via` headers used to inform the server of proxies through which the request was sent to the origin.

Option	Type	Description	Requires
enabled	boolean	Enables <code>Via</code> header modifications.	
modification Option	enum	Specify how you want to handle the header.	
	<code>REMOVE_HEADER</code>	Remove the header.	

Option	Type	Description	Requires
	RENAME_HEADER	Rename the header.	
renameHeader To	string	Specifies a new name to replace the existing Via header.	modificationOption is RENAME_HEADER

originCharacteristics

- **Property Manager name:** [Origin Characteristics](#)
- **Behavior version:** The v2024-02-12 rule format supports the originCharacteristics behavior v1.7.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the origin. Akamai uses this information to optimize your metadata configuration, which may result in better origin offload and end-user performance.

See also [clientCharacteristics](#) and various product-specific behaviors whose names are prefixed *contentCharacteristics*.

Option	Type	Description	Requires
authentication Method	enum	Specifies the authentication method.	
	AUTOMATIC	Use default authentication.	
	SIGNATURE_HEADER_AUTHENTICATION	Available with the Adaptive Media Delivery product.	
	MSL_AUTHENTICATION	Available with the Adaptive Media Delivery product.	
	AWS	Amazon Web Services. If you're using this authentication method, any chaseRedirects behavior you specify gets automatically disabled.	
	GCS_HMAC_AUTHENTICATION	Google Cloud Platform. If you're using this authentication method, any chaseRedirects behavior you specify gets automatically disabled.	
encoding Version	enum	Specifies the version of the encryption algorithm, an integer from 1 to 5.	authenticationMethod is SIGNATURE_HEADER_AUTHENTICATION

Option	Type	Description	Requires
useCustomSignString	boolean	Specifies whether to customize your signed string.	authenticationMethod is SIGNATURE_HEADER_AUTHENTICATION
customSignString	string array	Specifies the data to be encrypted as a series of enumerated variable names. See Built-in system variables for guidance on each.	authenticationMethod is SIGNATURE_HEADER_AUTHENTICATION AND useCustomSignString is true
		Supported values: AK_CLIENT_REAL_IP AK_DOMAIN AK_EXTENSION AK_FILENAME AK_HOSTHEADER AK_METHOD AK_PATH AK_QUERY AK_SCHEME AK_URL	
secretKey	object array	Specifies the shared secret key.	authenticationMethod is SIGNATURE_HEADER_AUTHENTICATION
nonce	string	Specifies the nonce.	authenticationMethod is SIGNATURE_HEADER_AUTHENTICATION
mslkey	string	Specifies the access key provided by the hosting service.	authenticationMethod is MSL_AUTHENTICATION
mslname	string	Specifies the origin name provided by the hosting service.	authenticationMethod is MSL_AUTHENTICATION
accessKeyEncryptedStorage	boolean	Enables secure use of access keys defined in Cloud Access Manager. Access keys store encrypted authentication details required to sign requests to cloud origins. If you disable this option, you'll need to store the authentication details unencrypted.	authenticationMethod is either: AWS , GCS_HMAC_AUTHENTICATION
gcsAccessKeyVersionGuid	string	Identifies the unique gcsAccessKeyVersionGuid access key created in Cloud Access Manager to sign your requests to Google Cloud Storage in interoperability mode.	authenticationMethod is GCS_HMAC_AUTHENTICATION AND accessKeyEncryptedStorage is true
gcsHmacKeyAccessId	string	Specifies the active access ID linked to your Google account.	authenticationMethod is GCS_HMAC_AUTHENTICATION AND accessKeyEncryptedStorage is not true
gcsHmacKeySecret	string	Specifies the secret linked to the access ID that you want to use to sign requests to Google Cloud Storage.	authenticationMethod is GCS_HMAC_AUTHENTICATION AND accessKeyEncryptedStorage is not true
awsAccessKeyVersionGuid	string	Identifies the unique awsAccessKeyVersionGuid access key created in Cloud Access Manager to sign your requests to AWS S3.	authenticationMethod is AWS AND accessKey

Option	Type	Description	Requires
			EncryptedStorage is true
awsAccessKeyId	string	Specifies active access key ID linked to your AWS account.	authenticationMethod is AWS AND accessKey EncryptedStorage is not true
awsSecretAccessKey	string	Specifies the secret linked to the access key identifier that you want to use to sign requests to AWS.	authenticationMethod is AWS AND accessKey EncryptedStorage is not true
awsRegion	string	This specifies the AWS region code of the location where your bucket resides.	authenticationMethod is AWS
awsHost	string	This specifies the AWS hostname, without http:// or https:// prefixes. If you leave this option empty, it inherits the hostname from the origin behavior.	authenticationMethod is AWS
awsService	string	This specifies the subdomain of your AWS service. It precedes amazonaws.com or the region code in the AWS hostname. For example, s3.amazonaws.com .	authenticationMethod is AWS
country	enum	Specifies the origin's geographic region.	
	EUROPE	Europe.	
	NORTH_AMERICA	North America.	
	LATIN_AMERICA	Latin America.	
	SOUTH_AMERICA	South America.	
	NORDICS	Northern Europe.	
	ASIA_PACIFIC	Asia and Pacific Islands.	
	OTHER_AMERICAS	Other Americas.	
	OTHER_APJ	Asia, Pacific, Japan.	
	OTHER_EMEA	Europe, Middle East, Africa.	
	AUSTRALIA	Australia.	
	GERMANY	Germany.	
	INDIA	India.	
	ITALY	Italy.	
	JAPAN	Japan.	
	MEXICO	Mexico.	
	TAIWAN	Taiwan.	
	UNITED_KINGDOM	United Kingdom.	
	US_EAST	Eastern United States.	
	US_CENTRAL	Central United States.	
	US_WEST	Western United States.	
	GLOBAL_MULTI_GEO	Global.	
	OTHER	A fallback value.	

Option	Type	Description	Requires
	UNKNOWN	Defer this optimization.	
	ADC	Akamai Direct Connection, available to Adaptive Media Delivery customers.	
directConnect Geo	string	Provides a region used by Akamai Direct Connection.	country is ADC

originCharacteristicsWsd

- **Property Manager name:** [Origin Characteristics](#)
- **Behavior version:** The v2024-02-12 rule format supports the originCharacteristicsWsd behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies characteristics of the origin, for use in Akamai's Wholesale Delivery product.

Option	Type	Description
origintype	enum	Specifies an origin type.
	AZURE	An Azure origin type.
	UNKNOWN	An unknown origin type.

originFailureRecoveryMethod

- **Property Manager name:** [Origin Failure Recovery Method](#)
- **Behavior version:** The v2024-02-12 rule format supports the originFailureRecoveryMethod behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [Yes](#)

Origin Failover requires that you set up a separate rule containing origin failure recovery methods. You also need to set up the Origin Failure Recovery Policy behavior in a separate rule with a desired match criteria, and select the desired failover method. You can do this using Property Manager. Learn more about this process in [Adaptive Media Delivery Implementation Guide](#). You can use the `originFailureRecoveryPolicy` member to edit existing instances of the Origin Failure Recover Policy behavior.

Option	Type	Description	Requires
recovery Method	enum	Specifies the recovery method.	
	RETRY_ALTERNATE_ORIGIN	Retry with the alternate origin.	
	RESPOND_CUSTOM_STATUS	Customize the response.	
customStatus Code	string	Specifies the custom status code to be sent to the client.	recoveryMethod is RESPOND_CUSTOM_STATUS

originFailureRecoveryPolicy

- **Property Manager name:** [Origin Failure Recovery Policy](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `originFailureRecoveryPolicy` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Configures how to detect an origin failure, in which case the `originFailureRecoveryMethod` behavior applies. You can also define up to three sets of criteria to detect origin failure based on specific response codes. Use it to apply specific retry or recovery actions. You can do this using Property Manager. Learn more about this process in [Adaptive Media Delivery Implementation Guide](#). You can use the `originFailureRecoveryMethod` member to edit existing instances of the Origin Failure Recover Method behavior.

Option	Type	Description	Requires
enabled	boolean	Activates and configures a recovery policy.	
enableIPAvoidance	boolean	Temporarily blocks an origin IP address that experienced a certain number of failures. When an IP address is blocked, the <code>configName</code> established for <code>originResponsivenessRecoveryConfig Name</code> is applied.	

Option	Type	Description	Requires
ipAvoidanceErrorThreshold	number	Defines the number of failures that need to occur to an origin address before it's blocked.	enableIPAvoidance is true
ipAvoidanceRetryInterval	number	Defines the number of seconds after which the IP address is removed from the blocklist.	enableIPAvoidance is true
binaryEquivalentContent	boolean	Synchronizes content between the primary and backup origins, byte for byte.	
monitorOriginResponsiveness	boolean	Enables continuous monitoring of connectivity to the origin. If necessary, applies retry or recovery actions.	
originResponsivenessTimeout	enum	The timeout threshold that triggers a retry or recovery action.	monitorOriginResponsiveness is true
	AGGRESSIVE	A 2 second threshold.	
	MODERATE	3 seconds.	
	CONSERVATIVE	4 seconds.	
	USER_SPECIFIED	Specify your own timeout.	
originResponsivenessCustomTimeout	number	Specify a custom timeout, from 1 to 10 seconds.	originResponsivenessTimeout is USER_SPECIFIED
originResponsivenessEnableRetry	boolean	If a specific failure condition applies, attempts a retry on the same origin before executing the recovery method.	monitorOriginResponsiveness is true
originResponsivenessEnableRecovery	boolean	Enables a recovery action for a specific failure condition.	monitorOriginResponsiveness is true
originResponsivenessRecoveryConfigName	string	Specifies a recovery configuration using the configName you defined in the recoveryConfig match criteria. Specify 3 to 20 alphanumeric characters or dashes. Ensure that you use the recoveryConfig match criteria to apply this option.	originResponsivenessEnableRecovery is true
monitorStatusCodes1	boolean	Enables continuous monitoring for the specific origin status codes that trigger retry or recovery actions.	
monitorResponseCodes1	string array	Defines the origin response codes that trigger a subsequent retry or recovery action. Specify a single code entry (501) or a range (501:504). If you configure other monitorStatusCodes* and monitorResponseCodes* options, you can't use the same codes here.	monitorStatusCodes1 is true
monitorStatusCodes1EnableRetry	boolean	When the defined response codes apply, attempts a retry on the same origin before executing the recovery method.	monitorStatusCodes1 is true
monitorStatusCodes1EnableRecovery	boolean	Enables the recovery action for the response codes you define.	monitorStatusCodes1 is true
monitorStatusCodes1RecoveryConfigName	string	Specifies a recovery configuration using the configName you defined in the recoveryConfig match criteria. Specify 3 to 20 alphanumeric characters or dashes. Ensure that you use the	monitorStatusCodes1EnableRecovery is true

Option	Type	Description	Requires
		recoveryConfig match criteria to apply this option.	
<code>monitorStatusCodes2</code>	boolean	Enables continuous monitoring for the specific origin status codes that trigger retry or recovery actions.	
<code>monitorResponseCodes2</code>	string array	Defines the origin response codes that trigger a subsequent retry or recovery action. Specify a single code entry (501) or a range (501:504). If you configure other <code>monitorStatusCodes*</code> and <code>monitorResponseCodes*</code> options, you can't use the same codes here.	<code>monitorStatusCodes2</code> is <code>true</code>
<code>monitorStatusCodes2EnableRetry</code>	boolean	When the defined response codes apply, attempts a retry on the same origin before executing the recovery method.	<code>monitorStatusCodes2</code> is <code>true</code>
<code>monitorStatusCodes2EnableRecovery</code>	boolean	Enables the recovery action for the response codes you define.	<code>monitorStatusCodes2</code> is <code>true</code>
<code>monitorStatusCodes2RecoveryConfigName</code>	string	Specifies a recovery configuration using the <code>configName</code> you defined in the recoveryConfig match criteria. Specify 3 to 20 alphanumeric characters or dashes. Ensure that you use the recoveryConfig match criteria to apply this option.	<code>monitorStatusCodes2EnableRecovery</code> is <code>true</code>
<code>monitorStatusCodes3</code>	boolean	Enables continuous monitoring for the specific origin status codes that trigger retry or recovery actions.	
<code>monitorResponseCodes3</code>	string array	Defines the origin response codes that trigger a subsequent retry or recovery action. Specify a single code entry (501) or a range (501:504). If you configure other <code>monitorStatusCodes*</code> and <code>monitorResponseCodes*</code> options, you can't use the same codes here..	<code>monitorStatusCodes3</code> is <code>true</code>
<code>monitorStatusCodes3EnableRetry</code>	boolean	When the defined response codes apply, attempts a retry on the same origin before executing the recovery method.	<code>monitorStatusCodes3</code> is <code>true</code>
<code>monitorStatusCodes3EnableRecovery</code>	boolean	Enables the recovery action for the response codes you define.	<code>monitorStatusCodes3</code> is <code>true</code>
<code>monitorStatusCodes3RecoveryConfigName</code>	string	Specifies a recovery configuration using the <code>configName</code> you defined in the recoveryConfig match criteria. Specify 3 to 20 alphanumeric characters or dashes. Ensure that you use the recoveryConfig match criteria to apply this option.	<code>monitorStatusCodes3EnableRecovery</code> is <code>true</code>

originIpAcl

- **Property Manager name:** [Origin IP Access Control List](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `originIpAcl` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Origin IP Access Control List limits the traffic to your origin. It only allows requests from specific edge servers that are configured as part of a supernet defined by CIDR blocks.

Option	Type	Description
<code>enable</code>	boolean	Enables the Origin IP Access Control List behavior.

permissionsPolicy

- **Property Manager name:** [Permissions-Policy](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `permissionsPolicy` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Manages whether your page and its embedded iframes can access various browser features that affect end-user privacy, security, and performance.

Use this together with [requestClientHints](#) .

Option	Type	Description																					
<code>permissionsPolicyDirective</code>	string array	<div>Each directive represents a browser feature. Specify the ones you want enabled in a client browser that accesses your content. You can add custom entries or provide pre-set values from the list. For more details on each value, see the guide section for this behavior.</div> <div><table><tr><td>battery</td><td>ch-ua-mobile</td><td>display-capture</td></tr><tr><td>camera</td><td>ch-ua-model</td><td>downlink</td></tr><tr><td>ch-ua</td><td>ch-ua-platform</td><td>ect</td></tr><tr><td>ch-ua-arch</td><td>ch-ua-platform-version</td><td>fullscreen</td></tr><tr><td>ch-ua-bitness</td><td>ch-viewport-width</td><td>geolocation</td></tr><tr><td>ch-dpr</td><td>ch-width</td><td>microphone</td></tr><tr><td>ch-ua-full-version-list</td><td>device-memory</td><td>rtt</td></tr></table></div>	battery	ch-ua-mobile	display-capture	camera	ch-ua-model	downlink	ch-ua	ch-ua-platform	ect	ch-ua-arch	ch-ua-platform-version	fullscreen	ch-ua-bitness	ch-viewport-width	geolocation	ch-dpr	ch-width	microphone	ch-ua-full-version-list	device-memory	rtt
battery	ch-ua-mobile	display-capture																					
camera	ch-ua-model	downlink																					
ch-ua	ch-ua-platform	ect																					
ch-ua-arch	ch-ua-platform-version	fullscreen																					
ch-ua-bitness	ch-viewport-width	geolocation																					
ch-dpr	ch-width	microphone																					
ch-ua-full-version-list	device-memory	rtt																					

Option	Type	Description
<code>allowList</code>	string	The features you've set in <code>permissionsPolicyDirective</code> are enabled for domains you specify here. They'll remain disabled for all other domains. Separate multiple domains with a single space. To block the specified directives from all domains, set this to <code>none</code> . This generates an empty value in the <code>Permissions-Policy</code> header.

persistentClientConnection

- **Property Manager name:** [Persistent Connections: Client to Edge](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `persistentClientConnection` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This behavior activates *persistent connections* between edge servers and clients, which allow for better performance and more efficient use of resources. Compare with the `persistentConnection` behavior, which configures persistent connections for the entire journey from origin to edge to client. Contact Akamai Professional Services for help configuring either.

This behavior is only supported with the HTTP/1.1 networking protocol that's automatically enabled in all properties. If you include this behavior in the same rule with `http2` or `http3`, edge servers honor requests using either of these protocols, but the settings specified in the `persistentClientConnection` behavior won't apply. Both `http2` and `http3` apply persistent connections automatically.

Warning. Disabling or removing this behavior may negatively affect performance.

Option	Type	Description
<code>enabled</code>	boolean	Enables the persistent connections behavior.
<code>timeout</code>	string (duration)	Specifies the timeout period after which edge server closes the persistent connection with the client, 500 seconds by default.

persistentConnection

- **Property Manager name:** [Persistent Connections: Edge to Origin](#)
- **Behavior version:** The v2024-02-12 rule format supports the `persistentConnection` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This behavior enables more efficient *persistent connections* from origin to edge server to client. Compare with the `persistentClientConnection` behavior, which customizes persistent connections from edge to client. Contact Akamai Professional Services for help configuring either.

Warning. Disabling this behavior wastes valuable browser resources. Leaving connections open too long makes them vulnerable to attack. Avoid both of these scenarios.

Option	Type	Description
enabled	boolean	Enables persistent connections.
timeout	string (duration)	Specifies the timeout period after which edge server closes a persistent connection.

personallyIdentifiableInformation

- **Property Manager name:** [Personally Identifiable Information \(PII\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the `personallyIdentifiableInformation` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Marks content covered by the current rule as sensitive *personally identifiable information* that needs to be treated as secure and private. That includes anything involving personal information: name, social security number, date and place of birth, mother's maiden name, biometric data, or any other data linked to an individual. If you attempt to save a property with such a rule that also caches or logs sensitive content, the added behavior results in a validation error.

Warning. This feature only identifies some vulnerabilities. For example, it does not prevent you from including secure information in a query string or writing it to an origin folder. It also can't tell whether the SSL protocol is in effect.

Option	Type	Description
enabled	boolean	When enabled, marks content as personally identifiable information (PII).

phasedRelease

- **Property Manager name:** [Phased Release Cloudlet](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `phasedRelease` behavior v2.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The Phased Release Cloudlet provides gradual and granular traffic management to an alternate origin in near real time. Use the [Cloudlets API](#) or the Cloudlets Policy Manager application within [Control Center](#) to set up your Cloudlets policies.

Option	Type	Description	Requires
enabled	boolean	Enables the Phased Release Cloudlet.	
isSharedPolicy	boolean	Whether you want to apply the Cloudlet shared policy to an unlimited number of properties within your account. Learn more about shared policies and how to create them in Cloudlets Policy Manager .	
cloudletPolicy	object	Specifies the Cloudlet policy as an object.	isSharedPolicy is false
cloudletPolicy.id	number	Identifies the Cloudlet.	
cloudletPolicy.name	string	The Cloudlet's descriptive name.	
cloudletSharedPolicy	string	Identifies the Cloudlet shared policy to use with this behavior. Use the Cloudlets API to list available shared policies.	isSharedPolicy is true
label	string	A label to distinguish this Phased Release policy from any others within the same property.	
populationCookieType	enum	Select when to assign a cookie to the population of users the Cloudlet defines. If you select the Cloudlet's <i>random</i> membership option, it overrides this option's value so that it is effectively <code>NONE</code> .	
	NONE	Do not expire the cookie.	
	NEVER	Never assign a cookie.	
	ON_BROWSER_CLOSE	Once the browser session ends.	

Option	Type	Description	Requires
	FIXED_DATE	Specify a time when the cookie expires.	
	DURATION	Specify a delay before the cookie expires.	
population ExpirationDate	string (epoch timestamp)	Specifies the date and time when membership expires, and the browser no longer sends the cookie. Subsequent requests re-evaluate based on current membership settings.	population CookieType is FIXED_DATE
population Duration	string (duration)	Sets the lifetime of the cookie from the initial request. Subsequent requests re-evaluate based on current membership settings.	population CookieType is DURATION
population Refresh	boolean	Enabling this option resets the original duration of the cookie if the browser refreshes before the cookie expires.	population CookieType is DURATION
failover Enabled	boolean	Allows failure responses at the origin defined by the Cloudlet to fail over to the prevailing origin defined by the property.	
failover ResponseCode	string array	Defines the set of failure codes that initiate the failover response.	failoverEnabled is true
failover Duration	number (0-300)	Specifies the number of seconds to wait until the client tries to access the failover origin after the initial failure is detected. Set the value to 0 to immediately request the alternate origin upon failure.	failoverEnabled is true

preconnect

- **Property Manager name:** [Manual Preconnect](#)
- **Behavior version:** The v2024-02-12 rule format supports the preconnect behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

With the [http2](#) behavior enabled, this requests a specified set of domains that relate to your property hostname, and keeps the connection open for faster loading of content from those domains.

Option	Type	Description
preconnectlist	string array	Specifies the set of hostnames to which to preconnect over HTTP2.

predictiveContentDelivery

- **Property Manager name:** [Predictive Content Delivery](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `predictiveContentDelivery` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Improves user experience and reduces the cost of downloads by enabling mobile devices to predictively fetch and cache content from catalogs managed by Akamai servers. You can't use this feature if in the `segmentedMediaOptimization` behavior, the value for `behavior` is set to `LIVE`.

Option	Type	Description
<code>enabled</code>	boolean	Enables the predictive content delivery behavior.

predictivePrefetching

- **Property Manager name:** [Predictive Prefetching](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `predictivePrefetching` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior potentially reduces the client's page load time by pre-caching objects based on historical data for the page, not just its current set of referenced objects. It also detects second-level dependencies, such as objects retrieved by JavaScript.

Option	Type	Description
<code>enabled</code>	boolean	Enables the predictive prefetching behavior.
<code>accuracyTarget</code>	enum	The level of prefetching. A higher level results in better client performance, but potentially greater load on the origin.

Option	Type	Description
	LOW	Low.
	MEDIUM	Medium.
	HIGH	High.

prefetch

- **Property Manager name:** [Prefetch Objects](#)
- **Behavior version:** The v2024-02-12 rule format supports the prefetch behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Instructs edge servers to retrieve content linked from requested pages as they load, rather than waiting for separate requests for the linked content. This behavior applies depending on the rule's set of matching conditions. Use in conjunction with the [prefetchable](#) behavior, which specifies the set of objects to prefetch.

Option	Type	Description
enabled	boolean	Applies prefetching behavior when enabled.

prefetchable

- **Property Manager name:** [Prefetchable Objects](#)
- **Behavior version:** The v2024-02-12 rule format supports the prefetchable behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allow matching objects to prefetch into the edge cache as the parent page that links to them loads, rather than waiting for a direct request. This behavior applies depending on the rule's set of matching conditions. Use `prefetch` to enable the overall behavior for parent pages that contain links to the object. To apply this behavior, you need to match on a `filename` or `fileExtension` .

Option	Type	Description
<code>enabled</code>	boolean	Allows matching content to prefetch when referenced on a requested parent page.

prefreshCache

- **Property Manager name:** [Cache Prefreshing](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `prefreshCache` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Refresh cached content before its time-to-live (TTL) expires, to keep end users from having to wait for the origin to provide fresh content.

Prefreshing starts asynchronously based on a percentage of remaining TTL. The edge serves the prefreshed content only after the TTL expires. If the percentage is set too high, and there is not enough time to retrieve the object, the end user waits for it to refresh from the origin, as is true by default without this prefresh behavior enabled. The edge does not serve stale content.

Option	Type	Description
<code>enabled</code>	boolean	Enables the cache prefreshing behavior.
<code>prefreshval</code>	number (0-99)	Specifies when the prefresh occurs as a percentage of the TTL. For example, for an object whose cache has 10 minutes left to live, and an origin response that is routinely less than 30 seconds, a percentage of <code>95</code> prefreshes the content without unnecessarily increasing load on the origin.

quicBeta

- **Property Manager name:** [QUIC Support \(Beta\)](#)

- **Behavior version:** The `v2024-02-12` rule format supports the `quicBeta` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

For a share of responses, includes an `Alt-Svc` header for compatible clients to initiate subsequent sessions using the QUIC protocol.

Option	Type	Description
<code>enabled</code>	boolean	Enables QUIC support.
<code>quicOfferPercentage</code>	number (1-50)	The percentage of responses for which to allow QUIC sessions.

randomSeek

- **Property Manager name:** [Random Seek](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `randomSeek` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Optimizes `.flv` and `.mp4` files to allow random jump-point navigation.

Option	Type	Description	Requires
<code>flv</code>	boolean	Enables random seek optimization in FLV files.	
<code>mp4</code>	boolean	Enables random seek optimization in MP4 files.	
<code>maximum Size</code>	string	Sets the maximum size of the MP4 file to optimize, expressed as a number suffixed with a unit string such as <code>MB</code> or <code>GB</code> .	<code>mp4</code> is <code>true</code>

rapid

- **Property Manager name:** [Akamai API Gateway](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `rapid` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The [Akamai API Gateway](#) allows you to configure API traffic delivered over the Akamai network. Apply this behavior to a set of API assets, then use Akamai's [API Endpoints API](#) to configure how the traffic responds. Use the [API Keys and Traffic Management API](#) to control access to your APIs.

Option	Type	Description
<code>enabled</code>	boolean	Enables API Gateway for the current set of content.

readTimeout

- **Property Manager name:** [Read Timeout](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `readTimeout` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior specifies how long the edge server should wait for a response from the requesting forward server after a connection has already been established. Any failure to read aborts the request and sends a `504` Gateway Timeout error to the client. Contact Akamai Professional Services for help configuring this behavior.

Option	Type	Description
<code>value</code>	string (duration)	Specifies the read timeout necessary before failing with a <code>504</code> error. This value should never be zero.

realTimeReporting

- **Property Manager name:** [Real-time Reporting](#)
- **Behavior version:** The v2024-02-12 rule format supports the realTimeReporting behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This enables Real-Time Reporting for Akamai [Cloud Embed](#) customers. The behavior can only be configured on your behalf by Akamai Professional Services. You can access real-time reports data for that base configuration with [Media Delivery Reports API](#).

Option	Type	Description	Requires
enabled	boolean	Enables reports on delivery of cloud hosted content at near real-time latencies.	
advanced	boolean	Enables advanced options.	
beaconSampling Percentage	number	Specifies the percentage for sampling.	advanced is true

realUserMonitoring

- **Property Manager name:** [Real User Monitoring \(RUM\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the realUserMonitoring behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior is deprecated, but you should not disable or remove it if present.

Real User Monitoring (RUM) injects JavaScript into HTML pages served to end-user clients that monitors page-load performance and reports on various data, such as browser type and geographic location. The [report](#) behavior allows you to configure logs.

Option	Type	Description
enabled	boolean	When enabled, activates real-use monitoring.

redirect

- **Property Manager name:** [Redirect](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `redirect` behavior v1.5.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Respond to the client request with a redirect without contacting the origin. Specify the redirect as a path expression starting with a `/` character relative to the current root, or as a fully qualified URL. This behavior relies primarily on `destinationHostname` and `destinationPath` to manipulate the hostname and path independently.

See also the `redirectplus` behavior, which allows you to use [variables](#) more flexibly to express the redirect's destination.

Option	Type	Description	Requires
<code>mobileDefaultChoice</code>	enum	Either specify a default response for mobile browsers, or customize your own.	
	<code>DEFAULT</code>	Allows all other <code>responseCode</code> values.	
	<code>MOBILE</code>	Allows only a 302 response code.	
<code>destinationProtocol</code>	enum	Choose the protocol for the redirect URL.	
	<code>SAME_AS_REQUEST</code>	Pass through the original protocol.	
	<code>HTTP</code>	Use <code>http</code> .	
	<code>HTTPS</code>	Use <code>https</code> .	
<code>destinationHostname</code>	enum	Specify how to change the requested hostname, independently from the pathname.	
	<code>SAME_AS_REQUEST</code>	Preserves the hostname unchanged.	
	<code>SUBDOMAIN</code>	Prepends a subdomain from the <code>destinationHostnameSubdomain</code> field.	
	<code>SIBLING</code>	Replaces the leftmost subdomain with the <code>destinationHostnameSibling</code> field.	
	<code>OTHER</code>	Specifies a static domain in the <code>destinationHostnameOther</code> field.	
<code>destinationHostnameSubdomain</code>	string (allows variables)	Specifies a subdomain to prepend to the current hostname. For example, a value of <code>m</code> changes <code>www.example.com</code> to <code>m.www.example.com</code> .	<code>destinationHostname</code> is <code>SUBDOMAIN</code>
<code>destinationHostnameSibling</code>	string (allows variables)	Specifies the subdomain with which to replace to the current hostname's leftmost subdomain. For example,	<code>destinationHostname</code> is <code>SIBLING</code>

Option	Type	Description	Requires
		a value of <code>m</code> changes <code>www.example.com</code> to <code>m.example.com</code> .	
<code>destinationHostname</code> <code>Other</code>	string (allows variables)	Specifies the full hostname with which to replace the current hostname.	<code>destinationHostname</code> is <code>OTHER</code>
<code>destinationPath</code>	enum	Specify how to change the requested pathname, independently from the hostname.	
	<code>SAME_AS_REQUEST</code>	Preserves the current path unchanged.	
	<code>PREFIX_REQUEST</code>	Prepends a path with the <code>destinationPathPrefix</code> field. You also have the option to specify a suffix using <code>destinationPathSuffix</code> and <code>destinationPathSuffixStatus</code> .	
	<code>OTHER</code>	Replaces the current path with the <code>destinationPathOther</code> field.	
<code>destinationPathPrefix</code>	string (allows variables)	When <code>destinationPath</code> is set to <code>PREFIX_REQUEST</code> , this prepends the current path. For example, a value of <code>/prefix/path</code> changes <code>/example/index.html</code> to <code>/prefix/path/example/index.html</code> .	<code>destinationPath</code> is <code>PREFIX_REQUEST</code>
<code>destinationPathSuffixStatus</code>	enum	When <code>destinationPath</code> is set to <code>PREFIX_REQUEST</code> , this gives you the option of adding a suffix.	<code>destinationPath</code> is <code>PREFIX_REQUEST</code>
	<code>NO_SUFFIX</code>	Specify if you want to preserve the end of the path unchanged.	
	<code>SUFFIX</code>	The <code>destinationPathSuffix</code> provides the value.	
<code>destinationPathSuffix</code>	string (allows variables)	When <code>destinationPath</code> is set to <code>PREFIX_REQUEST</code> and <code>destinationPathSuffixStatus</code> is set to <code>SUFFIX</code> , this specifies the suffix to append to the path.	<code>destinationPathSuffixStatus</code> is <code>SUFFIX</code>
<code>destinationPathOther</code>	string (allows variables)	When <code>destinationPath</code> is set to <code>PREFIX_REQUEST</code> , this replaces the current path.	<code>destinationPath</code> is <code>OTHER</code>
<code>queryString</code>	boolean	When set to <code>APPEND</code> , passes incoming query string parameters as part of the redirect URL. Otherwise set this to <code>IGNORE</code> .	
<code>responseCode</code>	enum	Specify the redirect's response code.	
		Supported values: <div> <div>301</div> <div>303</div> <div>302</div> <div>307</div> </div>	

redirectplus

- **Property Manager name:** [Redirect Plus](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `redirectplus` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Respond to the client request with a redirect without contacting the origin. This behavior fills the same need as [redirect](#) , but allows you to use [variables](#) to express the redirect 's component values more concisely.

Option	Type	Description
enabled	boolean	Enables the redirect feature.
destination	string (allows variables)	Specifies the redirect as a path expression starting with a / character relative to the current root, or as a fully qualified URL. Optionally inject variables, as in this example that refers to the original request's filename: /path/to/{{builtin.AK_FILENAME}} .
response Code	enum	Assigns the status code for the redirect response.
		Supported values: 301 303 302 307

referrerChecking

- **Property Manager name:** [Legacy Referrer Checking](#)
- **Behavior version:** The v2024-02-12 rule format supports the referrerChecking behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Limits allowed requests to a set of domains you specify.

Option	Type	Description
enabled	boolean	Enables the referer-checking behavior.
strict	boolean	When enabled, excludes requests whose Referer header include a relative path, or that are missing a Referer . When disabled, only excludes requests whose Referer hostname is not part of the domains set.
domains	string array	Specifies the set of allowed domains. With allowChildren disabled, prefixing values with *. specifies domains for which subdomains are allowed.
allow Children	boolean	Allows all subdomains for the domains set, just like adding a *. prefix to each.

removeQueryParam

- **Property Manager name:** [Remove Outgoing Request Parameters](#)
- **Behavior version:** The v2024-02-12 rule format supports the removeQueryParam behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Remove named query parameters before forwarding the request to the origin.

Option	Type	Description
parameters	string array	Specifies parameters to remove from the request.

removeVary

- **Property Manager name:** [Remove Vary Header](#)
- **Behavior version:** The v2024-02-12 rule format supports the removeVary behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

By default, responses that feature a Vary header value of anything other than Accept-Encoding and a corresponding Content-Encoding: gzip header aren't cached on edge servers. Vary headers indicate when a URL's content varies depending on some variable, such as which User-Agent requests it. This behavior simply removes the Vary header to make responses cacheable.

Warning. If your site relies on Vary: User-Agent to customize content, removing the header may lead the edge to serve content inappropriate for specific devices.

Option	Type	Description
enabled	boolean	When enabled, removes the Vary header to ensure objects can be cached.

report

- **Property Manager name:** [Log Request Details](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `report` behavior v1.6.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specify the HTTP request headers or cookie names to log in your Log Delivery Service reports.

Option	Type	Description	Requires
logHost	boolean	Log the <code>Host</code> header.	
logReferer	boolean	Log the <code>Referer</code> header.	
logUser Agent	boolean	Log the <code>User-Agent</code> header.	
logAccept Language	boolean	Log the <code>Accept-Language</code> header.	
logCookies	enum	Specifies the set of cookies to log.	
	OFF	Do not log cookies.	
	ALL	Log all cookies.	
	SOME	A specific set of <code>cookies</code> .	
cookies	string array	This specifies the set of cookies names whose values you want to log.	<code>logCookies</code> is <code>SOME</code>
logCustom LogField	boolean	Whether to append additional custom data to each log line.	
customLog Field	string (allows variables)	Specifies an additional data field to append to each log line, maximum 1000 bytes, typically based on a dynamically generated built-in system variable. For example, <code>round-trip: {{builtin.AK_CLIENT_TURNAROUND_TIME}}ms</code> logs the total time to complete the response. See Support for variables for more information. If you enable the logCustom behavior, it overrides the <code>customLogField</code> option.	<code>logCustom LogField</code> is <code>true</code>
logEdgeIP	boolean	Whether to log the IP address of the Akamai edge server that served the response to the client.	
log XForwarded For	boolean	Log any <code>X-Forwarded-For</code> request header.	

requestClientHints

- **Property Manager name:** [Request Client Hints](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `requestClientHints` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Client hints are HTTP request header fields that determine which resources the browser should include in the response. This behavior configures and prioritizes the client hints you want to send to request specific client and device information.

Use `requestClientHints` together with the [permissionsPolicy](#) behavior.

Option	Type	Description															
<code>acceptCh</code>	string array	<p>The client hint data objects you want to receive from the browser. You can add custom entries or provide pre-set values from the list. For more details on each value, see the guide section for this behavior. If you've configured your origin server to pass along data objects, they merge with the ones you set in this array, before the list is sent to the client.</p> <table><tr><td>Device-Memory</td><td>Sec-CH-UA</td><td>Sec-CH-UA-Model</td></tr><tr><td>Downlink</td><td>Sec-CH-UA-Arch</td><td>Sec-CH-UA-Platform</td></tr><tr><td>ECT</td><td>Sec-CH-UA-Bitness</td><td>Sec-CH-UA-Platform-Version</td></tr><tr><td>RTT</td><td>Sec-CH-UA-Full-Version-List</td><td>Sec-CH-Viewport-Width</td></tr><tr><td>Sec-CH-DPR</td><td>Sec-CH-UA-Mobile</td><td>Sec-CH-Width</td></tr></table>	Device-Memory	Sec-CH-UA	Sec-CH-UA-Model	Downlink	Sec-CH-UA-Arch	Sec-CH-UA-Platform	ECT	Sec-CH-UA-Bitness	Sec-CH-UA-Platform-Version	RTT	Sec-CH-UA-Full-Version-List	Sec-CH-Viewport-Width	Sec-CH-DPR	Sec-CH-UA-Mobile	Sec-CH-Width
Device-Memory	Sec-CH-UA	Sec-CH-UA-Model															
Downlink	Sec-CH-UA-Arch	Sec-CH-UA-Platform															
ECT	Sec-CH-UA-Bitness	Sec-CH-UA-Platform-Version															
RTT	Sec-CH-UA-Full-Version-List	Sec-CH-Viewport-Width															
Sec-CH-DPR	Sec-CH-UA-Mobile	Sec-CH-Width															
<code>acceptCriticalCh</code>	string array	<p>The critical client hint data objects you want to receive from the browser. The original request from the browser needs to include these objects. Otherwise, a new response header is sent back to the client, asking for all of these client hint data objects. You can add custom entries or provide pre-set values from the list. For more details on each value, see the guide section for this behavior.</p> <table><tr><td>Device-Memory</td><td>Sec-CH-UA</td><td>Sec-CH-UA-Model</td></tr><tr><td>Downlink</td><td>Sec-CH-UA-Arch</td><td>Sec-CH-UA-Platform</td></tr><tr><td>ECT</td><td>Sec-CH-UA-Bitness</td><td>Sec-CH-UA-Platform-Version</td></tr><tr><td>RTT</td><td>Sec-CH-UA-Full-Version-List</td><td>Sec-CH-Viewport-Width</td></tr><tr><td>Sec-CH-DPR</td><td>Sec-CH-UA-Mobile</td><td>Sec-CH-Width</td></tr></table>	Device-Memory	Sec-CH-UA	Sec-CH-UA-Model	Downlink	Sec-CH-UA-Arch	Sec-CH-UA-Platform	ECT	Sec-CH-UA-Bitness	Sec-CH-UA-Platform-Version	RTT	Sec-CH-UA-Full-Version-List	Sec-CH-Viewport-Width	Sec-CH-DPR	Sec-CH-UA-Mobile	Sec-CH-Width
Device-Memory	Sec-CH-UA	Sec-CH-UA-Model															
Downlink	Sec-CH-UA-Arch	Sec-CH-UA-Platform															
ECT	Sec-CH-UA-Bitness	Sec-CH-UA-Platform-Version															
RTT	Sec-CH-UA-Full-Version-List	Sec-CH-Viewport-Width															
Sec-CH-DPR	Sec-CH-UA-Mobile	Sec-CH-Width															
<code>reset</code>	boolean	<p>This sends an empty instance of the <code>Accept-CH</code> response header to clear other <code>Accept-CH</code> values currently stored in the client browser. This empty header doesn't get merged with other objects sent from your origin server.</p> <p>To enable this option, make sure you leave <code>acceptCh</code> and <code>acceptCriticalCh</code> empty.</p>															

requestControl

- **Property Manager name:** [Request Control Cloudlet](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `requestControl` behavior v4.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The Request Control Cloudlet allows you to control access to your web content based on the incoming request's IP or geographic location. With Cloudlets available on your contract, choose **Your services > Edge logic Cloudlets** to control how the feature works within [Control Center](#) [ⓘ], or use the [Cloudlets API](#) to configure it programmatically.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the Request Control Cloudlet.	
<code>isSharedPolicy</code>	boolean	Whether you want to apply the Cloudlet shared policy to an unlimited number of properties within your account. Learn more about shared policies and how to create them in Cloudlets Policy Manager .	
<code>cloudletPolicy</code>	object	Identifies the Cloudlet policy.	<code>isSharedPolicy</code> is <code>false</code>
<code>cloudletPolicy.id</code>	number	Identifies the Cloudlet.	
<code>cloudletPolicy.name</code>	string	The Cloudlet's descriptive name.	
<code>cloudletSharedPolicy</code>	string	Identifies the Cloudlet shared policy to use with this behavior. Use the Cloudlets API to list available shared policies.	<code>isSharedPolicy</code> is <code>true</code>
<code>enableBranded403</code>	boolean	If enabled, serves a branded 403 page for this Cloudlet instance.	
<code>branded403Status Code</code>	enum	Specifies the response status code for the branded deny action.	<code>enableBranded403</code> is <code>true</code>
		Supported values: <div>200 403 302 503</div>	
<code>netStorage</code>	object	Specifies the NetStorage domain that contains the branded 403 page.	<code>enableBranded403</code> is <code>true</code> AND <code>branded403Status Code</code> is not <code>302</code>
<code>netStorage.cpCode</code>	integer	Identifies a CP code assigned to this storage group.	
<code>netStorage.download DomainName</code>	string	Domain name from which content can be downloaded.	
<code>netStorage.g2o Token</code>	string	Signature Header Authentication key.	

Option	Type	Description	Requires
netStorage.id	integer	Unique identifier for the storage group.	
netStorage.name	string	Name of the storage group.	
branded403File	string	Specifies the full path of the branded 403 page, including the filename, but excluding the Net Storage CP code path component.	enableBranded403 is true AND branded403Status Code is not 302
branded403Url	string	Specifies the redirect URL for the branded deny action.	enableBranded403 is true AND branded403Status Code is 302
brandedDenyCacheTtl	number (5-30)	Specifies the branded response page's time to live in the cache, 5 minutes by default.	enableBranded403 is true AND branded403Status Code is not 302

requestTypeMarker

- **Property Manager name:** [Request Type Marker](#)
- **Behavior version:** The v2024-02-12 rule format supports the requestTypeMarker behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The [Internet of Things: OTA Updates](#) product allows customers to securely distribute firmware to devices over cellular networks. When using the [downloadCompleteMarker](#) behavior to log successful downloads, this related behavior identifies download or campaign server types in aggregated and individual reports.

Option	Type	Description
requestType	enum	Specifies the type of request.
	DOWNLOAD	Download.
	CAMPAIGN_SERVER	Campaign server.

resourceOptimizer

- **Property Manager name:** [Resource Optimizer](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `resourceOptimizer` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior is deprecated, but you should not disable or remove it if present.

Use this along with `adaptiveAcceleration` to compress and cache resources such as JavaScript, CSS, and font files.

Option	Type	Description
<code>enabled</code>	boolean	Enables the Resource Optimizer feature.

shutr

- **Property Manager name:** [SHUTR](#)
- **Behavior version:** The `v2023-01-05` rule format supports the `shutr` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-write](#)
- **Allowed in includes:** [Yes](#)

This behavior is deprecated, but you should not disable or remove it if present.

The SHUTR protocol extends HTTP to reduce the amount of header data necessary for web transactions with mobile devices.

This behavior object does not support any options. Specifying the behavior enables it.

resourceOptimizerExtendedCompatibility

- **Property Manager name:** [Resource Optimizer Extended Compatibility](#)
- **Behavior version:** The v2024-02-12 rule format supports the resourceOptimizerExtendedCompatibility behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This enhances the standard version of the `resourceOptimizer` behavior to support the compression of additional file formats and address some compatibility issues.

Option	Type	Description
enabled	boolean	Enables the Resource Optimizer feature.
enableAllFeatures	boolean	Enables additional support and error handling.

responseCode

- **Property Manager name:** [Set Response Code](#)
- **Behavior version:** The v2024-02-12 rule format supports the responseCode behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Change the existing response code. For example, if your origin sends a 301 permanent redirect, this behavior can change it on the edge to a temporary 302 redirect.

Option	Type	Description	Requires
statusCode	enum	The HTTP status code to replace the existing one.	
		Supported values: <div><div>100101102103</div><div>122200201202</div><div>203204205206</div><div>207226300301</div><div>302303304305</div><div>306307308400</div><div>401402403404</div></div>	

Option	Type	Description							Requires
		405	411	417	428	499	505	598	
		406	412	422	429	500	506	599	
		407	413	423	431	501	507		
		408	414	424	444	502	509		
		409	415	425	449	503	510		
		410	416	426	450	504	511		
override206	boolean	Allows any specified 200 success code to override a 206 partial-content code, in which case the response's content length matches the requested range length.							statusCode is 200

responseCookie

- **Property Manager name:** [Set Response Cookie](#)
- **Behavior version:** The v2024-02-12 rule format supports the responseCookie behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Set a cookie to send downstream to the client with either a fixed value or a unique stamp.

Option	Type	Description	Requires
cookie Name	string (allows variables)	Specifies the name of the cookie, which serves as a key to determine if the cookie is set.	
enabled	boolean	Allows you to set a response cookie.	
type	enum	What type of value to assign.	
	FIXED	Assign a FIXED value based on the value field.	
	UNIQUE	Assign a unique value.	
value	string (allows variables)	If the cookie type is FIXED , this specifies the cookie value.	type is FIXED
format	enum	When the type of cookie is set to UNIQUE , this sets the date format.	type is UNIQUE
	AKAMAI	Akamai format, which adds milliseconds to the date stamp.	
	APACHE	Apache format.	
default Domain	boolean	When enabled, uses the default domain value, otherwise the set specified in the domain field.	
default Path	boolean	When enabled, uses the default path value, otherwise the set specified in the path field.	
domain	string (allows variables)	If the defaultDomain is disabled, this sets the domain for which the cookie is valid. For example, example.com	default Domain is

Option	Type	Description	Requires
		makes the cookie valid for that hostname and all subdomains.	false
path	string (allows variables)	If the <code>defaultPath</code> is disabled, sets the path component for which the cookie is valid.	<code>defaultPath</code> is false
expires	enum	Sets various ways to specify when the cookie expires.	
	ON_BROWSER_CLOSE	Limit the cookie to the duration of the session.	
	FIXED_DATE	Requires a corresponding <code>expirationDate</code> field value.	
	DURATION	Requires a corresponding <code>duration</code> field value.	
	NEVER	Let the cookie persist indefinitely.	
expiration Date	string (epoch timestamp)	If <code>expires</code> is set to <code>FIXED_DATE</code> , this sets when the cookie expires as a UTC date and time.	<code>expires</code> is <code>FIXED_DATE</code>
duration	string (duration)	If <code>expires</code> is set to <code>DURATION</code> , this sets the cookie's lifetime.	<code>expires</code> is <code>DURATION</code>
sameSite	enum	This option controls the <code>SameSite</code> cookie attribute that reduces the risk of cross-site request forgery attacks.	
	DEFAULT	Send the <code>SameSite</code> cookie attribute.	
	NONE	Send the cookie in all contexts if the <code>secure</code> option is enabled.	
	LAX	Send the cookie also when the user navigates to a URL from an external site.	
	STRICT	Send the cookie only to the same site that originated it.	
secure	boolean	When enabled, sets the cookie's <code>Secure</code> flag to transmit it with <code>HTTPS</code> .	
httpOnly	boolean	When enabled, includes the <code>HttpOnly</code> attribute in the <code>Set-Cookie</code> response header to mitigate the risk of client-side scripts accessing the protected cookie, if the browser supports it.	

restrictObjectCaching

- **Property Manager name:** [Object Caching](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `restrictObjectCaching` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

You need this behavior to deploy the Object Caching product. It disables serving HTML content and limits the maximum object size to 100MB. Contact Akamai Professional Services for help configuring it.

This behavior object does not support any options. Specifying the behavior enables it.

returnCacheStatus

- **Property Manager name:** [Return Cache Status](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `returnCacheStatus` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Generates a response header with information about cache status. Among other things, this can tell you whether the response came from the Akamai cache, or from the origin. Status values report with either of these forms of syntax, depending for example on whether you're deploying traffic using [sureRoute](#) or [tieredDistribution](#) :

```
{status} from child  
{status} from child, {status} from parent
```

The `status` value can be any of the following:

- `Hit` - the object was retrieved from Akamai's cache.
- `Miss` - the object was not found in the Akamai cache.
- `RefreshHit` - the object was found in Akamai's cache, but was stale, so an `If-Modified-Since` request was made to the customer origin, with 304 as the response code, indicating unmodified content.
- `HitStale` - the object was found in Akamai's cache and was stale, but a more recent object was not available from the customer origin, so the cache served the stale object to the client.
- `Constructed` - the [constructResponse](#) behavior directly specified the response to the client.
- `Redirect` - the Akamai edge configuration specified a redirect, typically by executing the [redirect](#), [redirectplus](#), or [edgeRedirector](#) behaviors.
- `Error` - an error occurred, typically when authorization is denied or the request is rejected by WAF.

Option	Type	Description
responseHeader Name	string	Specifies the name of the HTTP header in which to report the cache status value.

rewriteUrl

- **Property Manager name:** [Modify Outgoing Request Path](#)
- **Behavior version:** The v2024-02-12 rule format supports the rewriteUrl behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Modifies the path of incoming requests to forward to the origin. This helps you offload URL-rewriting tasks to the edge to increase the origin server's performance, allows you to redirect links to different targets without changing markup, and hides your original directory structure.

Except for regular expression replacements, this behavior manipulates *path expressions* that start and end with a / character.

This behavior's rewrite operations can't override any the [baseDirectory](#) behavior specifies.

Option	Type	Description	Requires
behavior	enum	The action to perform on the path.	
	REPLACE	Specify the match and targetPath . For example, a match of /path1/ and a targetPath of /path1/path2/ changes /path1/page.html to /path1/path2/page.html .	
	REMOVE	Specify the match . For example, a match of /path2/ changes /path1/path2/page.html to /path1/page.html .	
	REWRITE	Specify the targetUrl . For example, you can direct traffic to /error/restricted.html .	
	PREPEND	Specify the targetPathPrepend . For example, if set to /prefix/ , /path1/page.html changes to /prefix/path1/page.html .	
	REGEX_REPLACE	Specify the matchRegex and targetRegex . For example, specifying logo\\.(png gif jpe?g) and brand\$1 changes logo.png to brand.png .	
match	string	When behavior is REMOVE or REPLACE , specifies the part of the incoming path you'd like to remove or modify.	behavior is either: REMOVE , REPLACE

Option	Type	Description	Requires
match Regex	string	When <code>behavior</code> is set to <code>REGEX_REPLACE</code> , specifies the Perl-compatible regular expression to replace with <code>targetRegex</code> .	<code>behavior</code> is <code>REGEX_REPLACE</code>
target Regex	string (allows variables)	When <code>behavior</code> is set to <code>REGEX_REPLACE</code> , this replaces whatever the <code>matchRegex</code> field matches, along with any captured sequences from <code>\\$1</code> through <code>\\$9</code> .	<code>behavior</code> is <code>REGEX_REPLACE</code>
targetPath	string (allows variables)	When <code>behavior</code> is set to <code>REPLACE</code> , this path replaces whatever the <code>match</code> field matches in the incoming request's path.	<code>behavior</code> is <code>REPLACE</code>
targetPath Prepend	string (allows variables)	When <code>behavior</code> is set to <code>PREPEND</code> , specifies a path to prepend to the incoming request's URL.	<code>behavior</code> is <code>PREPEND</code>
targetUrl	string (allows variables)	When <code>behavior</code> is set to <code>REWRITE</code> , specifies the full path to request from the origin.	<code>behavior</code> is <code>REWRITE</code>
match Multiple	boolean	When enabled, replaces all potential matches rather than only the first.	<code>behavior</code> is either: <code>REMOVE</code> , <code>REPLACE</code> , <code>REGEX_REPLACE</code>
keepQuery String	boolean	When enabled, retains the original path's query parameters.	<code>behavior</code> is not <code>REWRITE</code>

rumCustom

- **Property Manager name:** [RUM SampleRate](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `rumCustom` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [No \(temporarily\)](#).

This behavior is deprecated, but you should not disable or remove it if present.

With [realUserMonitoring](#) enabled, this configures the sample of data to include in your RUM report. The [realUserMonitoring](#) behavior is deprecated as well.

Option	Type	Description
rumSample Rate	number (0-100)	Specifies the percentage of web traffic to include in your RUM report.
rumGroup Name	string	A deprecated option to specify an alternate name under which to batch this set of web traffic in your report. Do not use it.

saasDefinitions

- **Property Manager name:** SaaS Definitions
- **Behavior version:** The v2024-02-12 rule format supports the saasDefinitions behavior v3.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

Configures how the Software as a Service feature identifies *customers*, *applications*, and *users*. A different set of options is available for each type of targeted request, each enabled with the `action` -suffixed option. In each case, you can use `PATH` , `COOKIE` , `QUERY_STRING` , or `HOSTNAME` components as identifiers, or `disable` the SaaS behavior for certain targets. If you rely on a `HOSTNAME` , you also have the option of specifying a *CNAME chain* rather than an individual hostname. The various options suffixed `regex` and `replace` subsequently remove the identifier from the request. This behavior requires a sibling `origin` behavior whose `originType` option is set to `SAAS_DYNAMIC_ORIGIN` .

Option	Type	Description	Requires
customerAction	enum	Specifies the request component that identifies a SaaS customer.	
	DISABLED	This effectively ignores customers.	
	HOSTNAME	In a hostname.	
	PATH	In the URL path.	
	QUERY_STRING	In a query parameter.	
	COOKIE	In a cookie.	
customerCname Enabled	boolean	Enabling this allows you to identify customers using a <i>CNAME chain</i> rather than a single hostname.	customerAction is HOSTNAME
customerCname Level	number	Specifies the number of CNAMEs to use in the chain.	customerCnameEnabled is true
customer Cookie	string	This specifies the name of the cookie that identifies the customer.	customerAction is COOKIE
customerQuery String	string	This names the query parameter that identifies the customer.	customerAction is QUERY_STRING
customerRegex	string	Specifies a Perl-compatible regular expression with which to substitute the request's customer ID.	customerAction is either: HOSTNAME , PATH , COOKIE , QUERY_STRING
customer Replace	string	Specifies a string to replace the request's customer ID matched by customerRegex .	customerAction is either: HOSTNAME , PATH , COOKIE , QUERY_STRING
application Action	enum	Specifies the request component that identifies a SaaS application.	

Option	Type	Description	Requires
	DISABLED	This effectively ignores applications.	
	HOSTNAME	In the hostname.	
	PATH	In the URL path.	
	QUERY_STRING	In a query parameter.	
	COOKIE	In a cookie.	
applicationCnameEnabled	boolean	Enabling this allows you to identify applications using a <i>CNAME chain</i> rather than a single hostname.	applicationAction is HOSTNAME
applicationCnameLevel	number	Specifies the number of CNAMEs to use in the chain.	applicationCnameEnabled is true
applicationCookie	string	This specifies the name of the cookie that identifies the application.	applicationAction is COOKIE
applicationQueryString	string	This names the query parameter that identifies the application.	applicationAction is QUERY_STRING
applicationRegex	string	Specifies a Perl-compatible regular expression with which to substitute the request's application ID.	applicationAction is either: HOSTNAME , PATH , COOKIE , QUERY_STRING
applicationReplace	string	Specifies a string to replace the request's application ID matched by applicationRegex .	applicationAction is either: HOSTNAME , PATH , COOKIE , QUERY_STRING
usersAction	enum	Specifies the request component that identifies a SaaS user.	
	DISABLED	This effectively ignores users.	
	HOSTNAME	In a hostname.	
	PATH	In the URL path.	
	QUERY_STRING	In a query parameter.	
	COOKIE	In a cookie.	
usersCnameEnabled	boolean	Enabling this allows you to identify users using a <i>CNAME chain</i> rather than a single hostname.	usersAction is HOSTNAME
usersCnameLevel	number	Specifies the number of CNAMEs to use in the chain.	usersCnameEnabled is true
usersCookie	string	This specifies the name of the cookie that identifies the user.	usersAction is COOKIE
usersQueryString	string	This names the query parameter that identifies the user.	usersAction is QUERY_STRING
usersRegex	string	Specifies a Perl-compatible regular expression with which to substitute the request's user ID.	usersAction is either: HOSTNAME , PATH , COOKIE , QUERY_STRING
usersReplace	string	Specifies a string to replace the request's user ID matched by usersRegex .	usersAction is either: HOSTNAME , PATH , COOKIE , QUERY_STRING

salesForceCommerceCloudClient

- **Property Manager name:** [Akamai Connector for Salesforce Commerce Cloud](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `salesForceCommerceCloudClient` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

If you use the Salesforce Commerce Cloud platform for your origin content, this behavior allows your edge content managed by Akamai to contact directly to origin.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the Akamai Connector for Salesforce Commerce Cloud.	
<code>connectorId</code>	string (allows variables)	An ID value that helps distinguish different types of traffic sent from Akamai to the Salesforce Commerce Cloud. Form the value as <i>instance-realm-customer</i> , where <i>instance</i> is either <code>production</code> or <code>development</code> , <i>realm</i> is your Salesforce Commerce Cloud service <code>\$REALM</code> value, and <i>customer</i> is the name for your organization in Salesforce Commerce Cloud. You can use alphanumeric characters, underscores, or dot characters within dash-delimited segment values.	
<code>originType</code>	enum	Specifies where the origin is.	
	<code>DEFAULT</code>	Use a default Salesforce origin.	
	<code>CUSTOMER</code>	Customize the origin.	
<code>sf3cOriginHost</code>	string (allows variables)	This specifies the hostname or IP address of the custom Salesforce origin.	<code>originType</code> is <code>CUSTOMER</code>
<code>originHostHeader</code>	enum	Specifies where the <code>Host</code> header is defined.	
	<code>DEFAULT</code>	Use the default Salesforce header.	
	<code>CUSTOMER</code>	Customize the header.	
<code>sf3cOriginHostHeader</code>	string (allows variables)	This specifies the hostname or IP address of the custom Salesforce host header.	<code>originHostHeader</code> is <code>CUSTOMER</code>
<code>allowOverrideOriginCacheKey</code>	boolean	When enabled, overrides the forwarding origin's cache key.	

salesForceCommerceCloudProvider

- **Property Manager name:** [Akamai Provider for Salesforce Commerce Cloud](#)
- **Behavior version:** The v2024-02-12 rule format supports the salesForceCommerceCloudProvider behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

This manages traffic between mutual customers and the Salesforce Commerce Cloud platform.

Option	Type	Description
enabled	boolean	Enables Akamai Provider for Salesforce Commerce Cloud.

salesForceCommerceCloudProviderHostHeader

- **Property Manager name:** [Akamai Provider for Salesforce Commerce Cloud Host Header Control](#)
- **Behavior version:** The v2024-02-12 rule format supports the salesForceCommerceCloudProviderHostHeader behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

Manages host header values sent to the Salesforce Commerce Cloud platform.

Option	Type	Description
hostHeaderSource	enum	Specify where the host header derives from.
	PROPERTY	From this property.
	CUSTOMER	From the customer's property.

savePostDcaProcessing

- **Property Manager name:** [Save POST DCA processing result](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `savePostDcaProcessing` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

Used in conjunction with the [cachePost](#) behavior, this behavior allows the body of POST requests to be processed through Dynamic Content Assembly. Contact Akamai Professional Services for help configuring it.

Option	Type	Description
<code>enabled</code>	boolean	Enables processing of POST requests.

scheduleInvalidation

- **Property Manager name:** [Scheduled Invalidation](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `scheduleInvalidation` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies when cached content that satisfies a rule's criteria expires, optionally at repeating intervals. In addition to periodic cache flushes, you can use this behavior to minimize potential conflicts when related objects expire at different times.

Warning. scheduled invalidations can significantly increase origin servers' load when matching content expires simultaneously across all edge servers. As best practice, schedule expirations during periods of lowest traffic.

Option	Type	Description	Requires
start	string (timestamp)	The UTC date and time when matching cached content is to expire.	
repeat	boolean	When enabled, invalidation recurs periodically from the start time based on the repeatInterval time.	
repeat Interval	string (duration)	Specifies how often to invalidate content from the start time, expressed in seconds. For example, an expiration set to midnight and an interval of 86400 seconds invalidates content once a day. Repeating intervals of less than 5 minutes are not allowed for Net Storage origins.	repeat is true
refresh Method	enum	Specifies how to invalidate the content.	
	INVALIDATE	Sends an If-Modified-Since request to the origin, re-caching the content only if it is fresher.	
	PURGE	Re-caches content regardless of its freshness, potentially creating more traffic at the origin.	

scriptManagement

- **Property Manager name:** [Script Management](#)
- **Behavior version:** The v2024-02-12 rule format supports the scriptManagement behavior v1.4.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

Ensures unresponsive linked JavaScript files do not prevent HTML pages from loading. See [Script Management API](#) for more information.

Option	Type	Description	Requires
enabled	boolean	Enables the Script Management feature.	
serviceworker	enum	Script Management uses a JavaScript service worker called akam-sw.js . It applies a policy that helps you manage scripts.	
	YES_SERVICE_WORKER	Review insights about script usage, and create a policy to list scripts you want to defer or block. This also installs the akam-sw.js service worker for you.	
	NO_SERVICE_WORKER	Review insights about script usage. The akam-sw.js service worker isn't installed.	
timestamp	number	A read-only epoch timestamp that represents the last time a Script Management policy was synchronized with its lon property.	enabled is never visible

segmentedContentProtection

- **Property Manager name:** [Segmented Media Protection](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `segmentedContentProtection` behavior v2.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Validates authorization tokens at the edge server to prevent unauthorized link sharing.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the segmented content protection behavior.	
<code>key</code>	object array	Specifies the encryption key to use as a shared secret to validate tokens.	
<code>useAdvanced</code>	boolean	Allows you to specify advanced <code>transitionKey</code> and <code>salt</code> options.	
<code>transitionKey</code>	object array	An alternate encryption key to match along with the <code>key</code> field, allowing you to rotate keys with no down time.	<code>useAdvanced</code> is <code>true</code>
<code>salt</code>	object array	Specifies a salt as input into the token for added security. This value needs to match the salt used in the token generation code.	<code>useAdvanced</code> is <code>true</code>
<code>headerForSalt</code>	string array	This allows you to include additional salt properties specific to each end user to strengthen the relationship between the session token and playback session. This specifies the set of request headers whose values generate the salt value, typically <code>User-Agent</code> , <code>X-Playback-Session-Id</code> , and <code>Origin</code> . Any specified header needs to appear in the player's request.	<code>useAdvanced</code> is <code>true</code>
<code>sessionId</code>	boolean	Enabling this option carries the <code>session_id</code> value from the access token over to the session token, for use in tracking and counting unique playback sessions.	<code>useAdvanced</code> is <code>true</code>
<code>dataPayload</code>	boolean	Enabling this option carries the <code>data/payload</code> field from the access token over to the session token, allowing access to opaque data for log analysis for a URL protected by a session token.	<code>useAdvanced</code> is <code>true</code>
<code>ip</code>	boolean	Enabling this restricts content access to a specific IP address, only appropriate if it does not change during the playback session.	<code>useAdvanced</code> is <code>true</code>
<code>acl</code>	boolean	Enabling this option carries the <code>ACL</code> field from the access token over to the session token, to limit the requesting client's access to the specific URL or path set in the <code>ACL</code> field. Playback may fail if the base path of the master playlist (and variant playlist, plus segments) varies from that of the <code>ACL</code> field.	<code>useAdvanced</code> is <code>true</code>

Option	Type	Description	Requires
enableToken InURI	boolean	When enabled, passes tokens in HLS variant manifest URLs and HLS segment URLs, as an alternative to cookies.	
hlsMaster ManifestFiles	string array	Specifies the set of filenames that form HLS master manifest URLs. You can use * wildcard character that matches zero or more characters. Make sure to specify master manifest filenames uniquely, to distinguish them from variant manifest files.	enableToken InURI is true
token Revocation Enabled	boolean	Enable this to deny requests from playback URLs that contain a TokenAuth token that uses specific token identifiers.	
revokedList Id	string	Identifies the TokenAuth tokens to block from accessing your content.	token Revocation Enabled is true
hlsMedia Encryption	boolean	Enables HLS Segment Encryption.	
dashMedia Encryption	boolean	Whether to enable DASH Media Encryption.	

segmentedMediaOptimization

- **Property Manager name:** [Segmented Media Delivery Mode](#)
- **Behavior version:** The v2024-02-12 rule format supports the segmentedMediaOptimization behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Optimizes segmented media for live or streaming delivery contexts.

Option	Type	Description	Requires
behavior	enum	Sets the type of media content to optimize.	
	ON_DEMAND	Media is available on demand. This is the only option allowed for NetStorage origins.	
	LIVE	Media is streaming live.	
enableUll Streaming	boolean	Enables ultra low latency (ULL) streaming. ULL reduces latency and decreases overall transfer time of live streams.	behavior is LIVE
show Advanced	boolean	Allows you to configure advanced media options.	behavior is LIVE

Option	Type	Description	Requires
liveType	enum	The type of live media.	showAdvanced is true
	CONTINUOUS	Not confined to a range of time.	
	EVENT	An event for a range of time.	
startTime	string (epoch timestamp)	This specifies when the live media event begins.	showAdvanced is true AND liveType is EVENT
endTime	string (epoch timestamp)	This specifies when the live media event ends.	showAdvanced is true AND liveType is EVENT
dvrType	enum	The type of DVR.	showAdvanced is true
	CONFIGURABLE	A configurable DVR.	
	UNKNOWN	An unknown DVR.	
dvrWindow	string (duration)	Set the duration for your media, or 0m if a DVR is not required.	showAdvanced is true AND dvrType is CONFIGURABLE

segmentedMediaStreamingPrefetch

- **Property Manager name:** [Segmented Media Streaming - Prefetch](#)
- **Behavior version:** The v2024-02-12 rule format supports the segmentedMediaStreamingPrefetch behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Prefetches HLS and DASH media stream manifest and segment files, accelerating delivery to end users. For prefetching to work, your origin media's response needs to specify CDN-Origin-Assist-Prefetch-Path headers with each URL to prefetch, expressed as either a relative or absolute path.

Option	Type	Description
enabled	boolean	Enables media stream prefetching.

setVariable

- **Property Manager name:** [Set Variable](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `setVariable` behavior v1.7.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Modify a variable to insert into subsequent fields within the rule tree. Use this behavior to specify the predeclared `variableName` and determine from where to derive its new value. Based on this `valueSource`, you can either generate the value, extract it from some part of the incoming request, assign it from another variable (including a set of built-in system variables), or directly specify its text. Optionally choose a `transform` function to modify the value once. See [Support for variables](#) for more information.

Option	Type	Description	Requires
variable Name	string (variable name)	Specifies the predeclared root name of the variable to modify. When you declare a variable name such as <code>VAR</code> , its name is prepended with <code>PMUSER_</code> and accessible in a <code>user</code> namespace, so that you invoke it in subsequent text fields within the rule tree as <code>{{user.PMUSER_VAR}}</code> . In deployed XML metadata , it appears as <code>% (PMUSER_VAR)</code> .	
valueSource	enum	Determines how you want to set the value.	
	EXPRESSION	Specify your own string expression.	
	EXTRACT	Extract it from another value.	
	GENERATE	Generate the value.	
variable Value	string (allows variables)	This directly specifies the value to assign to the variable. The expression may include a mix of static text and other variables, such as <code>new_filename.{{builtin.AK_EXTENSION}}</code> to embed a system variable.	<code>valueSource</code> is <code>EXPRESSION</code>
extract Location	enum	This specifies from where to get the value.	<code>valueSource</code> is <code>EXTRACT</code>
	CLIENT_CERTIFICATE	Client certificate.	
	CLIENT_REQUEST_HEADER	Client request header.	
	COOKIE	Cookie.	
	EDGESCAPE	For location or network data.	
	PATH_COMPONENT_OFFSET	Substring within the URL path.	

Option	Type	Description	Requires
	QUERY_STRING	A query parameter.	
	DEVICE_PROFILE	For client device attributes.	
	RESPONSE_HEADER	A response header.	
	SET_COOKIE	Cookie.	
certificate FieldName	enum	Specifies the certificate's content.	extractLocation is CLIENT_CERTIFICATE
	VERSION	The certificate's X509 version number.	
	SERIAL	The serial number, expressed in hex.	
	FINGERPRINT_MD5	The hex-encoded MD5 fingerprint.	
	FINGERPRINT_SHA1	The hex-encoded SHA1 fingerprint.	
	FINGERPRINT_DYN	The hex-encoded fingerprint generated based on the SIGNATURE_ALGORITHM .	
	ISSUER_DN	The <i>distinguished name</i> field for the certificate's issuer.	
	SUBJECT_DN	The <i>distinguished name</i> field for the user.	
	NOT_BEFORE	The start of the time range, expressed in YYYY/MM/DD HH:MI:SS ZONE format, where the zone is optional.	
	NOT_AFTER	The end of the time range, expressed in YYYY/MM/DD HH:MI:SS ZONE format, where the zone is optional.	
	SIGNATURE_ALGORITHM	The algorithm used to generate the certificate's signature.	
	SIGNATURE	The certificate's signature, expressed in hex.	
	CONTENTS_DER	The entire DER-encoded certificate, expressed in hex.	
	CONTENTS_PEM	The PEM-formatted certificate encoded as a single line of base64 characters.	
	CONTENTS_PEM_NO_LABELS	Same as CONTENTS_PEM , but not including the certificate's header and footer.	
	COUNT	The number of client certificates received.	
	STATUS_MSG	A short message indicating the status of a certificate's validation, such as ok or missing .	
	KEY_LENGTH	The size of the key in bits.	
headerName	string (allows variables)	Specifies the case-insensitive name of the HTTP header to extract.	extractLocation is CLIENT_REQUEST_HEADER
response HeaderName	string (allows variables)	Specifies the case-insensitive name of the HTTP header to extract.	extractLocation is RESPONSE_HEADER
setCookie Name	string (allows variables)	Specifies the name of the origin's Set-Cookie response header.	extractLocation is SET_COOKIE
cookieName	string (allows variables)	Specifies the name of the cookie to extract.	extractLocation is COOKIE
locationId	enum	Specifies the X-Akamai-Edgescape header's field name. Possible values specify basic geolocation,	extractLocation is EDGESCAPE

Option	Type	Description	Requires
		various geographic standards, and information about the client's network. For details on Edge Scape header fields, see the EdgeScape User Guide .	
	GEOREGION	Region.	
	COUNTRY_CODE	ISO-3166 country code.	
	REGION_CODE	ISO-3166 region code.	
	CITY	City.	
	DMA	Designated Market Area.	
	PMSA	Primary Metropolitan Statistical Area.	
	MSA	Metropolitan Statistical Area.	
	AREACODE	Area code.	
	COUNTY	County.	
	FIPS	Federal Information Processing System code.	
	LAT	Latitude.	
	LONG	Longitude.	
	TIMEZONE	Time zone.	
	ZIP	Zip code.	
	CONTINENT	Two-letter continent code.	
	NETWORK	Network name.	
	NETWORK_TYPE	Network type.	
	ASNUM	Autonomous System Number.	
	THROUGHPUT	Tiered throughput level.	
	BW	Tiered bandwidth level.	
path Component Offset	string (allows variables)	This specifies a portion of the path. The indexing starts from 1, so a value of /path/to/nested/filename.html and an offset of 1 yields path, and 3 yields nested. Negative indexes offset from the right, so -2 also yields nested.	extractLocation is PATH_COMPONENT_OFFSET
query Parameter Name	string (allows variables)	Specifies the name of the query parameter from which to extract the value.	extractLocation is QUERY_STRING
generator	enum	This specifies the type of value to generate.	valueSource is GENERATE
	HEXRAND	A random hex sequence.	
	RAND	A random number.	
numberOf Bytes	number (1-16)	Specifies the number of random hex bytes to generate.	generator is HEXRAND
minRandom Number	number	Specifies the lower bound of the random number.	generator is RAND
maxRandom Number	number	Specifies the upper bound of the random number.	generator is RAND
transform	enum	Specifies a function to transform the value. For more details on each transform function, see Set	

Option	Type	Description	Requires
		Variable: Operations.	
	NONE	No transformation.	
	ADD	Arithmetic function.	
	BASE_64_DECODE	String encoding.	
	BASE_64_ENCODE	String encoding.	
	BASE_32_DECODE	String encoding.	
	BASE_32_ENCODE	String encoding.	
	BITWISE_AND	Bitwise operation.	
	BITWISE_NOT	Bitwise operation.	
	BITWISE_OR	Bitwise operation.	
	BITWISE_XOR	Bitwise operation.	
	DECIMAL_TO_HEX	Numeric conversion.	
	DECRYPT	String encoding.	
	DIVIDE	Arithmetic function.	
	ENCRYPT	String encoding.	
	EPOCH_TO_STRING	Time format.	
	EXTRACT_PARAM	String format.	
	HASH	Integer data digest.	
	JSON_EXTRACT	JSONPath extraction from a variable.	
	HEX_TO_DECIMAL	Numeric conversion.	
	HEX_DECODE	String conversion.	
	HEX_ENCODE	String conversion.	
	HMAC	Data digest.	
	LOWER	String function.	
	MD5	Data digest.	
	MINUS	Arithmetic function, reverse sign.	
	MODULO	Arithmetic function, get remainder.	
	MULTIPLY	Arithmetic function.	
	NORMALIZE_PATH_WIN	Convert Windows paths to Unix format and remove relative path syntax.	
	REMOVE_WHITESPACE	String conversion.	
	COMPRESS_WHITESPACE	Convert whitespace characters to spaces, then compress multiple space characters into only one.	
	SHA_1	Data digest.	
	SHA_256	Data digest.	
	STRING_INDEX	String function: locate substring.	
	STRING_LENGTH	String function.	

Option	Type	Description	Requires
	STRING_TO_EPOCH	Time format.	
	SUBSTITUTE	String function.	
	SUBSTRING	String function: locate index.	
	SUBTRACT	Arithmetic function.	
	TRIM	Trim surrounding whitespace in string.	
	UPPER	String function.	
	BASE_64_URL_DECODE	The same as <code>BASE_64_DECODE</code> , except before decoding replaces <code>+</code> with <code>-</code> and <code>/</code> with <code>_</code> . If due to the encoding there are not enough characters for the algorithm, this adds <code>=</code> characters at the end of the string. See Output padding for more information.	
	BASE_64_URL_ENCODE	The same as <code>BASE_64_ENCODE</code> , except after encoding this removes trailing <code>=</code> characters, replacing <code>+</code> with <code>-</code> and <code>/</code> with <code>_</code> .	
	URL_DECODE	String conversion.	
	URL_ENCODE	Unicode string conversion.	
	URL_DECODE_UNI	String conversion.	
	UTC_SECONDS	Time format.	
	XML_DECODE	String conversion.	
	XML_ENCODE	String conversion.	
operandOne	string (allows variables)	Specifies an additional operand when the <code>transform</code> function is set to various arithmetic functions (<code>ADD</code> , <code>SUBTRACT</code> , <code>MULTIPLY</code> , <code>DIVIDE</code> , or <code>MODULO</code>) or bitwise functions (<code>BITWISE_AND</code> , <code>BITWISE_OR</code> , or <code>BITWISE_XOR</code>).	<code>transform</code> is either: <code>ADD</code> , <code>BITWISE_AND</code> , <code>BITWISE_OR</code> , <code>BITWISE_XOR</code> , <code>DIVIDE</code> , <code>MODULO</code> , <code>MULTIPLY</code> , <code>SUBTRACT</code> , <code>JSON_EXTRACT</code>
algorithm	enum	Specifies the algorithm to apply.	<code>transform</code> is either: <code>ENCRYPT</code> , <code>DECRYPT</code>
	ALG_3DES	Triple DES.	
	ALG_AES128	Advanced Encryption Standard, 128 bits.	
	ALG_AES256	Advanced Encryption Standard, 256 bits.	
encryption Key	string (allows variables)	Specifies the encryption hex key. For <code>ALG_3DES</code> it needs to be 48 characters long, 32 characters for <code>ALG_AES128</code> , and 64 characters for <code>ALG_AES256</code> .	<code>transform</code> is either: <code>ENCRYPT</code> , <code>DECRYPT</code>
initialization Vector	string	Specifies a one-time number as an initialization vector. It needs to be 15 characters long for <code>ALG_3DES</code> , and 32 characters for both <code>ALG_AES128</code> and <code>ALG_AES256</code> .	<code>transform</code> is either: <code>ENCRYPT</code> , <code>DECRYPT</code>
encryption Mode	enum	Specifies the encryption mode.	<code>transform</code> is either: <code>ENCRYPT</code> , <code>DECRYPT</code>
	CBC	Cipher Block Chaining.	
	ECB	Electronic Codebook.	
nonce	string (allows variables)	Specifies the one-time number used for encryption.	<code>transform</code> is either: <code>ENCRYPT</code> , <code>DECRYPT</code>

Option	Type	Description	Requires
prepend Bytes	boolean	Specifies a number of random bytes to prepend to the key.	transform is either: ENCRYPT , DECRYPT
formatString	string	Specifies an optional format string for the conversion, using format codes such as %m/%d/%y as specified by strftime [↗] . A blank value defaults to RFC-2616 format.	transform is either: EPOCH_TO_STRING , STRING_TO_EPOCH
paramName	string (allows variables)	Extracts the value for the specified parameter name from a string that contains key/value pairs. (Use separator below to parse them.)	transform is EXTRACT_PARAM
separator	string	Specifies the character that separates pairs of values within the string.	transform is EXTRACT_PARAM
min	number	Specifies a minimum value for the generated integer.	transform is HASH
max	number	Specifies a maximum value for the generated integer.	transform is HASH
hmacKey	string (allows variables)	Specifies the secret to use in generating the base64-encoded digest.	transform is HMAC
hmac Algorithm	enum	Specifies the algorithm to use to generate the base64-encoded digest.	transform is HMAC
	SHA1	SHA-1.	
	SHA256	SHA-256.	
	MD5	MD5.	
ipVersion	enum	Specifies the IP version under which a subnet mask generates.	transform is NETMASK
	IPV4	Use IPv4.	
	IPV6	Use IPv6.	
ipv6Prefix	number (0-128)	Specifies the prefix of the IPV6 address, a value between 0 and 128.	ipVersion is IPV6
ipv4Prefix	number (0-32)	Specifies the prefix of the IPV4 address, a value between 0 and 32.	ipVersion is IPV4
subString	string (allows variables)	Specifies a substring for which the returned value represents a zero-based offset of where it appears in the original string, or -1 if there's no match.	transform is STRING_INDEX
regex	string	Specifies the regular expression pattern (PCRE) to match the value.	transform is SUBSTITUTE
replacement	string (allows variables)	Specifies the replacement string. Reinsert grouped items from the match into the replacement using \$1 , \$2 ... \$n .	transform is SUBSTITUTE
case Sensitive	boolean	Enabling this makes all matches case sensitive.	transform is either: EXTRACT_PARAM , SUBSTITUTE
global Substitution	boolean	Replaces all matches in the string, not just the first.	transform is SUBSTITUTE
startIndex	number	Specifies the zero-based character offset at the start of the substring. Negative indexes specify the offset from the end of the string. Consider this example for a string of abcdefghij :	transform is SUBSTRING

Option	Type	Description	Requires
		startIndex = 0, endIndex = 1, result = a start Index = 0, endIndex = 2, Result = ab start Index = 1, endIndex = 1, Result = <null> start Index = 1, endIndex = 2, Result = b startIndex = 3, endIndex = -1, Result = defghij startIndex = -2, endIndex = -1, Result = j	
endIndex	number	<p>Specifies the zero-based character offset at the end of the substring, without including the character at that index position. Negative indexes specify the offset from the end of the string.</p> <p>Consider this example for a string of abcdefghij :</p> startIndex = 0, endIndex = 1, result = a start Index = 0, endIndex = 2, Result = ab start Index = 1, endIndex = 1, Result = <null> start Index = 1, endIndex = 2, Result = b startIndex = 3, endIndex = -1, Result = defghij startIndex = -2, endIndex = -1, Result = j	transform is SUBSTRING
exceptChars	string	Specifies characters <i>not</i> to encode, possibly overriding the default set.	transform is URL_ENCODE
forceChars	string	Specifies characters to encode, possibly overriding the default set.	transform is URL_ENCODE
deviceProfile	enum	Specifies the client device attribute. Possible values specify information about the client device, including device type, size and browser. For details on fields, see Device Characterization .	extractLocation is DEVICE_PROFILE
	IS_MOBILE	Basic device attributes, boolean.	
	IS_TABLET	Basic device attributes, boolean.	
	IS_WIRELESS_DEVICE	Basic device attributes, boolean.	
	PHYSICAL_SCREEN_HEIGHT	Device screen size in millimeters.	
	PHYSICAL_SCREEN_WIDTH	Device screen size in millimeters.	
	RESOLUTION_HEIGHT	Device screen size in pixels.	
	RESOLUTION_WIDTH	Device screen size in pixels.	
	VIEWPORT_WIDTH	Device viewport size in millimeters.	
	BRAND_NAME	Basic device attributes, string values.	
	DEVICE_OS	Basic device attributes, string values.	
	DEVICE_OS_VERSION	Basic device attributes, string values.	
	DUAL_ORIENTATION	Whether the display adapts to portrait/landscape orientation.	
	MAX_IMAGE_HEIGHT	Maximum image size that can be displayed, in pixels.	
	MAX_IMAGE_WIDTH	Maximum image size that can be displayed, in pixels.	
	MOBILE_BROWSER	Basic device attributes, string values.	

Option	Type	Description	Requires
	MOBILE_BROWSER_VERSION	Basic device attributes, string values.	
	PDF_SUPPORT	Device support capabilities, boolean.	
	COOKIE_SUPPORT	Device support capabilities, boolean.	

simulateErrorCode

- **Property Manager name:** [Simulate Error Response Code](#)
- **Behavior version:** The v2024-02-12 rule format supports the simulateErrorCode behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior simulates various error response codes. Contact Akamai Professional Services for help configuring it.

Option	Type	Description	Requires
error Type	enum	Specifies the type of error.	
		Supported values: ERR_CONNECT_FAIL ERR_CONNECT_TIMEOUT ERR_DNS_FAIL ERR_DNS_IN_REGION ERR_DNS_TIMEOUT ERR_NO_GOOD_FWD_IP ERR_READ_ERROR ERR_READ_TIMEOUT ERR_SUREROUTE_DNS_FAIL ERR_WRITE_ERROR	
timeout	string (duration)	When the errorType is ERR_CONNECT_TIMEOUT , ERR_DNS_TIMEOUT , ERR_SUREROUTE_DNS_FAIL , or ERR_READ_TIMEOUT , generates an error after the specified amount of time from the initial request.	errorType is either: ERR_DNS_TIMEOUT , ERR_SUREROUTE_DNS_FAIL , ERR_READ_TIMEOUT , ERR_CONNECT_TIMEOUT

siteShield

- **Property Manager name:** [SiteShield](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `siteShield` behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

This behavior implements the [Site Shield](#) feature, which helps prevent non-Akamai machines from contacting your origin. You get an email with a list of Akamai servers allowed to contact your origin, with which you establish an Access Control List on your firewall to prevent any other requests.

Option	Type	Description
<code>ssmap</code>	object	Identifies the hostname for the Site Shield map. See Create a Site Shield map for more details. Form an object with a <code>value</code> key that references the hostname, for example: <code>"ssmap": {"value":"ss.akamai.net"} .</code>

standardTLSMigration

- **Property Manager name:** [Standard TLS Migration](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `standardTLSMigration` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\).](#)

This behavior is deprecated, but you should not disable or remove it if present.

Migrates traffic to Standard TLS. Apply this behavior within the default rule or any `hostname` match. In some cases you may need to apply this along with the [standardTLSMigrationOverride](#) behavior.

Option	Type	Description	Requires
enabled	boolean	Allows migration to Standard TLS.	
migrationFrom	enum	What kind of traffic you're migrating from.	
	SHARED_CERT	A shared certificate.	
	NON_SECURE	Non-secure traffic.	
	ENHANCED_SECURE	Enhanced Secure TLS.	
allowHTTPSUpgrade	boolean	Allows temporary upgrade of HTTP traffic to HTTPS.	migrationFrom is NON_SECURE
allowHTTPSDowngrade	boolean	Allow temporary downgrade of HTTPS traffic to HTTP. This removes various Origin , Referer , Cookie , Cookie2 , sec-* and proxy-* headers from the request to origin.	migrationFrom is NON_SECURE
migrationStartTime	string (epoch timestamp)	Specifies when to start migrating the cache.	allowHTTPSUpgrade is true OR allowHTTPSDowngrade is true
migrationDuration	number	Specifies the number of days to migrate the cache.	allowHTTPSUpgrade is true OR allowHTTPSDowngrade is true
cacheSharingStartTime	string (epoch timestamp)	Specifies when to start cache sharing.	migrationFrom is ENHANCED_SECURE
cacheSharingDuration	number	Specifies the number cache sharing days.	migrationFrom is ENHANCED_SECURE
isCertificateSNIOnly	boolean	Sets whether your new certificate is SNI-only.	migrationFrom is ENHANCED_SECURE
isTieredDistributionUsed	boolean	Allows you to align traffic to various tiered Distribution areas.	migrationFrom is NON_SECURE
tdLocation	enum	Specifies the tieredDistribution location.	isTieredDistributionUsed is true
	GLOBAL	Global.	
	APAC	Asia and Pacific.	
	EUROPE	Europe.	
	US_EAST	Eastern United States.	
	US_CENTRAL	Central United States.	
	US_WEST	Western United States.	
	AUSTRALIA	Australia.	
	GLOBAL_LEGACY	Global.	

standardTLSMigrationOverride

- **Property Manager name:** [Standard TLS Migration Override](#)
 - **Behavior version:** The v2024-02-12 rule format supports the standardTLSMigrationOverride behavior v1.0.
 - **Rule format status:** [Deprecated, outdated rule format](#)
 - **Access:** [Read-only](#)
 - **Allowed in includes:** [No \(temporarily\)](#)
-

This behavior is deprecated, but you should not disable or remove it if present.

When applying [standardTLSMigration](#), add this behavior if your new certificate is SNI-only, if your property includes any [advanced features](#), any Edge IP Binding enabled hosts, or if any foreground downloads are configured.

This behavior object does not support any options. Specifying the behavior enables it.

strictHeaderParsing

- **Property Manager name:** [Strict Header Parsing](#)
 - **Behavior version:** The v2024-02-12 rule format supports the strictHeaderParsing behavior v1.1.
 - **Rule format status:** [Deprecated, outdated rule format](#)
 - **Access:** [Read/Write](#)
 - **Allowed in includes:** [Yes](#)
-

This behavior specifies how the edge servers should handle requests containing improperly formatted or invalid headers that don't comply with [RFC 9110](#).

Some clients may send invalid or incorrectly-formatted, non-RFC-compliant request headers. If such requests reach the origin server, this vulnerability can be exploited by a “bad actor”, for example to poison your cache and cause invalid content to be returned to your end users. Use Strict Header Parsing to tell the edge servers what requests to reject, independently of the Akamai platform's default behavior. Therefore, you may either get the protection earlier than the global customer base or defer changes to a later time, though not recommended. Note that the two modes are independent – each of them concerns different issues with the request headers. For both options, a warning is written to the edge server logs whether the option is enabled or disabled.

As Akamai strives to be fully RFC-compliant, you should enable both options as best practice.

Enabling both options ensures that Akamai edge servers reject requests with invalid headers and don't forward them to your origin. In such cases, the end user receives a 400 Bad Request HTTP response code.

Option	Type	Description
valid Mode	boolean	Rejects requests made with non-RFC-compliant headers that contain invalid characters in the header name or value or which contain invalidly-folded header lines. When disabled, the edge servers allow such requests, passing the invalid headers to the origin server unchanged.
strict Mode	boolean	Rejects requests made with non-RFC-compliant, improperly formatted headers, where the header line starts with a colon, misses a colon or doesn't end with CR LF. When disabled, the edge servers allow such requests, but correct the violation by removing or rewriting the header line before passing the headers to the origin server.

subCustomer

- **Property Manager name:** [Subcustomer Enablement](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `subCustomer` behavior v1.6.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

When positioned in a property's top-level default rule, enables various [Cloud Embed](#) features that allow you to leverage Akamai's CDN architecture for your own subcustomers. This behavior's options allow you to use Cloud Embed to configure your subcustomers' content. Once enabled, you can use the [Akamai Cloud Embed API](#) (ACE) to assign subcustomers to this base configuration, and to customize policies for them. See also the [dynamicWebContent](#) behavior to configure subcustomers' dynamic web content.

Option	Type	Description	Requires
enabled	boolean	Allows Cloud Embed to dynamically modify your subcustomers' content.	
origin	boolean	Allows you to assign origin hostnames for customers.	
partner DomainSuffix	string	This specifies the appropriate domain suffix, which you should typically match with your property hostname. It identifies the domain as trustworthy on the Akamai network, despite being defined within Cloud Embed, outside of your base property configuration. Include this domain suffix if you want to purge subcustomer URLs. For example, if you provide a value of <code>suffix.example.com</code> , then to purge <code>subcustomer.com/some/path</code> , specify <code>subcustomer.com.suffix.example.com/some/path</code> as the purge request's URL.	origin is true
caching	boolean	Modifies content caching rules.	
referrer	boolean	Sets subcustomers' referrer whitelists or blacklist.	

Option	Type	Description	Requires
ip	boolean	Sets subcustomers' IP whitelists or blacklists.	
geoLocation	boolean	Sets subcustomers' location-based whitelists or blacklists.	
refresh Content	boolean	Allows you to reschedule when content validates for subcustomers.	
modifyPath	boolean	Modifies a subcustomer's request path.	
cacheKey	boolean	Allows you to set which query parameters are included in the cache key.	
token Authorization	boolean	When enabled, this allows you to configure edge servers to use tokens to control access to subcustomer content. Use Cloud Embed to configure the token to appear in a cookie, header, or query parameter.	
siteFailover	boolean	Allows you to configure unique failover sites for each subcustomer's policy.	
content Compressor	boolean	Allows compression of subcustomer content.	
accessControl	boolean	When enabled, this allows you to deny requests to a subcustomer's content based on specific match conditions, which you use Cloud Embed to configure in each subcustomer's policy.	
dynamicWeb Content	boolean	Allows you to apply the dynamicWebContent behavior to further modify how dynamic content behaves for subcustomers.	
onDemand VideoDelivery	boolean	Enables delivery of media assets to subcustomers.	
largeFile Delivery	boolean	Enables large file delivery for subcustomers.	
web Application Firewall	boolean	Web application firewall (WAF) filters, monitors, and blocks certain HTTP traffic. Use Akamai Cloud Embed to add a specific behavior to a subcustomer policy and configure how WAF protection is applied.	

sureRoute

- **Property Manager name:** [SureRoute](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `sureRoute` behavior v1.5.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

The [SureRoute](#) feature continually tests different routes between origin and edge servers to identify the optimal path. By default, it conducts *rac*es to identify alternative paths to use in case of a transmission failure. These races increase origin traffic slightly.

This behavior allows you to configure SureRoute along with a test object to improve delivery of non-cacheable `no-store` or `bypass-cache` content. Since edge servers are already positioned as close as possible to requesting clients, the behavior does not apply to cacheable content.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the SureRoute behavior, to optimize delivery of non-cached content.	
<code>type</code>	enum	Specifies the set of edge servers used to test routes.	
	<code>PERFORMANCE</code>	Use the default set of edge servers.	
	<code>CUSTOM_MAP</code>	A custom map that you need to get from Akamai Professional Services.	
<code>custom Map</code>	string	If <code>type</code> is <code>CUSTOM_MAP</code> , this specifies the map string provided to you by Akamai Professional Services, or included as part of the Site Shield product.	<code>type</code> is <code>CUSTOM_MAP</code>
<code>test ObjectUrl</code>	string	Specifies the path and filename for your origin's test object to use in races to test routes. Akamai provides sample test objects for the Dynamic Site Accelerator and Web Application Accelerator products. If you want to use your own test object, it needs to be on the same origin server as the traffic being served through SureRoute. Make sure it returns a 200 HTTP response and does not require authentication. The file should be an average-sized static HTML file (Content-Type: text/html) that is no smaller than 8KB, with no back-end processing. If you have more than one origin server deployed behind a load balancer, you can configure it to serve the test object directly on behalf of the origin, or route requests to the same origin server to avoid deploying the test object on each origin server.	
<code>toHost Status</code>	enum	Specifies which hostname to use.	
	<code>INCOMING_HH</code>	Use the incoming <code>Host</code> header when requesting the SureRoute test object.	
	<code>OTHER</code>	Use <code>toHost</code> to specify a custom <code>Host</code> header.	
<code>toHost</code>	string	If <code>toHostStatus</code> is <code>OTHER</code> , this specifies the custom <code>Host</code> header to use when requesting the SureRoute test object.	<code>toHost Status</code> is <code>OTHER</code>
<code>raceStat Ttl</code>	string (duration)	Specifies the time-to-live to preserve SureRoute race results, typically 30m . If traffic exceeds a certain threshold after TTL expires, the overflow is routed directly to the origin, not necessarily optimally. If traffic remains under the threshold, the route is determined by the winner of the most recent race.	
<code>forceSsl Forward</code>	boolean	Forces SureRoute to use SSL when requesting the origin's test object, appropriate if your origin does not respond to HTTP requests, or responds with a redirect to HTTPS.	
<code>enable Custom Key</code>	boolean	When disabled, caches race results under the race destination's hostname. If enabled, use <code>customStatKey</code> to specify a custom hostname.	
<code>custom StatKey</code>	string	This specifies a hostname under which to cache race results. This may be useful when a property corresponds to many origin hostnames. By default, SureRoute would launch races for each origin, but consolidating under a single hostname runs only one race.	<code>enable CustomKey</code> is <code>true</code>

tcpOptimization

- **Property Manager name:** [TCP Optimizations](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `tcpOptimization` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior is deprecated, but you should not disable or remove it if present.

Enables a suite of optimizations targeting buffers, time-outs, and packet loss that improve transmission performance. This behavior is deprecated, but you should not disable or remove it if present.

This behavior object does not support any options. Specifying the behavior enables it.

teaLeaf

- **Property Manager name:** [IBM Tealeaf Connector](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `teaLeaf` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

Allows IBM Tealeaf Customer Experience on Cloud to record HTTPS requests and responses for Akamai-enabled properties. Recorded data becomes available in your IBM Tealeaf account.

Option	Type	Description
<code>enabled</code>	boolean	When enabled, capture HTTPS requests and responses, and send the data to your IBM Tealeaf account.
<code>limitToDynamic</code>	boolean	Limit traffic to dynamic, uncached (No-Store) content.
<code>ibmCustomerId</code>	number	The integer identifier for the IBM Tealeaf Connector account.

tieredDistribution

- **Property Manager name:** [Tiered Distribution](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `tieredDistribution` behavior v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior allows Akamai edge servers to retrieve cached content from other Akamai servers, rather than directly from the origin. These interim *parent* servers in the *cache hierarchy* (`CH`) are positioned close to the origin, and fall along the path from the origin to the edge server. Tiered Distribution typically reduces the origin server's load, and reduces the time it takes for edge servers to refresh content.

See also the [tieredDistributionAdvanced](#) behavior.

Option	Type	Description	Requires
<code>enabled</code>	boolean	When enabled, activates tiered distribution.	
<code>tiered Distribution Map</code>	enum	Optionally map the tiered parent server's location close to your origin. A narrower local map minimizes the origin server's load, and increases the likelihood the requested object is cached. A wider global map reduces end-user latency, but decreases the likelihood the requested object is in any given parent server's cache. This option cannot apply if the property is marked as secure. See Secure property requirements for guidance.	<code>is_secure</code> is <code>false</code> in top-level rule
	<code>CH2</code>	A global map.	
	<code>CHAPAC</code>	China and the Asian Pacific area.	
	<code>CHEU2</code>	Europe.	
	<code>CHEUS2</code>	Eastern United States.	
	<code>CHCUS2</code>	Central United States.	
	<code>CHWUS2</code>	Western United States.	
	<code>CHAUS</code>	Australia.	
	<code>CH</code>	A global map.	

tieredDistributionAdvanced

- **Property Manager name:** [Tiered Distribution \(Advanced\)](#)
- **Behavior version:** The v2024-02-12 rule format supports the tieredDistributionAdvanced behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This behavior allows Akamai edge servers to retrieve cached content from other Akamai servers, rather than directly from the origin. These interim *parent* servers in the *cache hierarchy* (CH) are positioned close to the origin, and fall along the path from the origin to the edge server. Tiered Distribution typically reduces the origin server's load, and reduces the time it takes for edge servers to refresh content. This advanced behavior provides a wider set of options than [tieredDistribution](#) .

Option	Type	Description
enabled	boolean	When enabled, activates tiered distribution.
tiered Distribution Map	string	Optionally map the tiered parent server's location close to your origin: CHEU2 for Europe; CHAUS for Australia; CHAPAC for China and the Asian Pacific area; CHWUS2 , CHCUS2 , and CHEUS2 for different parts of the United States. Choose CH or CH2 for a more global map. A narrower local map minimizes the origin server's load, and increases the likelihood the requested object is cached. A wider global map reduces end-user latency, but decreases the likelihood the requested object is in any given parent server's cache. This option cannot apply if the property is marked as secure. See Secure property requirements for guidance.

tieredDistributionCustomization

- **Property Manager name:** [Tiered Distribution Customization](#)
- **Behavior version:** The v2024-02-12 rule format supports the tieredDistributionCustomization behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

With Tiered Distribution, Akamai edge servers retrieve cached content from other Akamai servers, rather than directly from the origin. This behavior sets custom Tiered Distribution maps (TD0) and migrates TD1 maps configured with [advanced features](#) to Cloud Wrapper. You need to enable `cloudWrapper` within the same rule.

Option	Type	Description	Requires
<code>customMap Enabled</code>	boolean	Enables custom maps.	
<code>customMap Name</code>	string (allows variables)	Specifies the custom map name.	<code>customMap Enabled is true</code>
<code>serialStart</code>	string	Specifies a numeric serial start value.	<code>customMap Enabled is true</code>
<code>serialEnd</code>	string	Specifies a numeric serial end value. Akamai uses serial numbers to group machines and share objects in their cache with other machines in the same region.	<code>customMap Enabled is true</code>
<code>hash Algorithm</code>	enum	Specifies the hash algorithm.	<code>customMap Enabled is true</code>
	<code>GCC</code>	A GCC hash.	
	<code>JENKINS</code>	A Jenkins hash.	
<code>mapMigration Enabled</code>	boolean	Enables migration of the custom map to Cloud Wrapper.	
<code>migration WithinCwMaps Enabled</code>	boolean	Enables migration within Cloud Wrapper maps.	<code>mapMigration Enabled is true</code>
<code>location</code>	string	Location from which Cloud Wrapper migration is performed. User should choose the existing Cloud Wrapper location. The new Cloud Wrapper location (to which migration has to happen) is expected to be updated as part of the main "Cloud Wrapper" behavior.	<code>migration WithinCwMaps Enabled is true</code>
<code>migration StartDate</code>	string (epoch timestamp)	Specifies when to start migrating the map.	<code>mapMigration Enabled is true</code>
<code>migrationEnd Date</code>	string (epoch timestamp)	Specifies when the map migration should end.	<code>mapMigration Enabled is true</code>

timeout

- **Property Manager name:** [Connect Timeout](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `timeout` behavior v1.1.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Sets the HTTP connect timeout.

Option	Type	Description
value	string (duration)	Specifies the timeout, for example 10s .

uidConfiguration

- **Property Manager name:** [UID Configuration](#)
- **Behavior version:** The v2024-02-12 rule format supports the uidConfiguration behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior allows you to extract unique identifier (UID) values from live traffic, for use in OTA applications. Note that you are responsible for maintaining the security of any data that may identify individual users.

Option	Type	Description	Requires
enabled	boolean	Allows you to extract UIDs from client requests.	
extract Location	enum	Where to extract the UID value from.	
	CLIENT_REQUEST_HEADER	From a client request header.	
	QUERY_STRING	From the request query string.	
	VARIABLE	From a rule tree VARIABLE . You should mark these variables as sensitive . See also Support for variables .	
headerName	string	This specifies the name of the HTTP header from which to extract the UID value.	extractLocation is CLIENT_REQUEST_HEADER
query Parameter Name	string	This specifies the name of the query parameter from which to extract the UID value.	extractLocation is QUERY_STRING

Option	Type	Description	Requires
variableName	string (variable name)	This specifies the name of the rule tree variable from which to extract the UID value.	<code>extractLocation</code> is VARIABLE

validateEntityTag

- **Property Manager name:** [Validate Entity Tag \(ETag\)](#).
- **Behavior version:** The `v2024-02-12` rule format supports the `validateEntityTag` behavior v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Instructs edge servers to compare the request's `ETag` header with that of the cached object. If they differ, the edge server sends a new copy of the object. This validation occurs in addition to the default validation of `Last-Modified` and `If-Modified-Since` headers.

Note that Akamai only supports strong `ETag` values. Weak `ETag` values are ignored and a full response is always returned. For more details, see the [RFC Standard](#).

Option	Type	Description
<code>enabled</code>	boolean	Enables the ETag validation behavior.

verifyJsonWebToken

- **Property Manager name:** [JWT verification](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `verifyJsonWebToken` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior allows you to use JSON Web Tokens (JWT) to verify requests.

Option	Type	Description	Requires
extract Location	enum	Specify from where to extract the JWT value.	
	CLIENT_REQUEST_HEADER	The value is in a client request header.	
	QUERY_STRING	The value is in the request's query string.	
headerName	string	This specifies the name of the header from which to extract the JWT value.	extractLocation is CLIENT_REQUEST_HEADER
query Parameter Name	string	This specifies the name of the query parameter from which to extract the JWT value.	extractLocation is QUERY_STRING
jwt	string	An identifier for the JWT keys collection.	
enableRS256	boolean	Verifies JWTs signed with the RS256 algorithm. This signature helps ensure that the token hasn't been tampered with.	
enableES256	boolean	Verifies JWTs signed with the ES256 algorithm. This signature helps ensure that the token hasn't been tampered with.	

verifyJsonWebTokenForDcp

- **Property Manager name:** [JWT](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `verifyJsonWebTokenForDcp` behavior v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This behavior allows you to use JSON web tokens (JWT) to verify requests for use in implementing [IoT Edge Connect](#), which you use the `dcp` behavior to configure. You can specify the location in a request to pass a JSON web token (JWT), collections of public keys to verify the integrity of this token, and specific claims to extract from it. Use the [verifyJsonWebToken](#) behavior for other JWT validation.

When authenticating to edge servers with both JWT and mutual authentication (using the `dcp AuthVariableExtractor` behavior), the JWT method is ignored, and you need to authenticate with a client authentication certificate.

Option	Type	Description	Requires
extractLocation	enum	Specifies where to get the JWT value from.	
	CLIENT_REQUEST_HEADER	From the client request header.	
	QUERY_STRING	From the query string.	
	CLIENT_REQUEST_HEADER_AND_QUERY_STRING	From both.	
primary Location	enum	Specifies the primary location to extract the JWT value from. If the specified option doesn't include the JWTs, the system checks the secondary one.	extractLocation is CLIENT_REQUEST_HEADER_AND_QUERY_STRING
	CLIENT_REQUEST_HEADER	Get the JWT value from the request header.	
	QUERY_STRING	Get the JWT value from the query string.	
customHeader	boolean	The JWT value comes from the X-Akamai-DCP-Token header by default. Enabling this option allows you to extract it from another header name that you specify.	extractLocation is either: CLIENT_REQUEST_HEADER , CLIENT_REQUEST_HEADER_AND_QUERY_STRING
headerName	string	This specifies the name of the header to extract the JWT value from.	customHeader is true
queryParameter Name	string	Specifies the name of the query parameter from which to extract the JWT value.	extractLocation is either: QUERY_STRING , CLIENT_REQUEST_HEADER_AND_QUERY_STRING
jwt	string	An identifier for the JWT keys collection.	
extractClientId	boolean	Allows you to extract the client ID claim name stored in JWT.	
clientId	string	This specifies the claim name.	extractClientId is true
extract Authorizations	boolean	Allows you to extract the authorization groups stored in the JWT.	
authorizations	string	This specifies the authorization group name.	extractAuthorizations is true
extractUserName	boolean	Allows you to extract the user name stored in the JWT.	
userName	string	This specifies the user name.	extractUserName is true
enableRS256	boolean	Verifies JWTs signed with the RS256 algorithm. This signature helps to ensure that the token hasn't been tampered with.	
enableES256	boolean	Verifies JWTs signed with the ES256 algorithm. This signature helps to ensure that the token hasn't been tampered with.	

verifyTokenAuthorization

- **Property Manager name:** [Auth Token 2.0 Verification](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `verifyTokenAuthorization` behavior v1.4.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Verifies Auth 2.0 tokens.

Option	Type	Description	Requires
<code>useAdvanced</code>	boolean	If enabled, allows you to specify advanced options such as <code>algorithm</code> , <code>escapeHmacInputs</code> , <code>ignoreQueryString</code> , <code>transitionKey</code> , and <code>salt</code> .	
<code>location</code>	enum	Specifies where to find the token in the incoming request.	
		Supported values: <code>CLIENT_REQUEST_HEADER</code> <code>COOKIE</code> <code>QUERY_STRING</code>	
<code>locationId</code>	string	When <code>location</code> is <code>CLIENT_REQUEST_HEADER</code> , specifies the name of the incoming request's header where to find the token.	
<code>algorithm</code>	enum	Specifies the algorithm that generates the token. It needs to match the method chosen in the token generation code.	<code>useAdvanced</code> is <code>true</code>
		Supported values: <code>MD5</code> <code>SHA256</code> <code>SHA1</code>	
<code>escapeHmacInputs</code>	boolean	URL-escapes HMAC inputs passed in as query parameters.	<code>useAdvanced</code> is <code>true</code>
<code>ignoreQueryString</code>	boolean	Enabling this removes the query string from the URL used to form an encryption key.	<code>useAdvanced</code> is <code>true</code>
<code>key</code>	object array	The shared secret used to validate tokens, which needs to match the key used in the token generation code.	
<code>transitionKey</code>	object array	Specifies a transition key as a hex value.	<code>useAdvanced</code> is <code>true</code>
<code>salt</code>	object array	Specifies a salt string for input when generating the token, which needs to match the salt value used in the token generation code.	<code>useAdvanced</code> is <code>true</code>
<code>failureResponse</code>	boolean	When enabled, sends an HTTP error when an authentication test fails.	

visitorPrioritization

- **Property Manager name:** [Visitor Prioritization Cloudlet](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `visitorPrioritization` behavior v3.6.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#).

The [Visitor Prioritization Cloudlet](#) decreases abandonment by providing a user-friendly waiting room experience. With Cloudlets available on your contract, choose **Your services > Edge logic Cloudlets** to control Visitor Prioritization within [Control Center](#)[Ⓐ]. Otherwise use the [Cloudlets API](#) to configure it programmatically. To serve non-HTML API content such as JSON blocks, see the [api Prioritization](#) behavior.

Option	Type	Description	Requires
<code>enabled</code>	boolean	Enables the Visitor Prioritization behavior.	
<code>cloudletPolicy</code>	object	Identifies the Cloudlet policy.	
<code>cloudletPolicy.id</code>	number	Identifies the Cloudlet.	
<code>cloudletPolicy.name</code>	string	The Cloudlet's descriptive name.	
<code>userIdentificationByCookie</code>	boolean	When enabled, identifies users by the value of a cookie.	
<code>userIdentificationKeyCookie</code>	string	Specifies the name of the cookie whose value identifies users. To match a user, the value of the cookie needs to remain constant across all requests.	<code>userIdentificationByCookie</code> is <code>true</code>
<code>userIdentificationByHeaders</code>	boolean	When enabled, identifies users by the values of GET or POST request headers.	
<code>userIdentificationKeyHeaders</code>	string array	Specifies names of request headers whose values identify users. To match a user, values for all the specified headers need to remain constant across all requests.	<code>userIdentificationByHeaders</code> is <code>true</code>
<code>userIdentificationByIp</code>	boolean	Allows IP addresses to identify users.	
<code>userIdentificationByParams</code>	boolean	When enabled, identifies users by the values of GET or POST request parameters.	
<code>userIdentificationKeyParams</code>	string array	Specifies names of request parameters whose values identify users. To match a user, values for all the specified parameters need to remain constant across all requests. Parameters that are absent or blank may also identify users.	<code>userIdentificationByParams</code> is <code>true</code>
<code>allowedUserCookieEnabled</code>	boolean	Sets a cookie for users who have been allowed through to the site.	

Option	Type	Description	Requires
<code>allowedUserCookieLabel</code>	string	Specifies a label to distinguish this cookie for an allowed user from others. The value appends to the cookie's name, and helps you to maintain the same user assignment across behaviors within a property, and across properties.	<code>allowedUserCookieEnabled</code> is <code>true</code>
<code>allowedUserCookieDuration</code>	number (0-600)	Sets the number of seconds for the allowed user's session once allowed through to the site.	<code>allowedUserCookieEnabled</code> is <code>true</code>
<code>allowedUserCookieRefresh</code>	boolean	Resets the duration of an allowed cookie with each request, so that it only expires if the user doesn't make any requests for the specified duration. Do not enable this option if you want to set a fixed time for all users.	<code>allowedUserCookieEnabled</code> is <code>true</code>
<code>allowedUserCookieAdvanced</code>	boolean	Sets advanced configuration options for the allowed user's cookie.	<code>allowedUserCookieEnabled</code> is <code>true</code>
<code>allowedUserCookieAutomaticSalt</code>	boolean	Sets an automatic <code>salt</code> value to verify the integrity of the cookie for an allowed user. Disable this if you want to share the cookie across properties.	<code>allowedUserCookieEnabled</code> is <code>true</code> AND <code>allowedUserCookieAdvanced</code> is <code>true</code>
<code>allowedUserCookieSalt</code>	string	Specifies a fixed <code>salt</code> value, which is incorporated into the cookie's value to prevent users from manipulating it. You can use the same salt string across different behaviors or properties to apply a single cookie to all allowed users.	<code>allowedUserCookieEnabled</code> is <code>true</code> AND <code>allowedUserCookieAdvanced</code> is <code>true</code> AND <code>allowedUserCookieAutomaticSalt</code> is <code>false</code>
<code>allowedUserCookieDomainType</code>	enum	Specify with <code>allowedUserCookieAdvanced</code> enabled.	<code>allowedUserCookieEnabled</code> is <code>true</code> AND <code>allowedUserCookieAdvanced</code> is <code>true</code>
	<code>DYNAMIC</code>	Use the dynamic incoming host header.	
	<code>CUSTOMER</code>	Use a customer-defined cookie domain.	
<code>allowedUserCookieDomain</code>	string	Specifies a domain for an allowed user cookie.	<code>allowedUserCookieEnabled</code> is <code>true</code> AND <code>allowedUserCookieAdvanced</code> is <code>true</code> AND <code>allowedUserCookieDomainType</code> is <code>CUSTOMER</code>
<code>allowedUserCookieHttpOnly</code>	boolean	Applies the <code>HttpOnly</code> flag to the allowed user's cookie to ensure it's accessed over HTTP and not manipulated by the client.	<code>allowedUserCookieEnabled</code> is <code>true</code> AND <code>allowedUserCookieAdvanced</code> is <code>true</code>
<code>waitingRoomCookieEnabled</code>	boolean	Enables a cookie to track a waiting room assignment.	
<code>waitingRoomCookieShareLabel</code>	boolean	Enabling this option shares the same <code>allowedUserCookieLabel</code> string. If disabled, specify a different <code>waitingRoomCookieLabel</code> .	<code>waitingRoomCookieEnabled</code> is <code>true</code> AND <code>allowedUserCookieEnabled</code> is <code>true</code>

Option	Type	Description	Requires
waitingRoomCookieLabel	string	Specifies a label to distinguish this waiting room cookie from others. The value appends to the cookie's name, and helps you to maintain the same waiting room assignment across behaviors within a property, and across properties.	waitingRoomCookieEnabled is true
waitingRoomCookieDuration	number (0-120)	Sets the number of seconds for which users remain in the waiting room. During this time, users who refresh the waiting room page remain there.	waitingRoomCookieEnabled is true
waitingRoomCookieAdvanced	boolean	When enabled along with waitingRoomCookieEnabled, sets advanced configuration options for the waiting room cookie.	waitingRoomCookieEnabled is true
waitingRoomCookieAutomaticSalt	boolean	Sets an automatic salt value to verify the integrity of the waiting room cookie. Disable this if you want to share the cookie across properties.	waitingRoomCookieEnabled is true AND waitingRoomCookieAdvanced is true
waitingRoomCookieSalt	string	Specifies a fixed salt value, which is incorporated into the cookie's value to prevent users from manipulating it. You can use the same salt string across different behaviors or properties to apply a single cookie for the waiting room session.	waitingRoomCookieEnabled is true AND waitingRoomCookieAdvanced is true AND waitingRoomCookieAutomaticSalt is false
waitingRoomCookieDomainType	enum	Specify with waitingRoomCookieAdvanced enabled, selects whether to use the DYNAMIC incoming host header, or a CUSTOMER - defined cookie domain.	waitingRoomCookieEnabled is true AND waitingRoomCookieAdvanced is true
	DYNAMIC	Use the dynamic incoming host header.	
	CUSTOMER	Use a customer-defined cookie domain.	
waitingRoomCookieDomain	string	Specifies a domain for the waiting room cookie.	waitingRoomCookieEnabled is true AND waitingRoomCookieAdvanced is true AND waitingRoomCookieDomainType is CUSTOMER
waitingRoomCookieHttpOnly	boolean	Applies the HttpOnly flag to the waiting room cookie to ensure it's accessed over HTTP and not manipulated by the client.	waitingRoomCookieEnabled is true AND waitingRoomCookieAdvanced is true
waitingRoomStatusCode	number	Specifies the response code for requests sent to the waiting room.	
waitingRoomUseCpCode	boolean	Allows you to assign a different CP code that tracks any requests that are sent to the waiting room.	

Option	Type	Description	Requires
waitingRoomCpCode	object	Specifies a CP code for requests sent to the waiting room. You only need to provide the initial <code>id</code> , stripping any <code>cpc_</code> prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.	waitingRoomUseCpCode is true
waitingRoomCpCode.cpCodeLimits	array	Read-only. Describes the current usage limit for the CP code.	
waitingRoomCpCode.createdDate	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.	
waitingRoomCpCode.description	string	Read-only. Additional description for the CP code.	
waitingRoomCpCode.id	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeId</code> value from the List CP codes operation.	
waitingRoomCpCode.name	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.	
waitingRoomCpCode.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.	
waitingRoomNetStorage	object	Specifies the NetStorage domain for the waiting room page.	
waitingRoomNetStorage.cpCode	integer	Identifies a CP code assigned to this storage group.	
waitingRoomNetStorage.downloadDomainName	string	Domain name from which content can be downloaded.	
waitingRoomNetStorage.g2oToken	string	Signature Header Authentication key.	
waitingRoomNetStorage.id	integer	Unique identifier for the storage group.	
waitingRoomNetStorage.name	string	Name of the storage group.	
waitingRoomDirectory	string (allows variables)	Specifies the NetStorage directory that contains the static waiting room page, with no trailing slash character.	
waitingRoomCacheTtl	number (5-30)	Specifies the waiting room page's time to live in the cache, 5 minutes by default.	

watermarking

- **Property Manager name:** [Watermarking](#)
- **Behavior version:** The v2024-02-12 rule format supports the watermarking behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Adds watermarking for each valid user's content. Content segments are delivered from different sources using a pattern unique to each user, based on a watermarking token included in each request. If your content is pirated or redistributed, you can forensically analyze the segments to extract the pattern, and identify the user who leaked the content.

Option	Type	Description	Requires
enable	boolean	Enables the watermarking behavior.	
signature Verification Enable	boolean	When enabled, you can verify the signature in your watermarking token.	
verification KeyId1	string	Specifies a unique identifier for the first public key.	signature Verification Enable is true
verification PublicKey1	string	Specifies the first public key in its entirety.	signature Verification Enable is true
verification KeyId2	string	Specifies a unique identifier for the optional second public key.	signature Verification Enable is true
verification PublicKey2	string	Specifies the optional second public key in its entirety. Specify a second key to enable rotation.	signature Verification Enable is true
pattern Decryption Enable	boolean	If patterns in your watermarking tokens have been encrypted, enabling this allows you to provide values to decrypt them.	
decryption PasswordId1	string	Specifies a label that corresponds to the primary password.	pattern Decryption Enable is true
decryption Password1	string	Provides the primary password used to encrypt patterns in your watermarking tokens.	pattern Decryption Enable is true
decryption PasswordId2	string	Specifies a label for the secondary password, used in rotation scenarios to identify which password to use for decryption.	pattern Decryption Enable is true
decryption Password2	string	Provides the secondary password you can use to rotate passwords.	pattern Decryption Enable is true

Option	Type	Description	Requires
useOriginal AsA	boolean	When you work with your watermarking vendor, you can apply several preprocessing methods to your content. See the AMD help for more information. With the standard <i>filename-prefix AB naming</i> preprocessing method, the watermarking vendor creates two variants of the original segment content and labels them as an <i>A</i> and <i>B</i> segment in the filename. If you selected the <i>unlabeled A variant</i> preprocessing method, enabling this option tells your configuration to use the original filename segment content as your <i>A</i> variant.	
abVariant Location	enum	When you work with your watermarking vendor, you can apply several preprocessing methods to your content. See the AMD help for more information. Use this option to specify the location of the <i>A</i> and <i>B</i> variant segments.	
	FILENAME_ PREFIX	Set for the standard, <i>filename-prefix AB naming</i> preprocessing method, where the variant letter is included in the filename.	
	PARENT_ DIRECTORY_ PREFIX	Set for the <i>directory-prefix AB naming</i> preprocessing method, where variants are located in a subdirectory named after the variants, such as <i>/B/segment1.ts</i> .	

webApplicationFirewall

- **Property Manager name:** [Web Application Firewall \(WAF\)](#)
- **Behavior version:** The `v2024-02-12` rule format supports the `webApplicationFirewall` behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [No \(temporarily\)](#)

This behavior implements a suite of security features that blocks threatening HTTP and HTTPS requests. Use it as your primary firewall, or in addition to existing security measures. Only one referenced configuration is allowed per property, so this behavior typically belongs as part of its default rule.

Option	Type	Description
firewallConfiguration	object	An object featuring details about your firewall configuration.

webSockets

- **Property Manager name:** [WebSockets](#)
- **Behavior version:** The v2024-02-12 rule format supports the webSockets behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The WebSocket protocol allows web applications real-time bidirectional communication between clients and servers.

Option	Type	Description
enabled	boolean	Enables WebSocket traffic.

webdav

- **Property Manager name:** [WebDAV](#)
- **Behavior version:** The v2024-02-12 rule format supports the webdav behavior v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Web-based Distributed Authoring and Versioning (WebDAV) is a set of extensions to the HTTP protocol that allows users to collaboratively edit and manage files on remote web servers. This behavior enables WebDAV, and provides support for the following additional request methods: PROPFIND, PROPPATCH, MKCOL, COPY, MOVE, LOCK, and UNLOCK. To apply this behavior, you need to match on a [requestMethod](#) .

Option	Type	Description
enabled	boolean	Enables the WebDAV behavior.

v2024-02-12-criteria

v2024-02-12 criteria

This section provides details for all criteria the Property Manager API supports for the v2024-02-12 rule format version. The set available to you depends on the product and modules assigned to the property or the include. You can get it by running either [List available criteria for a property](#) or [List available criteria for an include](#).

This v2024-02-12 rule format provides an older deprecated set of PAPI features. You should use the most recent dated rule format available. See [API versioning](#) for details.

Option requirements

PAPI's behaviors and match criteria often include cross-dependent options, for which this reference documentation provides details in a *Requires* table column. For example, suppose documentation for a cloudletSharedPolicy option specifies this as *Requires*:

```
isSharedPolicy is true
```

That means for the cloudletSharedPolicy to appear in the object, you need to also have isSharedPolicy set to true :

```
{
  "isSharedPolicy": true,
  "cloudletSharedPolicy": 1000
}
```

Often you include options in behavior or criteria objects based on the match of a string value. Documentation also indicates any set of high-level logical *AND* and *OR* validation requirements.

advancedImMatch

- **Property Manager name:** [Image and Video Manager](#)
- **Criteria version:** The v2024-02-12 rule format supports the advancedImMatch criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [Yes](#)

Matches whether the [imageManager](#) behavior already applies to the current set of requests.

Option	Type	Description
match Operator	enum	Specifies the match's logic.
	IS	Matches the selected requests.
	IS_NOT	Does not match the selected requests.
matchOn	enum	Specifies the match's scope.
	ANY_IM	Whether to match any requests that also include generated derivatives.
	PRISTINE	Whether to match only pristine requests on original images or videos from Image and Video Manager.

bucket

- **Property Manager name:** [Percentage of Clients](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `bucket` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

This matches a specified percentage of requests when used with the accompanying behavior. Contact Akamai Professional Services for help configuring it.

Option	Type	Description
percentage	number (0-100)	Specifies the percentage of requests to match.

cacheability

- **Property Manager name:** [Response Cacheability](#)

- **Criteria version:** The `v2024-02-12` rule format supports the `cacheability` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the current cache state. Note that any `NO_STORE` or `BYPASS_CACHE` HTTP headers set on the origin's content overrides properties' `caching` instructions, in which case this criteria does not apply.

Option	Type	Description
<code>match</code> <code>Operator</code>	enum	Specifies the match's logic.
	<code>IS</code>	Cache state matches the <code>value</code> .
	<code>IS_NOT</code>	Cache state does not match the <code>value</code> .
<code>value</code>	enum	Content's cache is enabled (<code>CACHEABLE</code>) or not (<code>NO_STORE</code>), or else is ignored (<code>BYPASS_CACHE</code>).
	<code>NO_STORE</code>	Content cache is disabled.
	<code>BYPASS_CACHE</code>	Content cache is ignored.
	<code>CACHEABLE</code>	Content cache is enabled.

chinaCdnRegion

- **Property Manager name:** [ChinaCDN Region](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `chinaCdnRegion` criteria v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Identifies traffic deployed over Akamai's regional ChinaCDN infrastructure.

Option	Type	Description
<code>matchOperator</code>	enum	Specify whether the request <code>IS</code> or <code>IS_NOT</code> deployed over ChinaCDN.
	<code>IS</code>	The request is deployed over ChinaCDN.
	<code>IS_NOT</code>	The request is not deployed over ChinaCDN.

clientCertificate

- **Property Manager name:** [Client certificate](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `clientCertificate` criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches whether you have configured a client certificate to authenticate requests to edge servers.

Option	Type	Description	Requires
<code>isCertificatePresent</code>	boolean	Executes rule behaviors only if a client certificate authenticates requests.	
<code>isCertificateValid</code>	enum	Matches whether the certificate is <code>VALID</code> or <code>INVALID</code> . You can also <code>IGNORE</code> the certificate's validity.	<code>isCertificatePresent</code> is <code>true</code>
	<code>VALID</code>	Match when the certificate is valid.	
	<code>INVALID</code>	Match when the certificate is invalid.	
	<code>IGNORE</code>	Ignores the certificate's is valid.	
<code>enforceMtls</code>	boolean	Specifies custom handling of requests if any of the checks in the enforceMtlsSettings behavior fail. Enable this and use with behaviors such as logCustom so that they execute if the check fails. You need to add the enforceMtlsSettings behavior to a parent rule, with its own unique match condition and <code>enableDenyRequest</code> option disabled.	

clientIp

- **Property Manager name:** [Client IP](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `clientIp` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the IP number of the requesting client. To use this condition to match end-user IP addresses, apply it together with the `requestType` matching on the `CLIENT_REQ` value.

Option	Type	Description
match Operator	enum	Matches the contents of <code>values</code> if set to <code>IS_ONE_OF</code> , otherwise <code>IS_NOT_ONE_OF</code> reverses the match.
	<code>IS_ONE_OF</code>	Matches any of the specified <code>values</code> .
	<code>IS_NOT_ONE_OF</code>	Does not match any of the specified <code>values</code> .
values	string array	IP or CIDR block, for example: <code>71.92.0.0/14</code> .
use Headers	boolean	When connecting via a proxy server as determined by the <code>X-Forwarded-For</code> header, enabling this option matches the connecting client's IP address rather than the original end client specified in the header.

clientIpVersion

- **Property Manager name:** [Client IP Version](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `clientIpVersion` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the version of the IP protocol used by the requesting client.

Option	Type	Description
value	enum	The IP version of the client request, either <code>IPV4</code> or <code>IPV6</code> .
	<code>IPV4</code>	Matches the IPv4 protocol.
	<code>IPV6</code>	Matches the IPv6 protocol.
use XForwarded For	boolean	When connecting via a proxy server as determined by the <code>X-Forwarded-For</code> header, enabling this option matches the connecting client's IP address rather than the original end client specified in the header.

cloudletsOrigin

- **Property Manager name:** [Conditional Origin ID](#)
- **Criteria version:** The v2024-02-12 rule format supports the cloudletsOrigin criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Allows Cloudlets Origins, referenced by label, to define their own criteria to assign custom origin definitions. The criteria may match, for example, for a specified percentage of requests defined by the cloudlet to use an alternative version of a website.

You need to pair this criteria with a sibling [origin](#) definition. It should not appear with any other criteria, and an [allowCloudletsOrigins](#) behavior needs to appear within a parent rule.

Option	Type	Description
originId	string	The Cloudlets Origins identifier, limited to alphanumeric and underscore characters.

contentDeliveryNetwork

- **Property Manager name:** [CDN Network](#)
- **Criteria version:** The v2024-02-12 rule format supports the contentDeliveryNetwork criteria v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies the type of Akamai network handling the request.

Option	Type	Description
match Operator	enum	Matches the specified network if set to IS , otherwise IS_NOT reverses the match.
	IS	Matches the specified network .

Option	Type	Description
	IS_NOT	Does not match the specified <code>network</code> .
<code>network</code>	enum	Match the network.
	STAGING	Match the staging network.
	PRODUCTION	Match the production network.

contentType

- **Property Manager name:** [Content.Type](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `contentType` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the HTTP response header's `Content-Type` .

Warning. The Content Type match was updated in April 2023 and the change affects configurations that implement it together with the [gzipResponse](#) behavior. With the new change, if the origin server sends out the content in an uncompressed format, the Akamai edge servers cache it and deliver it to the requesting client in the compressed .gzip format. Clients using the Content-Length response header to determine the file size will now see the compressed size of the object returned from Akamai, rather than the uncompressed size of the object returned from the origin. If you updated your property configuration after April 3rd 2023, your `contentType` match is affected by this change.

Option	Type	Description
<code>match Operator</code>	enum	Matches any <code>Content-Type</code> among specified <code>values</code> when set to <code>IS_ONE_OF</code> , otherwise <code>IS_NOT_ONE_OF</code> reverses the match.
	<code>IS_ONE_OF</code>	Matches any <code>Content-Type</code> among the specified <code>values</code> .
	<code>IS_NOT_ONE_OF</code>	Matches none of the specified <code>values</code> .
<code>values</code>	string array	<code>Content-Type</code> response header value, for example <code>text/html</code> .
<code>match Wildcard</code>	boolean	Allows wildcards in the <code>value</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters. Specifying <code>text/*</code> matches both <code>text/html</code> and <code>text/css</code> .
<code>matchCase Sensitive</code>	boolean	Sets a case-sensitive match for all <code>values</code> .

deviceCharacteristic

- **Property Manager name:** [Device Characteristics](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `deviceCharacteristic` criteria v1.3.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match various aspects of the device or browser making the request. Based on the value of the `characteristic` option, the expected value is either a boolean, a number, or a string, possibly representing a version number. Each type of value requires a different field.

Option	Type	Description	Requires
<code>characteristic</code>	enum	Aspect of the device or browser to match.	
	<code>BRAND_NAME</code>	String value such as <code>Samsung</code> or <code>Apple</code> .	
	<code>MODEL_NAME</code>	String value such as <code>SCH-I110</code> .	
	<code>MARKETING_NAME</code>	String value such as <code>Samsung Illusion</code> .	
	<code>IS_WIRELESS_DEVICE</code>	Boolean value.	
	<code>IS_TABLET</code>	Boolean value, subset of <code>IS_MOBILE</code> .	
	<code>DEVICE_OS</code>	String value.	
	<code>DEVICE_OS_VERSION</code>	Version string value.	
	<code>MOBILE_BROWSER</code>	String value.	
	<code>MOBILE_BROWSER_VERSION</code>	Version string value.	
	<code>RESOLUTION_WIDTH</code>	Number of pixels wide.	
	<code>RESOLUTION_HEIGHT</code>	Number of pixels high.	
	<code>PHYSICAL_SCREEN_HEIGHT</code>	Number of millimeters high.	
	<code>PHYSICAL_SCREEN_WIDTH</code>	Number of millimeters wide.	

Option	Type	Description	Requires
	COOKIE_SUPPORT	Boolean value.	
	AJAX_SUPPORT_JAVASCRIPT	Boolean value.	
	FULL_FLASH_SUPPORT	Boolean value.	
	ACCEPT_THIRD_PARTY_COOKIE	Boolean value.	
	XHTML_SUPPORT_LEVEL	Numeric value.	
	IS_MOBILE	Boolean value.	
stringMatch Operator	enum	When the <code>characteristic</code> expects a string value, set this to <code>MATCHES_ONE_OF</code> to match against the <code>stringValue</code> set, otherwise set to <code>DOES_NOT_MATCH_ONE_OF</code> to exclude that set of values.	<code>characteristic</code> is either: <code>BRAND_NAME</code> , <code>MODEL_NAME</code> , <code>MARKETING_NAME</code> , <code>DEVICE_OS</code> , <code>MOBILE_BROWSER</code> , <code>PREFERRED_MARKUP</code> , <code>HTML_PREFERRED_DTD</code> , <code>XHTML_PREFERRED_CHARSET</code> , <code>VIEWPORT_WIDTH</code> , <code>XHTMLMP_PREFERRED_MIME_TYPE</code> , <code>AJAX_PREFERRED_GEOLOC_API</code> , <code>XHTML_FILE_UPLOAD</code> , <code>XHTML_SUPPORTS_IFRAME</code> , <code>FLASH_LITE_VERSION</code>
	<code>MATCHES_ONE_OF</code>	The value is included as a <code>stringValue</code> .	
	<code>DOES_NOT_MATCH_ONE_OF</code>	The value is not included as a <code>stringValue</code> .	
numericMatch Operator	enum	When the <code>characteristic</code> expects a numeric value, compares the specified <code>numericValue</code> against the matched client.	<code>characteristic</code> is either: <code>RESOLUTION_WIDTH</code> , <code>RESOLUTION_HEIGHT</code> , <code>PHYSICAL_SCREEN_HEIGHT</code> , <code>PHYSICAL_SCREEN_WIDTH</code> , <code>XHTML_SUPPORT_LEVEL</code> , <code>MAX_IMAGE_WIDTH</code> , <code>MAX_IMAGE_HEIGHT</code> , <code>VIEWPORT_INITIAL_SCALE</code>
	<code>IS</code>	Values are equal.	
	<code>IS_NOT</code>	Values are not equal.	
	<code>IS_LESS_THAN</code>	The <code>numericValue</code> is less than the matched client.	
	<code>IS_LESS_THAN_OR_EQUAL</code>	The <code>numericValue</code> is less than or equal to the matched client.	
	<code>IS_MORE_THAN</code>	The <code>numericValue</code> is more than the matched client.	
	<code>IS_MORE_THAN_OR_EQUAL</code>	The <code>numericValue</code> is more than or equal to the matched client.	
versionMatch Operator	enum	When the <code>characteristic</code> expects a version string value, compares the specified <code>versionValue</code> against the matched client, using the following operators: <code>IS</code> , <code>IS_MORE_THAN_OR_EQUAL</code> , <code>IS_MORE_THAN</code> , <code>IS_LESS_THAN_OR_EQUAL</code> , <code>IS_LESS_THAN</code> , <code>IS_NOT</code> .	<code>characteristic</code> is either: <code>DEVICE_OS_VERSION</code> , <code>MOBILE_BROWSER_VERSION</code>

Option	Type	Description	Requires
	IS	The <code>versionValue</code> equals the matched client.	
	IS_NOT	The <code>versionValue</code> does not equal the matched client.	
	IS_LESS_THAN	The <code>versionValue</code> is less than the matched client.	
	IS_LESS_THAN_OR_EQUAL	The <code>versionValue</code> is less than or equal to the matched client.	
	IS_MORE_THAN	The <code>versionValue</code> is more than the matched client.	
	IS_MORE_THAN_OR_EQUAL	The <code>versionValue</code> is more than or equal to the matched client.	
<code>booleanValue</code>	boolean	When the <code>characteristic</code> expects a boolean value, this specifies the value.	<code>characteristic</code> is either: <code>IS_WIRELESS_DEVICE</code> , <code>IS_TABLET</code> , <code>COOKIE_SUPPORT</code> , <code>AJAX_SUPPORT_JAVASCRIPT</code> , <code>FULL_FLASH_SUPPORT</code> , <code>DUAL_ORIENTATION</code> , <code>ACCEPT_THIRD_PARTY_COOKIE</code> , <code>GIF_ANIMATED</code> , <code>JPG</code> , <code>PNG</code> , <code>XHTML_SUPPORTS_TABLE_FOR_LAYOUT</code> , <code>XHTML_TABLE_SUPPORT</code> , <code>PDF_SUPPORT</code> , <code>IS_MOBILE</code>
<code>stringValue</code>	string array	When the <code>characteristic</code> expects a string, this specifies the set of values.	<code>stringMatchOperator</code> is either: <code>MATCHES_ONE_OF</code> , <code>DOES_NOT_MATCH_ONE_OF</code>
<code>numericValue</code>	number	When the <code>characteristic</code> expects a numeric value, this specifies the number.	<code>numericMatchOperator</code> is either: <code>IS</code> , <code>IS_NOT</code> , <code>IS_LESS_THAN</code> , <code>IS_LESS_THAN_OR_EQUAL</code> , <code>IS_MORE_THAN</code> , <code>IS_MORE_THAN_OR_EQUAL</code>
<code>versionValue</code>	string	When the <code>characteristic</code> expects a version number, this specifies it as a string.	<code>versionMatchOperator</code> is either: <code>IS</code> , <code>IS_NOT</code> , <code>IS_LESS_THAN</code> , <code>IS_LESS_THAN_OR_EQUAL</code> , <code>IS_MORE_THAN</code> , <code>IS_MORE_THAN_OR_EQUAL</code>
<code>matchCase Sensitive</code>	boolean	Sets a case-sensitive match for the <code>stringValue</code> field.	<code>stringMatchOperator</code> is either: <code>MATCHES_ONE_OF</code> , <code>DOES_NOT_MATCH_ONE_OF</code>
<code>match Wildcard</code>	boolean	Allows wildcards in the <code>stringValue</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	<code>stringMatchOperator</code> is either: <code>MATCHES_ONE_OF</code> , <code>DOES_NOT_MATCH_ONE_OF</code>

edgeWorkersFailure

- **Property Manager name:** [EdgeWorkers Execution Status](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `edgeWorkersFailure` criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)

- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Checks the EdgeWorkers execution status and detects whether a customer's JavaScript failed on edge servers.

Option	Type	Description
execStatus	enum	Specify execution status.
	FAILURE	Execution failed.
	SUCCESS	Execution succeeded.

fileExtension

- **Property Manager name:** [File Extension](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `fileExtension` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the requested filename's extension, if present.

Option	Type	Description
matchOperator	enum	Matches the contents of <code>values</code> if set to <code>IS_ONE_OF</code> , otherwise <code>IS_NOT_ONE_OF</code> reverses the match.
	IS_ONE_OF	Matches any of the specified <code>values</code> .
	IS_NOT_ONE_OF	Does not match any of the specified <code>values</code> .
values	string array	An array of file extension strings, with no leading dot characters, for example <code>png</code> , <code>jpg</code> , <code>jpeg</code> , and <code>gif</code> .
matchCase Sensitive	boolean	Sets a case-sensitive match.

filename

- **Property Manager name:** [Filename](#)
- **Criteria version:** The v2024-02-12 rule format supports the filename criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the requested filename, or test whether it is present.

Option	Type	Description	Requires
match Operator	enum	If set to IS_ONE_OF or IS_NOT_ONE_OF , matches whether the filename matches one of the values . If set to IS_EMPTY or IS_NOT_EMPTY , matches whether the specified filename is part of the path.	
	IS_ONE_OF	The filename matches one of the values .	
	IS_NOT_ONE_OF	The filename does not match one of the values .	
	IS_EMPTY	The filename is not part of the path.	
	IS_NOT_EMPTY	The filename is part of the path.	
values	string array	Matches the filename component of the request URL. Allows wildcards, where ? matches a single character and * matches zero or more characters. For example, specify filename.* to accept any extension.	matchOperator is either: IS_ONE_OF , IS_NOT_ONE_OF
matchCase Sensitive	boolean	Sets a case-sensitive match for the values field.	matchOperator is either: IS_ONE_OF , IS_NOT_ONE_OF

hostname

- **Property Manager name:** [Hostname](#)
- **Criteria version:** The v2024-02-12 rule format supports the hostname criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the requested hostname.

Option	Type	Description
match Operator	enum	Matches the contents of <code>values</code> when set to <code>IS_ONE_OF</code> , otherwise <code>IS_NOT_ONE_OF</code> reverses the match.
	<code>IS_ONE_OF</code>	Matches the contents of <code>values</code> .
	<code>IS_NOT_ONE_OF</code>	Does not match the contents of <code>values</code> .
<code>values</code>	string array	A list of hostnames. Allows wildcards, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters. Specifying <code>*.example.com</code> matches both <code>m.example.com</code> and <code>www.example.com</code> .

matchAdvanced

- **Property Manager name:** [Advanced Match](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `matchAdvanced` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read-only](#)
- **Allowed in includes:** [Yes](#)

This specifies match criteria using Akamai XML metadata. It can only be configured on your behalf by Akamai Professional Services.

Option	Type	Description
<code>description</code>	string	A human-readable description of what the XML block does.
<code>openXml</code>	string	An XML string that opens the relevant block.
<code>closeXml</code>	string	An XML string that closes the relevant block.

matchCpCode

- **Property Manager name:** [Content Provider Code](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `matchCpCode` criteria v1.1.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match the assigned content provider code.

Option	Type	Description
value	object	Specifies the CP code as an object. You only need to provide the initial <code>id</code> to match the CP code, stripping any <code>cpc_</code> prefix to pass the integer to the rule tree. Additional CP code details may reflect back in subsequent read-only data.
value.cpCodeLimits	array	Read-only. Describes the current usage limit for the CP code.
value.createdDate	integer	Read-only. UNIX epoch timestamp reflecting when the CP code was originally created.
value.description	string	Read-only. Additional description for the CP code.
value.id	integer	Unique identifier for each CP code. Initially, you get this value when creating a new CP code in PAPI. You can also assign a <code>cpcodeld</code> value from the List CP codes operation.
value.name	string	Read-only. The name of the CP code you specify as the <code>cpcodeName</code> when creating a new CP code in PAPI. You can modify this value with the PUT operation in the CP codes and Reporting Groups API.
value.products	array	Read-only. The set of products the CP code is assigned to. This reflects <code>productId</code> values you specify when creating a new CP code in PAPI.

matchResponseCode

- **Property Manager name:** [Response Status Code](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `matchResponseCode` criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match a set or range of HTTP response codes.

Option	Type	Description	Requires
matchOperator	enum	Matches numeric range or a specified set of values .	
	IS_ONE_OF	Matches the contents of values .	

Option	Type	Description	Requires
	IS_NOT_ONE_OF	Does not match the contents of <code>values</code> .	
	IS_BETWEEN	Matches the numeric range between <code>lowerBound</code> and <code>upperBound</code> .	
	IS_NOT_BETWEEN	Does not match the numeric range between <code>lowerBound</code> and <code>upperBound</code> .	
<code>values</code>	string array	A set of response codes to match, for example <code>["404","500"]</code> .	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
<code>lower Bound</code>	number	Specifies the start of a range of responses. For example, <code>400</code> to match anything from <code>400</code> to <code>500</code> .	<code>matchOperator</code> is either: <code>IS_BETWEEN</code> , <code>IS_NOT_BETWEEN</code>
<code>upper Bound</code>	number	Specifies the end of a range of responses. For example, <code>500</code> to match anything from <code>400</code> to <code>500</code> .	<code>matchOperator</code> is either: <code>IS_BETWEEN</code> , <code>IS_NOT_BETWEEN</code>

matchVariable

- **Property Manager name:** [Variable](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `matchVariable` criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches a built-in variable, or a custom variable pre-declared within the rule tree by the [set Variable](#) behavior. See [Support for variables](#) for more information on this feature.

Option	Type	Description	Requires
<code>variable Name</code>	string (variable name)	The name of the variable to match.	
<code>match Operator</code>	enum	The type of match, based on which you use different options to specify the match criteria.	
	IS	Matches the <code>variableExpression</code> string.	
	IS_NOT	Does not match the <code>variable Expression</code> string.	
	IS_ONE_OF	Matches any of an array of string <code>variableValues</code> .	
	IS_NOT_ONE_OF	Does not match any of an array of string <code>variableValues</code> .	

Option	Type	Description	Requires
	IS_EMPTY	Matches if a defined variable does not contain a value. You can't activate a rule that matches an undefined variable.	
	IS_NOT_EMPTY	Matches if a defined variable contains a value. You can't activate a rule that matches an undefined variable.	
	IS_BETWEEN	Is between the numeric lowerBound and upperBound values.	
	IS_NOT_BETWEEN	Is outside the numeric lowerBound and upperBound range.	
	IS_GREATER_THAN	Is greater than the variableExpression string-formatted number.	
	IS_GREATER_THAN_OR_EQUAL_TO	Is greater than or equal to the variableExpression string-formatted number.	
	IS_LESS_THAN	Is less than the variableExpression string-formatted number.	
	IS_LESS_THAN_OR_EQUAL_TO	Is less than or equal to the variableExpression string-formatted number.	
variable Values	string array	Specifies an array of matching strings.	matchOperator is either: IS_ONE_OF , IS_NOT_ONE_OF
variable Expression	string (allows variables)	Specifies a single matching string.	matchOperator is either: IS , IS_NOT , IS_GREATER_THAN , IS_GREATER_THAN_OR_EQUAL_TO , IS_LESS_THAN , IS_LESS_THAN_OR_EQUAL_TO
lowerBound	string	Specifies the range's numeric minimum value.	matchOperator is either: IS_BETWEEN , IS_NOT_BETWEEN
upper Bound	string	Specifies the range's numeric maximum value.	matchOperator is either: IS_BETWEEN , IS_NOT_BETWEEN
match Wildcard	boolean	When matching string expressions, enabling this allows wildcards, where ? matches a single character and * matches zero or more characters.	matchOperator is either: IS , IS_NOT , IS_ONE_OF , IS_NOT_ONE_OF
matchCase Sensitive	boolean	When matching string expressions, enabling this performs a case-sensitive match.	matchOperator is either: IS , IS_NOT , IS_ONE_OF , IS_NOT_ONE_OF

metadataStage

- **Property Manager name:** [Metadata Stage](#)
- **Criteria version:** The v2024-02-12 rule format supports the metadataStage criteria v1.0.

- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches how the current rule corresponds to low-level syntax elements in translated XML metadata, indicating progressive stages as each edge server handles the request and response. To use this match, you need to be thoroughly familiar with how Akamai edge servers process requests. Contact your Akamai Technical representative if you need help, and test thoroughly on staging before activating on production.

Option	Type	Description
match Operator	enum	Compares the current rule with the specified metadata stage.
	IS	The current rule is at the specified metadata stage.
	IS_NOT	The current rule is not at the specified metadata stage.
value	enum	Specifies the metadata stage.
	cache-hit	Content is cacheable and is already cached, but not yet tested for freshness.
	client-done	Occurs after the response completes and the response has been sent to the requesting client. Only used for receipt requests and products like Cloud Monitor and Datastream.
	client-request	When the Akamai server receives the request. Most processing happens in this stage, including determining the object's cacheability and cache key.
	client-request-body	Runs when the Akamai server inspects the contents of a request POST body, typically as a security check.
	client-response	Occurs after the full response has been returned from the forward server or retrieved from Akamai's cache, prior to constructing a response.
	content-policy	This stage determines whether any Cloudlets or security products are associated with the request. It gets ignored in requests for other products.
	forward-request	Immediately before the Akamai server tries to connect to a forward server (either an Akamai parent server or a customer origin). Doesn't run for the content retrieved from Akamai's cache.
	forward-response	After the forward server responds and all response headers have been read. Doesn't run for the content retrieved from Akamai's cache.
	forward-start	Immediately before the <code>forward-request</code> stage, while the Akamai server selects a forward server or persistent connection. Doesn't run for the content retrieved from Akamai's cache.
	ipa-response	Runs when a response is received from an intermediate processing agent (IPA) server, called at the end of the <code>client-request</code> stage.

originTimeout

- **Property Manager name:** [Origin Timeout](#)
- **Criteria version:** The v2024-02-12 rule format supports the originTimeout criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches when the origin responds with a timeout error.

Option	Type	Description
matchOperator	enum	Specifies a single required ORIGIN_TIMED_OUT value.
	ORIGIN_TIMED_OUT	This is currently the only supported value.

path

- **Property Manager name:** [Path](#)
- **Criteria version:** The v2024-02-12 rule format supports the path criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the URL's non-hostname path component.

Option	Type	Description
matchOperator	enum	Matches the contents of the values array.
	MATCHES_ONE_OF	Matches any of the values array.
	DOES_NOT_MATCH_ONE_OF	Matches none of the values array.
values	string array	Matches the URL path, excluding leading hostname and trailing query parameters. The path is relative to the server root, for example /blog . This field allows wildcards, where ? matches a single character and * matches zero or more characters. For example, /blog/*/2014 matches paths with two fixed segments and other varying segments between them.
matchCaseSensitive	boolean	Sets a case-sensitive match.
normalize	boolean	Transforms URLs before comparing them with the provided value. URLs are decoded, and any directory syntax such as ../ or // is stripped as a security

Option	Type	Description
		measure. This protects URL paths from being accessed by unauthorized users.

queryStringParameter

- **Property Manager name:** [Query String Parameter](#)
- **Criteria version:** The v2024-02-12 rule format supports the queryStringParameter criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches query string field names or values.

Option	Type	Description	Requires
parameter Name	string	The name of the query field, for example, q in ?q=string .	
matchOperator	enum	Narrows the match criteria.	
	IS_ONE_OF	Tests whether the field's value string matches.	
	IS_NOT_ONE_OF	Tests whether the field's value string does not match.	
	EXISTS	Whether the query field's parameterName is present in the requesting URL.	
	DOES_NOT_EXIST	Whether the query field's parameterName is absent from the requesting URL.	
	IS_LESS_THAN	Matches a range when the value is numeric.	
	IS_MORE_THAN	Matches a range when the value is numeric.	
	IS_BETWEEN	Is between the numeric lowerBound and upper Bound values.	
values	string array	The value of the query field, for example, string in ?q=string .	matchOperator is either: IS_ONE_OF , IS_NOT_ONE_OF
lowerBound	number	Specifies the match's minimum value.	matchOperator is either: IS_MORE_THAN , IS_BETWEEN
upperBound	number	When the value is numeric, this field specifies the match's maximum value.	matchOperator is either: IS_LESS_THAN , IS_BETWEEN

Option	Type	Description	Requires
<code>matchWildcardName</code>	boolean	Allows wildcards in the <code>parameterName</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	
<code>matchCaseSensitiveName</code>	boolean	Sets a case-sensitive match for the <code>parameterName</code> field.	
<code>matchWildcardValue</code>	boolean	Allows wildcards in the <code>value</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
<code>matchCaseSensitiveValue</code>	boolean	Sets a case-sensitive match for the <code>value</code> field.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
<code>escapeValue</code>	boolean	Matches when the <code>value</code> is URL-escaped.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>

random

- **Property Manager name:** [Sample Percentage](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `random` criteria v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches a specified percentage of requests. Use this match to apply behaviors to a percentage of your incoming requests that differ from the remainder, useful for A/b testing, or to offload traffic onto different servers.

Option	Type	Description
<code>bucket</code>	number (0-100)	Specify a percentage of random requests to which to apply a behavior. Any remainders do not match.

recoveryConfig

- **Property Manager name:** [Recovery Configuration Name](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `recoveryConfig` criteria v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches on specified origin recovery scenarios. The `originFailureRecoveryPolicy` behavior defines the scenarios that trigger the recovery or retry methods you set in the `originFailureRecoveryMethod` rule. If the origin fails, the system checks the name of the recovery method applied to your policy. It then either redirects the requesting client to a backup origin or returns predefined HTTP response codes.

Option	Type	Description
<code>config Name</code>	string	A unique identifier used for origin failure recovery configurations. This is the recovery method configuration name you apply when setting origin failure recovery methods and scenarios in <code>originFailureRecoveryMethod</code> and <code>originFailureRecoveryPolicy</code> behaviors. The value can contain alphanumeric characters and dashes.

regularExpression

- **Property Manager name:** [Regex](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `regularExpression` criteria v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches a regular expression against a string, especially to apply behaviors flexibly based on the contents of dynamic [variables](#).

Option	Type	Description
<code>matchString</code>	string (allows variables)	The string to match, typically the contents of a dynamic variable.
<code>regex</code>	string	The regular expression (PCRE) to match against the string.
<code>caseSensitive</code>	boolean	Sets a case-sensitive regular expression match.

requestCookie

- **Property Manager name:** [Request Cookie](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `requestCookie` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match the cookie name or value passed with the request.

Option	Type	Description	Requires
cookieName	string	The name of the cookie, for example, <code>visitor</code> in <code>visitor:anon</code> .	
matchOperator	enum	Narrows the match criteria.	
	IS	If the field's <code>value</code> string matches.	
	IS_NOT	If the field's <code>value</code> string does not match.	
	EXISTS	Matches if the <code>cookieName</code> cookie exists.	
	DOES_NOT_EXIST	Matches if the <code>cookieName</code> cookie does not exist.	
	IS_BETWEEN	Is between the numeric <code>lowerBound</code> and <code>upperBound</code> values.	
value	string	The cookie's value, for example, <code>anon</code> in <code>visitor:anon</code> .	<code>matchOperator</code> is either: <code>IS</code> , <code>IS_NOT</code>
lowerBound	number	When the <code>value</code> is numeric, this field specifies the match's minimum value.	<code>matchOperator</code> is <code>IS_BETWEEN</code>
upperBound	number	When the <code>value</code> is numeric, this field specifies the match's maximum value.	<code>matchOperator</code> is <code>IS_BETWEEN</code>
matchWildcard Name	boolean	Allows wildcards in the <code>cookieName</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	
matchCase SensitiveName	boolean	Sets a case-sensitive match for the <code>cookieName</code> field.	
matchWildcard Value	boolean	Allows wildcards in the <code>value</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	<code>matchOperator</code> is either: <code>IS</code> , <code>IS_NOT</code>
matchCase SensitiveValue	boolean	Sets a case-sensitive match for the <code>value</code> field.	<code>matchOperator</code> is either: <code>IS</code> , <code>IS_NOT</code>

requestHeader

- **Property Manager name:** [Request Header](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `requestHeader` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match HTTP header names or values.

Option	Type	Description	Requires
headerName	string	The name of the request header, for example <code>Accept-Language</code> .	
match Operator	enum	Narrows the match criteria.	
	IS_ONE_OF	Tests whether the field's <code>value</code> string matches.	
	IS_NOT_ONE_OF	Tests whether the field's <code>value</code> string does not match.	
	EXISTS	Tests if the <code>headerName</code> field exists.	
	DOES_NOT_EXIST	Tests if the <code>headerName</code> field is absent.	
values	string array	The request header's value, for example <code>en-US</code> when the header <code>headerName</code> is <code>Accept-Language</code> .	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
matchWildcard Name	boolean	Allows wildcards in the <code>headerName</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	
matchWildcard Value	boolean	Allows wildcards in the <code>value</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
matchCase SensitiveValue	boolean	Sets a case-sensitive match for the <code>value</code> field.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>

requestMethod

- **Property Manager name:** [Request Method](#)
- **Criteria version:** The v2024-02-12 rule format supports the requestMethod criteria v1.4.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specify the request's HTTP verb. Also supports WebDAV methods and common Akamai operations.

Option	Type	Description
match Operator	enum	Matches the value when set to IS , otherwise IS_NOT reverses the match.
	IS	Matches the value .
	IS_NOT	Does not match the value .
value	enum	Any of these HTTP methods, WebDAV methods, or Akamai operations.
	GET	Standard HTTP method.
	POST	Standard HTTP method.
	HEAD	Standard HTTP method.
	PUT	Standard HTTP method.
	PATCH	Standard HTTP method.
	HTTP_DELETE	Standard HTTP method. Note the additional prefix.
	AKAMAI_TRANSLATE	Akamai operation.
	AKAMAI_PURGE	Akamai operation.
	OPTIONS	Standard HTTP method.
	DAV_ACL	WebDAV method.
	DAV_CHECKOUT	WebDAV method.
	DAV_COPY	WebDAV method.
	DAV_DMCREATE	WebDAV method.
	DAV_DMINDEX	WebDAV method.
	DAV_DMMKPATH	WebDAV method.
	DAV_DMMKPATHS	WebDAV method.
	DAV_DMOVERLAY	WebDAV method.
	DAV_DMPATCHPATHS	WebDAV method.
	DAV_LOCK	WebDAV method.
	DAV_MKCALENDAR	WebDAV method.
	DAV_MKCOL	WebDAV method.
	DAV_MOVE	WebDAV method.
	DAV_PROPFIND	WebDAV method.
	DAV_PROPPATCH	WebDAV method.

Option	Type	Description
	DAV_REPORT	WebDAV method.
	DAV_SETPROCESS	WebDAV method.
	DAV_SETREDIRECT	WebDAV method.
	DAV_TRUTHGET	WebDAV method.
	DAV_UNLOCK	WebDAV method.

requestProtocol

- **Property Manager name:** [Request Protocol](#)
- **Criteria version:** The v2024-02-12 rule format supports the requestProtocol criteria v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches whether the request uses the HTTP or HTTPS protocol.

Option	Type	Description
value	enum	Specifies the protocol.
		Supported values: HTTP HTTPS

requestType

- **Property Manager name:** [Request Type](#)
- **Criteria version:** The v2024-02-12 rule format supports the requestType criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)

- **Allowed in includes:** [Yes](#)

Matches the basic type of request. To use this match, you need to be thoroughly familiar with how Akamai edge servers process requests. Contact your Akamai Technical representative if you need help, and test thoroughly on staging before activating on production.

Option	Type	Description
match Operator	enum	Specifies whether the request <code>IS</code> or <code>IS_NOT</code> the type of specified <code>value</code> .
	<code>IS</code>	The request is the type of specified <code>value</code> .
	<code>IS_NOT</code>	The request is not the type of specified <code>value</code> .
value	enum	Specifies the type of request, either a standard <code>CLIENT_REQ</code> , an <code>ESI_FRAGMENT</code> , or an <code>EW_SUBREQUEST</code> .
	<code>CLIENT_REQ</code>	A client request.
	<code>ESI_FRAGMENT</code>	An Edge Side Include fragment.
	<code>EW_SUBREQUEST</code>	An EdgeWorkers sub-request.

responseHeader

- **Property Manager name:** [Response Header](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `responseHeader` criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match HTTP header names or values.

Option	Type	Description	Requires
headerName	string	The name of the response header, for example <code>Content-Type</code> .	
match Operator	enum	Narrows the match according to various criteria.	
	<code>IS_ONE_OF</code>	The field's <code>value</code> string matches.	
	<code>IS_NOT_ONE_OF</code>	The field's <code>value</code> string does not match.	
	<code>EXISTS</code>	The HTTP field <code>headerName</code> is present.	
	<code>DOES_NOT_EXIST</code>	The HTTP field <code>headerName</code> is absent.	

Option	Type	Description	Requires
	IS_LESS_THAN	Matches ranges when the <code>value</code> is numeric.	
	IS_MORE_THAN	Matches ranges when the <code>value</code> is numeric.	
	IS_BETWEEN	Is between the numeric <code>lowerBound</code> and <code>upperBound</code> values.	
<code>values</code>	string array	The response header's value, for example <code>application/x-www-form-urlencoded</code> when the header <code>headerName</code> is <code>Content-Type</code> .	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
<code>lowerBound</code>	number	When the <code>value</code> is numeric, this field specifies the match's minimum value.	<code>matchOperator</code> is either: <code>IS_MORE_THAN</code> , <code>IS_BETWEEN</code>
<code>upperBound</code>	number	When the <code>value</code> is numeric, this field specifies the match's maximum value.	<code>matchOperator</code> is either: <code>IS_LESS_THAN</code> , <code>IS_BETWEEN</code>
<code>matchWildcardName</code>	boolean	Allows wildcards in the <code>headerName</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	
<code>matchWildcardValue</code>	boolean	Allows wildcards in the <code>value</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>
<code>matchCaseSensitiveValue</code>	boolean	When enabled, the match is case-sensitive for the <code>value</code> field.	<code>matchOperator</code> is either: <code>IS_ONE_OF</code> , <code>IS_NOT_ONE_OF</code>

serverLocation

- **Property Manager name:** [Akamai Server Location](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `serverLocation` criteria v1.0.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The location of the Akamai server handling the request.

Option	Type	Description	Requires
<code>locationType</code>	enum	Indicates the geographic scope.	
	COUNTRY	Country.	
	CONTINENT	Continent.	

Option	Type	Description	Requires
	REGION	States or provinces within a country.	
match Operator	enum	Matches the specified set of values when set to IS_ONE_OF , otherwise IS_NOT_ONE_OF reverses the match.	
	IS_ONE_OF	Matches any of the specified values .	
	IS_NOT_ONE_OF	Does not match any of the specified values .	
countries	string array	ISO 3166-1 country codes, such as US or CN .	locationType is COUNTRY
continents	string array	Continent codes.	locationType is CONTINENT
	AF	Africa.	
	AS	Asia.	
	EU	Europe.	
	NA	North America.	
	OC	Oceania.	
	OT	Antarctica.	
	SA	South America.	
regions	string array	ISO 3166 country and region codes, for example US:MA for Massachusetts or JP:13 for Tokyo.	locationType is REGION

time

- **Property Manager name:** [Time Interval](#)
- **Criteria version:** The v2024-02-12 rule format supports the time criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Specifies ranges of times during which the request occurred.

Option	Type	Description	Requires
match Operator	enum	Specifies how to define the range of time.	
	BEGINNING	The duration is indefinite, using the value of beginDate .	
	BETWEEN	Sets a single range between two dates, using the values of beginDate and endDate .	

Option	Type	Description	Requires
	LASTING	Sets a single range, but based on duration relative to the starting time. It relies on the values of <code>lastingDate</code> and <code>lastingDuration</code> .	
	REPEATING	Allows a <code>LASTING</code> -style range to repeat at regular intervals. It relies on the values of <code>repeatBeginDate</code> , <code>repeatDuration</code> , and <code>repeatInterval</code> .	
<code>repeatInterval</code>	string (duration)	Sets the time between each repeating time period's starting points.	<code>matchOperator</code> is <code>REPEATING</code>
<code>repeatDuration</code>	string (duration)	Sets the duration of each repeating time period.	<code>matchOperator</code> is <code>REPEATING</code>
<code>lastingDuration</code>	string (duration)	Specifies the end of a time period as a duration relative to the <code>lastingDate</code> .	<code>matchOperator</code> is <code>LASTING</code>
<code>lastingDate</code>	string (timestamp)	Sets the start of a fixed time period.	<code>matchOperator</code> is <code>LASTING</code>
<code>repeatBeginDate</code>	string (timestamp)	Sets the start of the initial time period.	<code>matchOperator</code> is <code>REPEATING</code>
<code>applyDaylightSavingsTime</code>	boolean	Adjusts the start time plus repeat interval to account for daylight saving time. Applies when the current time and the start time use different systems, daylight and standard, and the two values are in conflict.	<code>matchOperator</code> is <code>REPEATING</code>
<code>beginDate</code>	string (timestamp)	Sets the start of a time period.	<code>matchOperator</code> is <code>BEGINNING</code> OR <code>matchOperator</code> is <code>BETWEEN</code>
<code>endDate</code>	string (timestamp)	Sets the end of a fixed time period.	<code>matchOperator</code> is <code>BETWEEN</code>

tokenAuthorization

- **Property Manager name:** [Token Verification Result](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `tokenAuthorization` criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Match on Auth Token 2.0 verification results.

Option	Type	Description	Requires
<code>matchOperator</code>	enum	Error match scope.	

Option	Type	Description	Requires
	IS_SUCCESS	No errors occurred.	
	IS_CUSTOM_FAILURE	Match any error in <code>statusList</code> .	
	IS_ANY_FAILURE	Any error occurred.	

userAgent

- **Property Manager name:** [User Agent](#)
- **Criteria version:** The `v2024-02-12` rule format supports the `userAgent` criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches the user agent string that helps identify the client browser and device.

Option	Type	Description
<code>match Operator</code>	enum	Matches the specified set of <code>values</code> when set to <code>IS_ONE_OF</code> , otherwise <code>IS_NOT_ONE_OF</code> reverses the match.
	<code>IS_ONE_OF</code>	Matches any of the specified <code>values</code> .
	<code>IS_NOT_ONE_OF</code>	Does not match any of the specified <code>values</code> .
<code>values</code>	string array	The <code>User-Agent</code> header's value. For example, <code>Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)</code> .
<code>match Wildcard</code>	boolean	Allows wildcards in the <code>value</code> field, where <code>?</code> matches a single character and <code>*</code> matches zero or more characters. For example, <code>*Android*</code> , <code>*iPhone5*</code> , <code>*Firefox*</code> , or <code>*Chrome*</code> allow substring matches.
<code>matchCase Sensitive</code>	boolean	Sets a case-sensitive match for the <code>value</code> field.

userLocation

- **Property Manager name:** [User Location Data](#)
- **Criteria version:** The v2024-02-12 rule format supports the userLocation criteria v1.2.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

The client browser's approximate geographic location, determined by looking up the IP address in a database.

Option	Type	Description	Requires
field	enum	Indicates the geographic scope.	
	COUNTRY	Country.	
	CONTINENT	Continent.	
	REGION	States or provinces within a country.	
match Operator	enum	Matches the specified set of values when set to IS_ONE_OF , otherwise IS_NOT_ONE_OF reverses the match.	
	IS_ONE_OF	Matches any of the specified values .	
	IS_NOT_ONE_OF	Does not match any of the specified values .	
countryValues	string array	ISO 3166-1 country codes, such as US or CN .	field is COUNTRY
continent Values	string array	Continent codes.	field is CONTINENT
	AF	Africa.	
	AS	Asia.	
	EU	Europe.	
	NA	North America.	
	OC	Oceania.	
	OT	Antarctica.	
	SA	South America.	
regionValues	string array	ISO 3166 country and region codes, for example US:MA for Massachusetts or JP:13 for Tokyo.	field is REGION
checkIps	enum	Specifies which IP addresses determine the user's location.	
	BOTH	Behaves like HEADERS , but also considers the connecting client's IP address.	
	CONNECTING	Considers the connecting client's IP address.	
	HEADERS	Considers IP addresses specified in the X-Forwarded-For header, succeeding if any of them match.	
useOnlyFirst XForwardedFor Ip	boolean	When connecting via a proxy server as determined by the X-Forwarded-For header, enabling this option matches the end client specified in the header. Disabling it matches the connecting client's IP address.	checkIps is either: BOTH , HEADERS

userNetwork

- **Property Manager name:** [User Network Data](#)
- **Criteria version:** The v2024-02-12 rule format supports the userNetwork criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches details of the network over which the request was made, determined by looking up the IP address in a database.

Option	Type	Description	Requires
field	enum	The type of information to match.	
	NETWORK	A specific network.	
	NETWORK_TYPE	A more general NETWORK_TYPE .	
	BANDWIDTH	Bandwidth.	
match Operator	enum	Matches the specified set of values when set to IS_ONE_OF , otherwise IS_NOT_ONE_OF reverses the match.	
	IS_ONE_OF	Matches any of the specified values .	
	IS_NOT_ONE_OF	Does not match any of the specified values .	
networkValues	string array	Any set of specific networks.	field is NETWORK
		Supported values: @NIFTY AIRTEL ALPHA_INTERNET ALTITUDE_TELECOM AOL ARNET ASAHI ATT AWS BELLALIAN BELL_CANADA BIGLOBE BITMAILER BOUYGUES BRIGHT_HOUSE BSKYB BT CABLEONE CABLEVISION CERNET CHARTER CHINANET CHINA_MOBILE CHINA_UNICOM CLEARWIRE COGECO	

Option	Type	Description	Requires
		COLOCROSSING	
		COLT	
		COMCAST	
		COMLETEL	
		COMPUSERVE	
		COVAD	
		DION	
		DIRECTV	
		DREAMNET	
		DTAG	
		DTI	
		EARTHLINK	
		EASYNET	
		EITC	
		ETISALAT	
		EUROCIBER	
		FASTWEB	
		FIBERTEL	
		FRANCE_TELECOM	
		FREE	
		FREECOM	
		FRONTIER	
		GOOGLECLOUD	
		H3G	
		HINET	
		IBM	
		IDECNET	
		IJ4U	
		INFOSPHERE	
		JANET	
		JAZZTELL	
		JUSTNET	
		LIVEDOOR	
		MCI	
		MEDIACOM	
		MEDIA_ONE	
		MICROSOFT	
		MIL	
		NERIM	
		NEWNET	
		NUMERICABLE	
		OCN	
		ODN	
		ONO	
		PANASONIC_HI_HO	
		PLALA	
		PLUSNET	
		PRODIGY	
		QWEST	
		RCN	
		REDIRIS	
		RENATER	
		RESERVED	
		RETEVISION	
		ROAD_RUNNER	
		ROGERS	
		SASKTEL	
		SEEDNET	
		SEIKYO_INTERNET	
		SFR	
		SHAW	
		SOFTLAYER	
		SO_NET	
		SPRINT	
		SUDDENLINK	
		TALKTALK	
		TEKSAAVY	
		TELEFONICA	
		TELSTRA	
		TERRA_MEXICO	
		TI	
		TIKITIKI	
		TIME_WARNER	
		TISCALI	
		TURK_TELEKOM	
		T_MOBILE	
		UNI2	

Option	Type	Description	Requires
		UNINET UPC USEMB UUNET VERIZON VIRGIN_MEDIA VODAFONE WAKWAK WIND WINDSTREAM ZERO	
bandwidth Values	string array	Bandwidth range in bits per second, either 1 , 57 , 257 , 1000 , 2000 , or 5000 .	field is BANDWIDTH
checkIps	enum	Specifies which IP addresses determine the user's network.	
	BOTH	Behaves like HEADERS , but also considers the connecting client's IP address.	
	CONNECTING	Considers the connecting client's IP address.	
	HEADERS	Considers IP addresses specified in the X-Forwarded-For header, succeeding if any of them match.	
useOnlyFirst XForwardedFor Ip	boolean	When connecting via a proxy server as determined by the X-Forwarded-For header, enabling this option matches the end client specified in the header. Disabling it matches the connecting client's IP address.	checkIps is either: BOTH , HEADERS

variableError

- **Property Manager name:** [Variable Error](#)
- **Criteria version:** The v2024-02-12 rule format supports the variableError criteria v1.1.
- **Rule format status:** [Deprecated, outdated rule format](#)
- **Access:** [Read/Write](#)
- **Allowed in includes:** [Yes](#)

Matches any runtime errors that occur on edge servers based on the configuration of a [set Variable](#) behavior. See [Support for variables](#) section for more information on this feature.

Option	Type	Description
result	boolean	Matches errors for the specified set of variableNames , otherwise matches errors from variables outside that set.
variable Names	string array	The name of the variable whose error triggers the match, or a space- or comma-delimited list of more than one variable name. Note that if you define a variable named VAR , the name in this field needs to appear with its added prefix as PMUSER_VAR . When such a variable is inserted into other fields, it appears with an additional namespace as {{user.PMUSER_VAR}} . See the setVariable behavior for details on variable names.

Notice

Akamai secures and delivers digital experiences for the world's largest companies. Akamai's Intelligent Edge Platform surrounds everything, from the enterprise to the cloud, so customers and their businesses can be fast, smart, and secure. Top brands globally rely on Akamai to help them realize competitive advantage through agile solutions that extend the power of their multi-cloud architectures. Akamai keeps decisions, apps, and experiences closer to users than anyone — and attacks and threats far away. Akamai's portfolio of edge security, web and mobile performance, enterprise access, and video delivery solutions is supported by unmatched customer service, analytics, and 24/7/365 monitoring. To learn why the world's top brands trust Akamai, visit www.akamai.com, blogs.akamai.com, or [@Akamai](https://twitter.com/Akamai) on Twitter. You can find our global contact information at www.akamai.com/locations.

Akamai is headquartered in Cambridge, Massachusetts in the United States with operations in more than 57 offices around the world. Our services and renowned customer care are designed to enable businesses to provide an unparalleled Internet experience for their customers worldwide. Addresses, phone numbers, and contact information for all locations are listed on www.akamai.com/locations.

© 2024 Akamai Technologies, Inc. All Rights Reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without the written permission of Akamai Technologies, Inc. While precaution has been taken in the preparation of this document, Akamai Technologies, Inc. assumes no responsibility for errors, omissions, or for damages resulting from the use of the information herein. The information in this document is subject to change without notice. Without limitation of the foregoing, if this document discusses a product or feature in beta or limited availability, such information is provided with no representation or guarantee as to the matters discussed, as such products/features may have bugs or other issues.

Akamai and the Akamai wave logo are registered trademarks or service marks in the United States (Reg. U.S. Pat. & Tm. Off). Akamai Intelligent Edge Platform is a trademark in the United States. Products or corporate names may be trademarks or registered trademarks of other companies and are used only for explanation and to the owner's benefit, without intent to infringe.

Published August 19, 2024

[Akamai.com](https://www.akamai.com) [Legal & privacy](#) [Cookie settings](#) [Akamai status](#)

Copyright © 2024 Akamai Technologies, Inc. All rights reserved